


ILC REPORT: LAB ID: 1482 HEMATOLOGY: CBC, ESR, BGRH, PT, PS EXAMINATION

SR. NO	PARAMETER	REPROT OFC LABORATORY DEPARTMENT S.S.HOSPITAL ,PETLAD	REPORT OF STERLING ACCURIS LABORATORY AHMEDABAD (NABL accredited lab no: MC 2202)	REMARKS
1	HB	14.3 gm/dl	14.1	Matching
2	TOTAL WBC COUNT	4700 /cmm	4100/cmm	Matching
3	DIFFERENTIAL WBC COUNT	Neutrophils: 39 Lymphocytes :48 Eosinophils:02 Monocytes:11 Basophils: 00	Neutrophils:34 Lymphocytes :50 Eosinophils:02 Monocytes:14 Basophils: 00	Matching
4	PLATELET COUNT	2,63,000/cmm	2,72,000/cmm	Matching
5	RBC COUNT	5.24 x10 ¹² /l	5.16 x 10 ¹² /l	
6	HCT	41.4%	42.7 %	Matching
7	MCV	79 fl	82.7 fl	Matching
8	MCH	27.2 pg	27.3 pg	Matching
9	MCHC	34.4 g/dl	33.0	Matching
10	RDW	12.8 %	13.2 %	Matching
11	ESR	12 mm/hr	04 mm/hr	Matching
12	AEC	94/cmm	82/cmm	Matching
13	Blood Group	"A " Positive	'A" positive	Matching
14	Prothrombin Time	Test :15 seconds Control : 14.75 seconds INR : 1.01	Test : 12.8 seconds Control :14.2 seconds INR: 0.91	Matching
15	Peripheral smear examination	Rbc series : Normochromic Microcytic picture with Mild anisopoikilocytosis Parasite : not seen Platelets : adequate	Rbc series : Normochromic normocytic Parasite : Malaria parasite is not detected Platelet : adequate with normal morphology	Matching

NOTE : REPORT OF BOTH LAB ATTACHED .


 Pathologist, Class-I
 S. S. Hospital, Petlad,
 S. S. Hospital, Petlad,
 Dr. Anand

FOR ILLC 'NO. 1482'
LABORATORY SERVICES OF S.S.H.
PETLAD .

Reporting Form	Hematology & Clinical pathology Report	Unique ID.LSGGGH/F/
-----------------------	---	----------------------------

(Patient Sticker)

S.S HOSPITAL, PETLAD
 Department of Pathology

Haematology & Clinical Pathology Reporting Form

Patient Name: B.H. Munge
 Age: 40 yrs. Gender: M / F Unit: OPD
 MRD No.: 12400 OPD Reg. No.: _____
 Indoor Reg. No.: _____ Ward No./OPD: _____
 Head of Unit's Name: _____

Provisional Diagnosis: _____

Time of Sample Receiving: 14/10/2020 AM/PM **Lab I. D. No.:** 1482

HAEMATATOLOGY			
Test	Result	Unit	Reference Range (Adult)
Hemoglobin	14.5	gm/dl	M: 14.0-17.0 gm/dl F: 12.0-16.0 gm/dl
Total WBC Count	4,700	/cmm	4000-10000/cmm
Differential WBC Count:			
Neutrophils	39	%	55-70%
Lymphocytes	48	%	20-40%
Eosinophils	02	%	1-6%
Monocytes	11	%	2-10%
Basophils	00	%	0-1%
RBC	5.24	10 ¹² /l	4.0-5.50 10 ¹² /l
HCT	41.4	%	36.0-52.0 %
MCV	79	fl	76.0-96.0 fl
MCH	27.2	pg	27.0-32.0 pg
MCHC	34.4	g/dl	30.0-35.0 g/dl
RDW	14.8	%	11.5-14.5 %
Platelet Count	2,63,000	lacs/cmm	1.5-4.5 lacs/cmm
ESR	12	mm/hr	M: ≤10 mm/hr F: ≤15 mm/hr
AEC	94	/cmm	40-440/cmm
Blood Group	'A' Positive		

AD
 Pathologist Class-I
 S. S. Hospital, Petlad,
 Di. Anand

Laboratory department,

S.S.Hospital, Petlad.

Date: 20/02/2020

To,

Lab director,

Sterling Accuris Diagnostic,

Ahmadabad.

Sub: To sign MOU for inter-laboratory comparison program

Respected sir,

We laboratory department ,S.S.Hospital,Petlad have applied for Quality Assurance Scheme for Basic Composite Medical Laboratories and as per NABL requirement we need inter-laboratory comparison program and we wish to sign MOU WITH YOU FOR below mentioned test for same.

Kindly do needful and oblige

Thanking you

List of test:

CBC

Blood group

ESR

Prothrombin time

P/S Examination

Urine routine and micro

UPT

Stool R/M

Your faithfully



Pathologist Class-I
S. S. Hospital, Petlad,
Di. Anand

Accepted.



Sterling Accuris Diagnostic, Ahmad





LABORATORY REPORT



Name : B H MENGAR 1482
 Lab ID : 2002113751
 Sex/Age : M / 40 Years
 Ref. By :
 Location :

Registration on : 21-Feb-2020
 Collected on : 21-Feb-2020 16:31
 Approved on : 21-Feb-2020 17:17
 Sample Type : Citrate 2 ml

TEST	RESULTS	UNIT	BIOLOGICAL REFERENCE RANGE
------	---------	------	----------------------------

PROTHROMBIN TIME

Specimen: Citrate plasma,

PT (Prothrombin Time)

PT-TEST <i>STA Compact Max 2 automated coagulation analyzer (Clot based assay)</i>	12.8	Seconds	12.2 - 16.0
CONTROL PT	14.2	Seconds	
INR	0.91		

- INR is a ratio of patient's PT to mean of PT for the laboratory raised to the power of the International Sensitivity Index.
- For patients on anticoagulant therapy for treatment or prophylaxis of venous thrombosis or pulmonary or systemic embolus, Suggested INR range is 2.0-3.0. For High risk patients with mechanical heart valves, Suggested INR range is 2.5-3.5.
- PT is a very sensitive parameter and affected by pre analytical variables. If it does not correlate with clinical history, repeat test is advisable with new fresh sample.

----- End Of Report -----

Note : (LL-Very low, L-Low, H-High, HH-Very High)

Yash

This is an Electronically Authenticated Report.

* Denotes Test not in NABL Scope. CAP Accredited Sterling Accuris Diagnostics, 22,Rivera Arcade, Prahladnagar, Ahmedabad

Referred test

Printed on :

22-Feb-2020 11:58

Approved by : DR YASH SHAH

M.D (Path)
(For Sterling Accuris Diagnostics)

COAGULATION PROFILE

Test	Result	Unit	Reference Range (Adult)
Bleeding Time	-	Minutes	Up to 5.0 minutes
Clotting Time	-	Minutes	Up to 9.0 minutes
Prothrombin Time	Test: 15	Second	11 to 14 second
	Control: 14.75	Second	
	INR: 1.01		

URINE EXAMINATION

STOOL EXAMINATION

Test	Result	Test	Result
Color	Yellow	Appearance	
pH	6.0	Color	
Specific Gravity	1.020	Consistency	
Protein	Nil / Absent	Occult Blood	
Sugar	Nil / Absent	Parasite	
Pus Cells	0-1 /hpf	Mucus	
Red Cells	- /hpf	Blood	
Epithelial Cells	0-1 /hpf	Pus	
Casts	-	Microscopic	
Crystals	1-2 /hpf	Pus Cells	/hpf
Others	-	RBC	/hpf
Acetone	Nil / Absent	Ova cyst	
BS/BP	Absent	parasite	
Pregnancy Test (Female Patients)		Epithelial cells	/hpf

BODY FLUIDS - Specimen Type: CSF/ Pleural/ Ascitis/ Synovial/ Others

Test	Result
Quantity	ml
Color	
Appearance	
Protein	
Sugar	
Cell Count	/cmm

Microscopic Examination:

Signature of Pathologist/:

Name of Pathologist:

IR. BHANESH MENUN

IR. BHANESH MENUN

Pathologist Class-I

S. S. Hospital, Petlad,

Di. Anand