



# Balaji Medical Centre

An ISO 9001 : 2015 Accredited Organization

✉: info@balajimedicalcentre.com, dr@balajimedicalcentre.com

**CHENNAI** : Old No.18, New No.4, Jagadeeswaran Street, T.Nagar, Chennai-600 017. INDIA ☎ : +91 044-2436 4651 / 52 / 53  
No.38, Manikodi Srinivasan Nagar Main Road, Rajiv Gandhi Salai, Perungudi, Chennai-600 096. INDIA. ☎ : +91 044-2986 5513 / 14  
**TUTICORIN** : Plot No.51, Door No.20/10, Roche Colony, South Beach Road, Tuticorin - 628 001. INDIA. ☎ : +91 0461-2332719 / 20  
**KOCHI** : No.42 / 1898, Old Railway Station Road, Ernakulam North, Kochi - 682 018. INDIA. ☎ : +91 0484-2395006 / 07 / 08  
**VIZAG** : Door No.39-11- 63/4-1, Murali Nagar, Visakhapatnam, Andhra Pradesh-530 007. INDIA. ☎ : +91 0891-2710299 / 399  
**MANGALORE** : Shop No.5, Door No.1-65/31, Kulur-Kavoor, Airport Road, Vivek Nagar, Panjimogaru, Mangalore-575 013. INDIA ☎ : 0824-2972719 / 20

REG.NO: 17826

## LABORATORY REPORT

Name : Mr. RAKESH

Sex: Male

Age : 28Yrs

Reference : SYNERGY

Ref By : DR. A.H. BALAJI, MBBS, FCIP, PGDPC, PGDHSC, PGCIH


### HAEMOTOLOGY

Blood Group & Rh Type : "A" POSITIVE

  
Dr. Q. MUSTAFA FAHIM ALI  
Approved by Director General of Shipping  
Reg. No.: 28129

**"HEALTHIER MARINERS TOWARDS A WEALTHIER NATION"**

Reg.ID : D - 21097  
Patient Name : MR. RAKESH  
Age : 28 years (Male)  
Referral : C/O. SRI BALAJI HOSPITAL  
Source : BALAJI MEDICAL CENTRE  
Report ID : 66892

Reg. Date : Mar 05, 2020, 02:20 p.m.  
Sample Date : Mar 05, 2020, 02:35 p.m.  
Report Date : Mar 05, 2020, 03:19 p.m.  
Print Date : Mar 05, 2020, 04:17 p.m.  
Sample ID :   
0520030018

---

Test Description	Value(s)	Reference Range
------------------	----------	-----------------

---


**TEST REPORT**

**HAEMATOLOGY**

Blood Group (ABO group) : " A "  
Rh Type ( D) : POSITIVE

---

**\*\*END OF REPORT\*\***

  
Dr. Hema Vaneeswari. C., MD  
CONSULTANT PATHOLOGIST

---

Note:All Lab test values are subjective and may have variation in context to age, gender and clinical status.The reference values given are a guidance, all variations in test values are to be interpreted with clinical correlation and physicians advice only.  
Verified By / Date Time : - / Mar 05, 2020, 04:17 p.m..