



## LABORATORY TEST REPORT

Regn Date : 04/03/2020 11:30  
Name : MRS. ILC (27205004 )  
Regn No : 432022444  
Ref By : Dr. VIJAYA DIAGNOSTICS LAB  
Sample Type : Fluoride Plasma

Sample Collection : 04/03/2020 11:34  
Print Date : 05/03/2020 15:48  
Age / Sex : 36 Years / Female  
Regn Centre : Kurnool - 43  
Ref no. :

### RANDOM PLASMA GLUCOSE (RPG)

#### TEST NAME

Plasma Glucose (Random)

#### RESULT

: 97

#### BIOLOGICAL REFERENCE INTERVAL

Normal : 70-140 mg/dL  
Impaired Glucose Tolerance : 141-199 mg/dL  
Diabetes : >200 mg/dL

Method : GOD-POD

#### Comments / Interpretation :

-----  
- ADA Guidelines (2019) are adopted for the evaluation of Diabetic Status.



Certificate # MC-2265

*Sandhya Rani*

**DR. SANDYA RANI**  
CONSULTANT BIOCHEMIST





# VIJAYA DIAGNOSTIC CENTRE

3-6-16 & 17, Street No. 19, Himayatnagar, Hyderabad - 500 029

Email : info@vijayadiagnostic.com  
www.vijayadiagnostic.com

## LABORATORY TEST REPORT

Regn Date : 05/03/2020 14:12

Name : MRS. 27205004 (ILC KUROOL)

Regn No : 102048008

Ref By : SELF

Sample Type : Fluoride Plasma

Sample Collection : 05/03/2020 14:13

Print Date : 05/03/2020 16:02

Age / Sex : 36 Years / Female

Regn Centre : Himayatnagar

Ref no. :

### RANDOM PLASMA GLUCOSE (RPG)

#### TEST NAME

#### RESULT

#### BIOLOGICAL REFERENCE INTERVAL

Plasma Glucose (Random)

: 93

70 - 140 mg/dL

Method : Hexokinase

Comments / Interpretation :

- ADA Guidelines (2019) are adopted for the evaluation of Diabetic Status.



Certificate # MC-2657

*B. Chaudhury*

**DR. BIKASH K CHAUDHURY**  
CONSULTANT BIOCHEMIST





# VIJAYA DIAGNOSTIC CENTRE

16-2-210, Near Sunday market, Gandhinagar, Nellore.

Email : info@vijayadiagnostic.com  
www.vijayadiagnostic.com

## LABORATORY TEST REPORT

Regn Date : 03/03/2020 09:47  
Name : MRS. POOJA J  
Regn No : 27205004  
Ref By : Dr. DR. MOHANARAMA REDDY S  
Sample Type : Fluoride Plasma

Sample Collection : 03/03/2020 09:53  
Print Date : 05/03/2020 15:49  
Age / Sex : 36 Years / Female  
Regn Centre : Nellore - 27  
Ref no. :

### RANDOM PLASMA GLUCOSE (RPG)

<u>TEST NAME</u>	<u>RESULT</u>	<u>BIOLOGICAL REFERENCE INTERVAL</u>
Plasma Glucose (Random)	: 92	Normal : 70-140 mg/dL Impaired Glucose Tolerance : 141-199 mg/dL Diabetes : >200 mg/dL

Method : Hexokinase

Comments / Interpretation :

- ADA Guidelines (2019) are adopted for the evaluation of Diabetic Status.

  
**DR. SANDEEP SRINIVAS V**  
CONSULTANT PATHOLOGIST

