



VIJAYA

VIJAYA DIAGNOSTIC CENTRE

Gayathri Estate, Backside VijayaDurga Cardiac Hospital, Kurnool.

Email : info@vijayadiagnostic.com

www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 05/03/2020 18:51
Name : MR. ILC (27205146)
Regn No : 432023063
Ref By : Dr. VIJAYA DIAGNOSTICS LAB
Sample Type : Serum

Sample Collection : 05/03/2020 19:01
Print Date : 12/03/2020 13:29
Age / Sex : 24 Years / Male
Regn Centre : Kurnool - 43
Ref no. :

CRP (C-REACTIVE PROTEIN)

TEST NAME

RESULT

BIOLOGICAL REFERENCE INTERVAL

CRP (C-REACTIVE PROTEIN)

: Positive 192 mg/L

Positive : ≥ 6 mg/L

Negative : < 6 mg/L

Method : Latex Agglutination

Interpretation :

1. Agglutination indicates a CRP content of more than 6mg/L in the non diluted serum specimen
2. For Positive test the value given is the last dilution with visible agglutination multiplied by the conversion factor.



Certificate # MC-2265

Sandhya Rani

DR.SANDYA RANI
CONSULTANT BIOCHEMIST



VIJAYA

VIJAYA DIAGNOSTIC CENTRE

Gayathri Estate, Backside VijayaDurga Cardiac Hospital, Kurnool.

Email : info@vijayadiagnostic.com

www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date	: 05/03/2020 18:51	Sample Collection	: 05/03/2020 19:01
Name	: MR. ILC (27205146)	Print Date	: 12/03/2020 13:38
Regn No	: 432023063	Age / Sex	: 24 Years / Male
Ref By	: Dr. VIJAYA DIAGNOSTICS LAB	Regn Centre	: Kurnool - 43
Sample Type	: Serum	Ref no.	:

RHEUMATOID FACTOR (RA) SERUM

<u>TEST NAME</u>	<u>RESULT</u>	<u>BIOLOGICAL REFERENCE INTERVAL</u>
RHEUMATOID FACTOR (RA) <i>Method : Latex Agglutination</i>	: Negative	NA

Interpretation :

1. Agglutination indicates a RF content of more than 20 IU/mL in the non diluted serum specimen
2. For Positive test the value given is the last dilution step with visible agglutination and multiplied by the conversation factor.



Certificate # MC-2265

Sandhya Rani

DR.SANDYA RANI
CONSULTANT BIOCHEMIST



VIJAYA DIAGNOSTIC CENTRE

Gayathri Estate, Backside VijayaDurga Cardiac Hospital, Kurnool.

Email : info@vijayadiagnostic.com
www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 05/03/2020 18:51
Name : MR. ILC (27205146)
Regn No : 432023063
Ref By : Dr. VIJAYA DIAGNOSTICS LAB
Sample Type : Serum

Sample Collection : 05/03/2020 19:01
Print Date : 12/03/2020 13:29
Age / Sex : 24 Years / Male
Regn Centre : Kurnool - 43
Ref no. :

URIC ACID - SERUM

TEST NAME

RESULT

BIOLOGICAL REFERENCE INTERVAL

URIC ACID - SERUM

: 5.2

Male: 3.5 – 7.2 mg/dL

Method : Uricase Peroxidase

Comments / Interpretation :

- Useful for monitoring therapeutic management of gout and chemotherapeutic treatment of neoplasms.



Certificate # MC-2265

Sandhya Rani

DR.SANDYA RANI
CONSULTANT BIOCHEMIST



VIJAYA

VIJAYA DIAGNOSTIC CENTRE

16-2-210, Near Sunday market, Gandhinagar, Nellore.

Email : info@vijayadiagnostic.com

www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 04/03/2020 14:06
Name : **MR. MOURYA T**
Regn No : **27205146**
Ref By : Dr. DR.MURTHY V V R
Sample Type : Serum

Sample Collection : 04/03/2020 14:11
Print Date : 12/03/2020 13:28
Age / Sex : **24 Years / Male**
Regn Centre : Nellore - 27
Ref no. :

CRP (C-REACTIVE PROTEIN) SERUM

TEST NAME

RESULT

BIOLOGICAL REFERENCE INTERVAL

C - Reactive Protein

: Positive (96 mg/L)

<10 mg/L

Method : Agglutination

DR.SANDEEP SRINIVAS V
CONSULTANT PATHOLOGIST



VIJAYA DIAGNOSTIC CENTRE

16-2-210, Near Sunday market, Gandhinagar, Nellore.

Email : info@vijayadiagnostic.com

www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 04/03/2020 14:06
Name : MR. MOURYA T
Regn No : 27205146
Ref By : Dr. DR.MURTHY V V R
Sample Type : Serum

Sample Collection : 04/03/2020 14:11
Print Date : 12/03/2020 13:28
Age / Sex : 24 Years / Male
Regn Centre : Nellore - 27
Ref no. :

URIC ACID

<u>TEST NAME</u>	<u>RESULT</u>	<u>BIOLOGICAL REFERENCE INTERVAL</u>
Uric Acid <i>Method : Uricase</i>	: 5.0	Male: 3.4 – 7.0 mg/dL mg/dL

Comments / Interpretation :

- Useful for monitoring therapeutic management of gout and chemotherapeutic treatment of neoplasms.

RHEUMATOID FACTOR

<u>TEST NAME</u>	<u>RESULT</u>	<u>BIOLOGICAL REFERENCE INTERVAL</u>
Rheumatoid Factor (RF - IgG) <i>Method : Agglutination</i>	: Negative	NA IU/mL

Comments / Interpretation :

- RF sensitivity in Rheumatoid Arthritis (RA) varies from 30 % (population studies) to 70-80 % (Hospital studies).
- Higher titres of RF are more specific for the diagnosis of RA and are more common in patients with rapidly progressive joint destruction.

DR.SANDEEP SRINIVAS V
CONSULTANT PATHOLOGIST



VIJAYA

VIJAYA DIAGNOSTIC CENTRE

H.No.6-3-28/29, Beside Joyalukkas Jewellers, Hanamkonda.

Email : info@vijayadiagnostic.com

www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 06/03/2020 17:48
Name : MR. ILC (27205146)
Regn No : 402018391
Ref By : SELF
Sample Type : Serum

Sample Collection : 06/03/2020 17:53
Print Date : 12/03/2020 13:29
Age / Sex : 24 Years / Male
Regn Centre : Hanamkonda - 40
Ref no. :

URIC ACID

TEST NAME

RESULT

BIOLOGICAL REFERENCE INTERVAL

Uric Acid

: 5.3

3.5 - 7.2 mg/dL

Method : Uricase PAP

Comments / Interpretation :

- Useful for monitoring therapeutic management of gout and chemotherapeutic treatment of neoplasms.



Certificate # MC-2025

Dr. Bagavan Reddy

DR.BAGAVANREDDY
CONSULTANT PATHOLOGIST



VIJAYA

VIJAYA DIAGNOSTIC CENTRE

H.No.6-3-28/29, Beside Joyalukkas Jewellers, Hanamkonda.

Email : info@vijayadiagnostic.com

www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 06/03/2020 17:48
Name : MR. ILC (27205146)
Regn No : 402018391
Ref By : SELF
Sample Type : Serum

Sample Collection : 06/03/2020 17:53
Print Date : 12/03/2020 13:29
Age / Sex : 24 Years / Male
Regn Centre : Hanamkonda - 40
Ref no. :

RHEUMATOID FACTOR (RA)

<u>TEST NAME</u>	<u>RESULT</u>	<u>BIOLOGICAL REFERENCE INTERVAL</u>
RHEUMATOID FACTOR (RA)	: Negative	NA

Method : Latex agglutination

Interpretation:

Negative : < 20 IU/mL
Positive : >= 20 IU/mL

CRP (C-REACTIVE PROTEIN)

<u>TEST NAME</u>	<u>RESULT</u>	<u>BIOLOGICAL REFERENCE INTERVAL</u>
C - Reactive Protein	: Positive	NA
Comment	: Titre 768 mg/L	

Method : Latex agglutination

Interpretation :

Negative : < 6mg/L
Positive : >= 6mg/L



Certificate # MC-2025

DR.RAVINDER SIRIKONDA
CONSULTANT MICROBIOLOGIST