



VIJAYA

VIJAYA DIAGNOSTIC CENTRE

16-2-210, Near Sunday market, Gandhinagar, Nellore.

Email : info@vijayadiagnostic.com

www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 04/03/2020 13:31

Sample Collection : 04/03/2020 13:35

Name : MR. BHANU PRAKASH K

Print Date : 12/03/2020 15:32

Regn No : 27205137

Age / Sex : 32 Years / Male

Ref By : SELF

Regn Centre : Nellore - 27

Sample Type : Serum

Ref no. :

HIV 1 & 2 Antibodies

TEST NAME

RESULT

HIV 1 & 2 Antibodies

: Non Reactive

Method: Immuno chromatography

Interpretation :

Nonreactive Specimen is Negative for HIV 1 & 2 Antibodies.

Reactive Specimen is Positive for HIV - 1 antibodies.
Specimen is Positive for HIV antibodies (HIV-1 and HIV-2; or HIV-2 alone).
*Confirmation of HIV-2 sero-status at identified referral laboratory through ART centres.
(As per the NACO guideline test result is considered positive only when all 3 test are reactive)

Indeterminate Collect the fresh sample in 2-4 weeks and repeat the test. If the sample continues to be indeterminate send the sample for Western blot or PCR for confirmation.

Clinical Significance :

A nonreactive result does not exclude the possibility of HIV infection. Levels of HIV antibodies may be undetectable in the window period.

(Ref : National guideline for HIV testing Dec 2016)

DR.SANDEEP SRINIVAS V
CONSULTANT PATHOLOGIST



VIJAYA

VIJAYA DIAGNOSTIC CENTRE

Gayathri Estate, Backside VijayaDurga Cardiac Hospital, Kurnool.

Email : info@vijayadiagnostic.com

www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date : 05/03/2020 18:50 Sample Collection : 05/03/2020 19:01
Name : MR. ILC (27205137) Print Date : 12/03/2020 15:33
Regn No : 432023061 Age / Sex : 32 Years / Male
Ref By : Dr. VIJAYA DIAGNOSTICS LAB Regn Centre : Kurnool - 43
Sample Type : Serum Ref no. :

HIV I & II ANTIBODIES-RAPID

TEST NAME

RESULT

Assay 1: HIV 1 / 2 Antibodies

: Non Reactive

Method : Immunodot Assay

Interpretation :

Nonreactive Specimen is Negative for HIV 1 & 2 Antibodies.

Reactive Specimen is Positive for HIV - 1 antibodies.
Specimen is Positive for HIV antibodies (HIV-1 and HIV-2; or HIV-2 alone).
*Confirmation of HIV-2 sero-status at identified referral laboratory through ART centres.
(As per the NACO guideline test result is considered positive only when all 3 test are reactive)

Indeterminate Collect the fresh sample in 2-4 weeks and repeat the test. If the sample continues to be indeterminate send the sample for Western blot or PCR for confirmation.

Clinical Significance :

A nonreactive result does not exclude the possibility of HIV infection. Levels of HIV antibodies may be undetectable in the window period.

(Ref : National guideline for HIV testing Dec 2016)



Certificate # MC-2265

Sandhya Rani

DR.SANDYA RANI
CONSULTANT BIOCHEMIST



VIJAYA DIAGNOSTIC CENTRE

H.No.6-3-28/29, Beside Joyalukkas Jewellers, Hanamkonda.

Email : info@vijayadiagnostic.com
www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date	: 06/03/2020 17:50	Sample Collection	: 06/03/2020 17:53
Name	: MR. ILC (27205137)	Print Date	: 12/03/2020 15:33
Regn No	: 402018393	Age / Sex	: 32 Years / Male
Ref By	: SELF	Regn Centre	: Hanamkonda - 40
Sample Type	: Serum	Ref no.	:

HIV I & II ANTIBODIES-RAPID

TEST NAME

RESULT

Assay 1: HIV 1 / 2 Antibodies

: Non Reactive

Method : Immunodot Assay

Interpretation :

Nonreactive Specimen is Negative for HIV 1 & 2 Antibodies.

Reactive Specimen is Positive for HIV - 1 antibodies.
Specimen is Positive for HIV antibodies (HIV-1 and HIV-2; or HIV-2 alone).
*Confirmation of HIV-2 sero-status at identified referral laboratory through ART centres.
(As per the NACO guideline test result is considered positive only when all 3 test are reactive)

Indeterminate Collect the fresh sample in 2-4 weeks and repeat the test. If the sample continues to be indeterminate send the sample for Western blot or PCR for confirmation.

Clinical Significance :

A nonreactive result does not exclude the possibility of HIV infection. Levels of HIV antibodies may be undetectable in the window period.

(Ref : National guideline for HIV testing Dec 2016)



Certificate # MC-2025

DR.RAVINDER SIRIKONDA
CONSULTANT MICROBIOLOGIST