

VIJAYA DIAGNOSTIC CI

Email: info@vijayadiagnostic.com www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date

: 05/03/2020 07:57

Name

: MR. SUJEETH D

Regn No

: 27205196

Ref By Sample Type : Serum

: SELF

Sample Collection : 05/03/2020 08:06

Print Date

: 12/03/2020 15:29

Age / Sex

: 32 Years / Male

Regn Centre Ref no.

: Nellore - 27

Hepatitis C Virus Antibodies

TEST NAME

RESULT

BIOLOGICAL REFERENCE INTERVAL

Hepatitis C Virus Antibodies

Method: Immunodot Assay

Non Reactive

NA

Interpretation:

Nonreactive

Negative for HCV antibodies

Reactive

Presence of detectable HCV antibodies.

* This is a rapid qualitative diagnostic test for the detection of antibodies to Hepatitis C virus in human serum.

* This test is a screening assay; it should not be used as a sole criterion for detection of HCV.

* A Nonreactive screening result does not exclude the possibility of exposure to or infection with HCV.

* It is recommended to test further for HCV RNA detection and quantification by PCR, if clinically indicated.

DR.SANDEEP SRINIVAS V CONSULTANT PATHOLOGIST



VIJAYA DIAGNOSTIC ÇE

Email: info@vijayadiagnostic.com www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date

: 06/03/2020 18:50

Name

MR. ILC (27205196)

Regn No

: 432023439

Ref By

: Dr. VIJAYA DIAGNOSTICS LAB

: Serum Sample Type

Sample Collection:

NA

06/03/2020 18:57

Print Date

12/03/2020 15:30

Age / Sex

: 32 Years / Male

Regn Centre

Kurnool - 43

Ref no.

Hepatitis C Virus Antibodies

TEST NAME

Method

RESULT

BIOLOGICAL REFERENCE INTERVAL

Hepatitis C Virus Antibodies

Method: Immunodot Assay

Non Reactive

Immunodot Assay

Interpretation:

Negative for HCV antibodies

Nonreactive Reactive

Presence of detectable HCV antibodies.

* This is a rapid qualitative diagnostic test for the detection of antibodies to Hepatitis C virus in human serum.

* This test is a screening assay; it should not be used as a sole criterion for detection of HCV.

* A Nonreactive screening result does not exclude the possibility of exposure to or infection with HCV.

* It is recommended to test further for HCV RNA detection and quantification by PCR, if clinically indicated.

Certificate # MC-2265

Dr.J.VIJAYALAKSHMI CONSULTANT MICROBIOLOGIST



IJAYA DIAGNOSTIC CE

Email: info@vijayadiagnostic.com www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date

: 07/03/2020 18:45

Name

: MR. ILC 27205196

Regn No

: 402018765

Ref By

: Dr. VIJAYA DIAGNOSTICS

Sample Type : Serum

Sample Collection: 07/03/2020 18:46

Print Date

12/03/2020 15:30

Age / Sex

32 Years / Male

Regn Centre

: Hanamkonda - 40

Ref no.

Hepatitis C Virus Antibodies

TEST NAME

RESULT

BIOLOGICAL REFERENCE INTERVAL

Hepatitis C Virus Antibodies

Method: Immunodot Assay

Non-Reactive

NA

Interpretation:

Nonreactive

Negative for HCV antibodies

Reactive

Presence of detectable HCV antibodies.

* This is a rapid qualitative diagnostic test for the detection of antibodies to Hepatitis C virus in human serum.

* This test is a screening assay; it should not be used as a sole criterion for detection of HCV.

* A Nonreactive screening result does not exclude the possibility of exposure to or infection with HCV.

* It is recommended to test further for HCV RNA detection and quantification by PCR, if clinically indicated.

Certificate # MC-2025

DR.RAVINDER SIRIKONDA CONSULTANT MICROBIOLOGIST