

FORM IV (See Rule 5 (a))  
GOVERNMENT OF TELANGANA.  
HEALTH MEDICAL & FAMILY WELFARE DEPARTMENT  
DISTRICT REGISTERING AUTHORITY

CERTIFICATE OF REGISTRATION OF ALLOPATHIC PRIVATE MEDICAL  
CARE ESTABLISHMENTS.

1. Application No. & Date : 853 - 28-12-2017
2. Original File No. of Registration Authority : 07F-APMCE-0469
3. Date of Issue of the Certificate of Registration : 05-02-2013
4. Date of Expiry of the Certificate of Registration : 04-02-2018
5. Date of Renewal of the Certificate of Registration : 05-02-2018
6. Renewal of Certificate of Registration valid up to : 04-02-2023
7. Name of the Owner / Applicant : Sr. THOMASAMMA, ADMINISTRATOR.
8. This is to Certify that M/s. ST.THERESA'S HOSPITAL LOCATED AT D.NO.7-1-645/A, OPP:RYTHU BAZAR, SANATHNAGAR, HYDERABAD. is hereby registered under the provisions of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act 2002 to provide following medical care services.

1. BASIC TYPES OF SERVICES.
2. SPECIALITY TYPES OF SERVICES.
3. SUPER SPECIALITY TYPES OF SERVICES.
4. DIAGNOSTICS (HI-END CT, MRT etc.) TYPES OF SERVICES.
5. PHYSIOTHERAPY TYPES OF SERVICES.

9. This registration shall be in force for a period of 5 (five) years from the date of issue.
10. This Certificate shall be produced whenever it is required to the officer authorized by the registration authority.
11. The establishment shall not lend, sell, transfer or otherwise close down the without obtaining prior permission of the registration authority.
12. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the Establishment shall constitute a breach of registration.
13. The Establishment shall not violate the provision of *T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002) as amended from time to time and the rules made there under:*
14. This Certificate is subject to the conditions and the provisions of the T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002).

*K. Padmaja*  
Dr. K. Padmaja, MBBS, DLO.  
District Medical & Health Officer &  
Chairman, District Registering Authority, Hyderabad District  
4<sup>th</sup> Floor, NTPC Building, Patny Circle, Sec'bad  
(Office Seal).

" Dr. K. PADMAJA, MBBS, DLO  
Chairman, Dist. Registration Authority &  
District Medical & Health Officer,  
Hyderabad District

FORM IV (See Rule 5 (a))  
GOVERNMENT OF TELANGANA.  
HEALTH MEDICAL & FAMILY WELFARE DEPARTMENT  
DISTRICT REGISTERING AUTHORITY

CERTIFICATE OF REGISTRATION OF ALLOPATHIC PRIVATE MEDICAL  
CARE ESTABLISHMENTS.

1. Application No. & Date : 853 - 28-12-2017
2. Original File No. of Registration Authority : 07F-APMCE-0469
3. Date of Issue of the Certificate of Registration : 05-02-2013
4. Date of Expiry of the Certificate of Registration : 04-02-2018
5. Date of Renewal of the Certificate of Registration : 05-02-2018
6. Renewal of Certificate of Registration valid up to : 04-02-2023
7. Name of the Owner / Applicant : Sr. THOMASAMMA, ADMINISTRATOR.
8. This is to Certify that M/s. ST.THERESA'S HOSPITAL LOCATED AT D.NO.7-1-645/A, OPP:RYTHU BAZAR, SANATHNAGAR, HYDERABAD. is hereby registered under the provisions of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act 2002 to provide following medical care services.

1. BASIC TYPES OF SERVICES.
2. SPECIALITY TYPES OF SERVICES.
3. SUPER SPECIALITY TYPES OF SERVICES.
4. DIAGNOSTICS (HI-END CT, MRT etc.) TYPES OF SERVICES.
5. PHYSIOTHERAPY TYPES OF SERVICES.

9. This registration shall be in force for a period of 5 (five) years from the date of issue.
10. This Certificate shall be produced whenever it is required to the officer authorized by the registration authority.
11. The establishment shall not lend, sell, transfer or otherwise close down the without obtaining prior permission of the registration authority.
12. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the Establishment shall constitute a breach of registration.
13. The Establishment shall not violate the provision of *T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002) as amended from time to time and the rules made there under:*
14. This Certificate is subject to the conditions and the provisions of the T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002).

*K. Padmaja*  
Dr. K. Padmaja, MBBS, DLO.  
District Medical & Health Officer &  
Chairman, District Registering Authority, Hyderabad District  
4<sup>th</sup> Floor, NTPC Building, Patny Circle, Sec'bad  
(Office Seal).

" Dr. K. PADMAJA, MBBS, DLO  
Chairman, Dist. Registration Authority &  
District Medical & Health Officer,  
Hyderabad District



**AUTHORISATION**

(Issued under Rule 10 of the Bio-Medical Waste Management Rules, 2016).

1. **Order No. TSPCB /BMWA/HYD -833582 /2017 - 2840 Date:04.12.2017**
2. **M/s. St Therasas Hospital** an occupier or operator of the facility located at **D.No:7-1-645/A, Erragadda, Sanathnagar, Hyderabad** is hereby granted an authorisation for Generation, segregation, Collection & Storage of Bio-Medical Waste.
3. **M/s. St. Therasas Hospital, D.No:7-1-645/A, Erragadda, Sanathnagar, Hyderabad** is hereby authorized for handling of biomedical waste as per the capacity given below;

(i) Number of beds of HCF: **300 beds**

(ii) Quantity of Biomedical waste handled, treated or disposed:

Type of Waste Category	Quantity permitted for Handling
Yellow	1500.0 Kg / Month
Red	1200.0 Kg / Month
White (Translucent)	600.0 Kg / Month
Blue	600.0 Kg / Month

4. **This authorisation shall be in force for a period upto 31.07.2021.**
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Hyderabad,

Dated:04.12.2017

Sd/-  
**MEMBER SECRETARY &  
PRESCRIBED AUTHORITY**

// T.C.F.B.O //

*B. H. S.*  
**Joint Chief Environmental Engineer  
(Unit Head - II)**



**Medicare Environmental Management Pvt. Ltd.**  
(Formerly Known as SembRamky Environmental Management Pvt.Ltd.)  
Ramky Grandiose, 13th Floor, Ramky Towers Complex,  
Gachibowli, Hyderabad-500 032  
Tel. : +91-40-2301 5000  
**Plant** : Sy.No.619, Pashamylaram Industrial Area  
Isnapur (V), Patancheru (M), Medak (Dt.), Telangana.

## SERVICE CERTIFICATE

This is to certify that M/s. ST.THERESA'S HOSPITAL - ERRAGDDA

*Hospital / Nursing Home/ Diagnostic / Pharma / R & D* is a member of **Medicare Environmental**

**Management Pvt. Ltd.** bearing Registration. No. S R - S - 089 **Medicare** is

providing bio-medical waste management service to the institution from 1-Mar-2015 for

a total bed - strength of 300

*Mode of Treatment Incineration / Autoclave as per Bio Medical Waste Management Handling Rules.*

**31.03.2021**

This certificate is valid upto \_\_\_\_\_



**TELANGANA STATE POLLUTION CONTROL BOARD**  
**ZONAL OFFICE: HYDERABAD**

**R. Ravinder Reddy**  
Joint Chief Environmental Engineer

H.No.6-3-1219, T.S.No.1, Part, Block "C",  
Ward No.91; Begumpet, Umanagar,  
Near Country Club, Hyderabad - 500 016  
Phone: 23402486  
Email:hyd.zo.jcee@pcb.ap.gov.in

**CONSENT & AUTHORIZATION ORDER - RED CATEGORY**

**BY REGISTERED POST WITH ACKNOWLEDGEMENT DUE**

**Consent Order No.180-HYD/TSPCB/ZOH/HCE/CFO/2017- 225**      **Date:09.05.2017**

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof and Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof) and Authorization / Renewal of Authorization under Rule 6 of the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the provisions of HW (M&H) Rules (hereinafter referred to as 'the Acts', 'the Rules') and the rules and orders made thereunder to

**M/s. St. Theresa's Hospital,**  
**D.No.7-1-645/a, Erragadda,**  
**Sanathnagar, Hyderabad**

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below.

**i) Outlets for discharge of effluents:**

Outlet No.	Outlet Description	Max Daily Discharge	Point of Disposal	Limiting Standards
1.	Washings	2.0 KLD	After disinfection, the washing effluents shall be treated in STP. After treatment treated water shall be partly utilized for on land gardening & balance shall be discharged into a municipal sewer.	pH - 5.5 - 9.0, Total Suspended Solids - 600.0 mg /l, Oil & Grease - 20.0 mg /l, Biochemical Oxygen Demand (3 days at 27 <sup>o</sup> C) - 30.0 mg /l
2.	Domestic	23.0 KLD		

**ii) Emissions from chimneys:**

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow	Emission Standards
1.	Attached to DG set of capacity - 500 KVA	----	SPM - 115 mg/Nm <sup>3</sup>
2.	Attached to DG set of capacity - 250 KVA	---	

**iii) Hazardous Waste Authorization: (Form - 2) [See Rule 6(2)]:**

M/s. St. Theresa's Hospital, D.No.7-1-645/a, Erragadda, Sanathnagar, Hyderabad is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of the following wastes with quantities as mentioned below:

AIR & 1  
Pollution





**TELANGANA STATE POLLUTION CONTROL BOARD**  
**ZONAL OFFICE: HYDERABAD**



**R. Ravinder Reddy**  
Joint Chief Environmental Engineer

H.No.6-3-1219, T.S.No.1, Part, Block "C",  
Ward No.91; Begumpet, Umanagar,  
Near Country Club, Hyderabad - 500 016  
Phone: 23402486  
Email:hyd.zo.jcee@pcb.ap.gov.in

**CONSENT & AUTHORIZATION ORDER - RED CATEGORY**

**BY REGISTERED POST WITH ACKNOWLEDGEMENT DUE**

**Consent Order No.180-HYD/TSPCB/ZOH/HCE/CFO/2017- 225**      **Date:09.05.2017**

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof and Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof) and Authorization / Renewal of Authorization under Rule 6 of the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the provisions of HW (M&H) Rules (hereinafter referred to as 'the Acts', 'the Rules') and the rules and orders made thereunder to

**M/s. St. Theresa's Hospital,**  
**D.No.7-1-645/a, Erragadda,**  
**Sanathnagar, Hyderabad**

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below.

**i) Outlets for discharge of effluents:**

Outlet No.	Outlet Description	Max Daily Discharge	Point of Disposal	Limiting Standards
1.	Washings	2.0 KLD	After disinfection, the washing effluents shall be treated in STP. After treatment treated water shall be partly utilized for on land gardening & balance shall be discharged into a municipal sewer.	pH - 5.5 - 9.0, Total Suspended Solids - 600.0 mg /l, Oil & Grease - 20.0 mg /l, Biochemical Oxygen Demand (3 days at 27 <sup>o</sup> C) - 30.0 mg /l
2.	Domestic	23.0 KLD		

**ii) Emissions from chimneys:**

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow	Emission Standards
1.	Attached to DG set of capacity - 500 KVA	----	SPM - 115 mg/Nm <sup>3</sup>
2.	Attached to DG set of capacity - 250 KVA	---	

**iii) Hazardous Waste Authorization: (Form - 2) [See Rule 6(2)]:**

M/s. St. Theresa's Hospital, D.No.7-1-645/a, Erragadda, Sanathnagar, Hyderabad is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of the following wastes with quantities as mentioned below:





**CERTIFICATE OF REGISTRATION**

(To be issued in duplicate)

1. In exercise of the powers conferred under Section 19(1) of the Pre-Natal Diagnostic Techniques (Registration and Prevention of Misuse) Act, 1994 (157 of 1994), the Appropriate Authority, **DISTRICT MEDICAL & HEALTH OFFICER, 4<sup>TH</sup> FLOOR, NTPC BUILDING, OPP. HARI HARA KALA BHAVAN, PATNY CIRCLE, SEC'BAD** hereby grants registration to the ~~Genetic Counselling Centres\*~~ /~~Genetic Laboratory\*~~ / ~~Genetic Clinic\*~~ / ~~Ultrasound Clinic\*~~ / ~~Imaging Centre\*~~ named below for purposes of carrying out Genetic Counseling\* / Pre-natal Diagnostic Procedures\* / Pre-natal Diagnostic Tests\* / Ultrasonography under the aforesaid Act for a period of Five Years ending 29-01-2022.

2. This registration is granted subject to the aforesaid Act and Rules there under, and any contravention thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years apart from prosecution.

3. Name of the Owner / Applicant: **Sr.THOMASAMMA.**

A) Name and address of the ~~Genetic Counselling Center\*~~ / ~~Genetic Laboratory\*~~ / ~~Genetic Clinic\*~~ / ~~Ultrasound Clinic\*~~ / ~~Imaging Center \*~~ **St.THERESA'S HOSPITAL, D.NO.7-1-645/A, ERRAGADDA, OPP RHYTHU BAZAR, SANATHNAGAR, HYDERABAD, T.S.**

B) Pre-natal Diagnostic procedures\* approved

- Non-Invasive
- i) Ultra Sound ✓
- Invasive
- ii) Amniocentesis
- iii) Chorionic Villi biopsy
- iv) Foetoscopy
- v) Foetal skin or organ biopsy
- vi) Cordocentesis
- vii) Any other (Specify)

C) Pre-natal Diagnostic Tests\* approved (for Genetic Laboratory)

- i) Chromosomal Studies
- ii) Biochemical Studies
- iii) Molecular Studies

D) Any other purpose (please specify)

4. Model and make of equipments being used.  
(Any change is to be intimated to the Appropriate Authority under Rule 13).

Make	Model	Sl. No.
WIPRO GE	LOGIQ PRO	929045UM3
WIPRO GE	LOGIQ P5	118608SU9

Sl.No	Name of the Doctor	Qualification
1	Dr. Ayesha	MBBS, MD-Radiodiagnosis
2	Dr. Medha Arke	MBBS, Sonology
3	Dr.Krishnakanth Inturi	MBBS, MD-Radiodiagnosis

5. Registration No. Allotted. 0116A188 Dated 29-01-2002.

6. For renewed Certificate of Registration only Period of validity of earlier Certificate From 29-01-2007 to 28-01-2012 & 29-01-2012 to 28-01-2017 of Registration.

7. Renewal of Registration from 29-01-2017 to 28-01-2022.

  
 Dr. J. Venkati MBBS, DGO  
 District Medical & Health Officer  
 Hyderabad District &  
 District Appropriate Authority for  
 PC & PN T, 1996, DGO  
**Dr. J. VENKATI**  
 District Appropriate Authority



Case File Number: TS-35415-RF-XR-002

Issuance Date: 27/10/2017

Document Number: 17-LOEE-223733

Expiry Date: 27/10/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. THOMASAMMA YEDDANAPALLY to operate the following medical diagnostic x-ray equipment located at ST THERESAS HOSPITAL, 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	Wipro GE Healthcare Private Ltd.	DX-300 (Fixed)	G-XR-75950

The **ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD** and **DR. THOMASAMMA YEDDANAPALLY** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

DR. THOMASAMMA YEDDANAPALLY  
ST THERESAS HOSPITAL  
7 1 645 A SANATH NAGAR,  
HYDERABAD, TELANGANA-500018

Copy to: ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)





Case File Number: TS-35415-RF-XR-005

Issuance Date: 30/03/2018

Document Number: 18-LOEE-268813

Expiry Date: 30/03/2023

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. THOMASAMMA YEDDANAPALLY to operate the following medical diagnostic x-ray equipment located at ST THERESAS HOSPITAL, 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s Siemens Healthcare Private Limited	Multimobil 2.5	G-XR-82847

The **ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD** and **DR. THOMASAMMA YEDDANAPALLY** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma  
Head, RSD

DR. THOMASAMMA YEDDANAPALLY

ST THERESAS HOSPITAL

7 1 645 A SANATH NAGAR,

HYDERABAD, TELANGANA-500018

Copy to: ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



An ISO 9001:2008  
Organisation



अध्यक्ष  
Chairman

Case File Number: TS-35415-RF-XL-001

Issuance Date: 22/03/2017

Document Number: 17-LOEE-173490

Expiry Date: 22/03/2022

### LICENSE FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Licence** in favour of Dr. THOMASAMMA A YEDDANAPALLY to operate the following medical diagnostic x-ray equipment located at ST THERESAS HOSPITAL, 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Interventional Radiology	PHILIPS INDIA LIMITED	Allura, Centron	G-XL-64087

The **ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD** and **DR. THOMASAMMA A YEDDANAPALLY** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Licence is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

(Competent Authority)

DR. THOMASAMMA A YEDDANAPALLY  
ST THERESAS HOSPITAL  
7 1 645 A SANATH NAGAR,  
HYDERABAD, TELANGANA-500018

Copy to: ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD



परमाणु ऊर्जा नियामक परिषद, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



An ISO 9001:2008  
Organisation

भारत सरकार  
परमाणु ऊर्जा नियामक परिषद



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD

Chairman

Case File Number: TS-40480-RF-XL-001

Document Number: 17-LOEE-160072

Issuance Date: 27-01-2017

Expiry Date: 27-01-2022

**LICENSE FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT**

In exercise of powers conferred under Section 15 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules (AE/RP/R), 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Licence in favour of Mr. NARRA SRIDHAR REDDY to operate the following medical diagnostic X-ray equipment located at VIVEK IMAGING CENTRE, C/O ST THERESAS HOSPITAL, OPP RAITHUBAZAR, ERRAGADDA SANATHNAGAR HYDERABAD, TELANGANA-500018 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Computed Tomography	M/s Siemens Shenghai Medical Equipment Limited	Somatom Spirit 2 slice	G-XL-61604

The PROPRIETOR, VIVEK IMAGING CENTRE, HYDERABAD and MR. NARRA SRIDHAR REDDY are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

**The Employer and Licensee are responsible for,**

- Ensuring compliance with the relevant provisions of the:
  - Atomic Energy Act, 1962
  - Atomic Energy (Radiation Protection) Rules, 2004
  - AERB Safety Code (AERB SC Med-2), 2001, Amendment 2011, and the revisions thereof
  - All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - Directives issued by Competent Authority from time to time.
- Ensuring compliance with terms and conditions stated overleaf.

**Note:**  
This Licence is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state central local authorities as applicable.

MR. NARRA SRIDHAR REDDY  
VIVEK IMAGING CENTRE  
C/O ST THERESAS HOSPITAL, OPP RAITHUBAZAR, ERRAGADDA SANATHNAGAR  
HYDERABAD, TELANGANA-500018  
Copy to: PROPRIETOR, VIVEK IMAGING CENTRE, HYDERABAD

(Competent Authority)



परमाणु ऊर्जा नियामक परिषद, नियामक भवन, अपुशक्तिनगर, मुंबई-400094, महाराष्ट्र  
Atomic Energy Regulator Board, Yamana Bhavan, Apsakhatnaga, Mumbai-400094, Maharashtra

वेबसाइट: ecst16

दूरभाष/Te: 91-22-2599 0004

फैक्स/Fa: 91-22-2599 0044



Case File Number: TS-35415-RF-XR-003

Issuance Date: 12/11/2017

Document Number: 17-LOEE-227597

Expiry Date: 12/11/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. THOMASAMMA A YEDDANAPALLY to operate the following medical diagnostic x-ray equipment located at ST THERESAS HOSPITAL, 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	M/s. Siemens Limited	Multimobil 5C	G-XR-75951

The **ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD** and **DR. THOMASAMMA A YEDDANAPALLY** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

**Dr. P. K. Dash Sharma**  
Head, RSD

DR. THOMASAMMA A YEDDANAPALLY

ST THERESAS HOSPITAL  
7 1 645 A SANATH NAGAR,  
HYDERABAD, TELANGANA-500018

Copy to: ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्  
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD  
RADIOLOGICAL SAFETY DIVISION

File no.: TS-35415-INST  
Document No.: 17-RSO-155480

Date of Issue: 10/01/2017

Valid till: 10/01/2020

Approval of Radiological Safety Officer

The ADMINISTRATOR, ST THERESAS HOSPITAL, Hyderabad is hereby informed that the Competent Authority, Chairman, Atomic Energy Regulatory Board (AERB), in exercise of powers conferred under Rule 19 of the Atomic Energy (Radiation Protection) Rules, 2004, has approved the nomination of SAYYAD SARDAR as Radiological Safety Officer (RSO) in the ST THERESAS HOSPITAL, Hyderabad for the facilities as mentioned in annexure-1 to this document on the basis of information provided in the application.

The RSO shall submit the periodic reports to AERB, in the prescribed format on safety status of the radiation installation.

The RSO shall promptly report any radiation safety related unusual occurrence to AERB.

The RSO shall perform his duties and responsibilities as stipulated in Atomic Energy (Radiation Protection) Rules, 2004 and other related regulatory documents (refer annexure-2).

This approval stands cancelled in the event of SAYYAD SARDAR relinquishing the charge as RSO in ST THERESAS HOSPITAL, Hyderabad.

Issuing Authority,

Dr. A.U.Sonawane  
Head

(This is an electronically generated letter and hence signature is not required)

ADMINISTRATOR  
ST THERESAS HOSPITAL  
5 A SANATH NAGAR, , Hyderabad - 500018 (Telangana)

SAYYAD SARDAR  
ST THERESAS HOSPITAL  
5 A SANATH NAGAR, , Hyderabad - 500018 (Telangana)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



An ISO 9001:2008  
Organisation

RSO-II

भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्  
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD  
RADIOLOGICAL SAFETY DIVISION

Case file no.: TS-35415-INST

Date of Issue: 10/01/2019

Document No.: 19-RSO-350316

Valid till: 10/01/2022

### Approval of Radiological Safety Officer

1. The ADMINISTRATOR, ST THERESAS HOSPITAL, Hyderabad is hereby informed that the Competent Authority, Chairman, Atomic Energy Regulatory Board (AERB), in exercise of powers conferred under Rule 19 of the Atomic Energy (Radiation Protection) Rules, 2004, has approved the nomination of AYESHA as Radiological Safety Officer (RSO) in the ST THERESAS HOSPITAL, Hyderabad for the facilities as mentioned in annexure-1 to this document on the basis of information provided in the application.
2. The RSO shall submit the periodic reports to AERB, in the prescribed format on safety status of the radiation installation.
3. The RSO shall promptly report any radiation safety related unusual occurrence to AERB.
4. The RSO shall perform his duties and responsibilities as stipulated in Atomic Energy (Radiation Protection) Rules, 2004 and other related regulatory documents (refer annexure-2).
5. This approval stands cancelled in the event of AYESHA relinquishing the charge as RSO in ST THERESAS HOSPITAL, Hyderabad.

Issuing Authority,

Dr. P. K. Dash Sharma  
Head, RSD

(This is an electronically generated letter and hence signature is not required)

ADMINISTRATOR  
ST THERESAS HOSPITAL  
7 1 645 A SANATH NAGAR, , Hyderabad - 500018 (Telangana)

Copy: AYESHA  
ST THERESAS HOSPITAL  
7 1 645 A SANATH NAGAR, , Hyderabad - 500018 (Telangana)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशांतिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008  
Organisation

फैक्स/Fax: 91-22-2599 0650





**DRUGS CONTROL ADMINISTRATION**  
Government of Telangana



**LICENCE RETENTION FEE CERTIFICATE**

This is to certify that the Licence of the firm **M/s. M/s ST. THERESAS GENERAL HOSPITAL** situated at address **7-1-645/A, ERRAGADA , SANATHNAGAR, HYD, SANATH NAGAR(V), VENGALRAO NAGAR(M), HYDERABAD(DIST.)** bearing Licence No. **89/HD/AP/97/WR** in the statutory **Form 20,21,20B,21B** granted/ renewed on **01/01/2013** whose validity would get expired by **31/12/2017** , is hereby permitted to be retained with the extended validity upto **31/12/2022**.

Retention fees/ with penalty for amount of Rs. **3000.00** has been paid on **13/11/2017** by the licensee in accordance with provisions of Rule 63(1) of the Drugs and Cosmetics Rules, 1945.

Date:01/01/2013

Licensing Authority

Digitally Signed By **V BALA NAGANJAN**  
[DRUGS CONTROL ADMINISTRATION  
Date:22-12-2017 12:27:02 PM



**DRUGS CONTROL ADMINISTRATION**  
Government of Telangana



**LICENCE RETENTION FEE CERTIFICATE**

This is to certify that the Licence of the firm **M/s. M/s ST. THERESAS GENERAL HOSPITAL** situated at address **7-1-645/A, ERRAGADA , SANATHNAGAR, HYD, SANATH NAGAR(V), VENGALRAO NAGAR(M), HYDERABAD(DIST.)** bearing Licence No. **89/HD/AP/97/WR** in the statutory **Form 20,21,20B,21B** granted/ renewed on **01/01/2013** whose validity would get expired by **31/12/2017** , is hereby permitted to be retained with the extended validity upto **31/12/2022**.

Retention fees/ with penalty for amount of Rs. **3000.00** has been paid on **13/11/2017** by the licensee in accordance with provisions of Rule 63(1) of the Drugs and Cosmetics Rules, 1945.

Date:01/01/2013

Licensing Authority

Digitally Signed By **V BALA NAGANJAN**  
[DRUGS CONTROL ADMINISTRATION  
Date:22-12-2017 12:27:02 PM



DRUGS CONTROL ADMINISTRATION  
Government of Telangana



L.Dis.No. NDPS-2/370/HYD/TS/2017

Dated:18/02/2020

To,  
M/s ST. THERESAS GENERAL HOSPITAL B600037159,  
Address D.NO.7-1-645/A, ERRAGADDA, SANATHNAGAR

Sir,  
Sub:T.S.N.D.P.S.Rules,1986 - Renewal of NDPS License in Form NDPS-2 - Regarding.

Ref: Your application dated:

-X-X-X-

With reference to your application cited, I am herewith forwarding the License in N.D.P.S-2 bearing No.NDPS-2 **370/HYD/TS/2017**, dated: **24/07/2017**, duly renewed for the period from: **01/01/2020** is valid upto **31/12/2020** for the quantities of the Narcotic Drugs and Psychotropic Substances mentioned in the License enclosed.

Digitally Signed By  
**RAMDHAN GUGULOTH**  
Deputy Director & Licensing Authority  
DRUGS CONTROL ADMINISTRATION  
Date:18-02-2020 12:29:45 PM

This Document is Digitally Signed. Signature is not required



**FORM - 26-G**  
(See Rule-122-F)

**CERTIFICATE OF RENEWAL OF LICENCE TO OPERATE A BLOOD BANK FOR  
PROCESSING OF WHOLE HUMAN BLOOD AND/OR PREPARATION FOR SALE  
OR DISTRIBUTION OF ITS COMPONENTS.**

1) Certified that Licence No.12/HD/AP/2010/BB/R, granted on dated: dated: 22.09.2010 to M/s.St.Theresa's Hospital Blood Bank, for operation of Blood Bank, processing of Whole Human Blood and its components at the premises situated at Erragadda, Sanathnagar, Hyderabad, Telangana State is hereby renewed with effect from **22.09.2015 to 21.09.2020.**

2) Name of the Product

1. Whole Human Blood IP  
2. Blood Components  
a. Packed Red Blood Cells IP  
b. Washed Cells  
c. Fresh Frozen Plasma BP  
d. Random Donor Platelet (Platelet Rich Concentrate)  
e. Single Donor Platelet  
f. Platelet Rich Plasma  
g. Cryoprecipitate  
3. Apheresis  
a. Plateletpheresis leading to Single Donor Platelet  
Plasmapheresis leading to plasma

3) Name of the Technical Staff:

1. Dr.K.Mahesh, MD (Path)
2. Dr.A.Sathya Sandhya, MBBS
3. Mrs.E.Yamini, DGNM
4. Ms.H.Sandhya, DGNM
5. Mr.Md.Moin Khan, DMLT
6. Mr.M.Saidulu, DMLT
7. Mr.Md.Shoeb, B.Sc MLT
8. Mr.Md Azahrudin, DMLT
9. Ms.Ch.Jhansi Rani, DMLT

- Medical Officer
- Medical Officer
- Regd. Nurse
- Regd. Nurse
- Technical Supervisor
- Technical Supervisor
- Blood Bank Technician
- Blood Bank Technician
- Blood Bank Technician

Signature :

Designation :

DEPUTY DIRECTOR (Enf)  
& DESIGNATED OFFICER  
DRUGS CONTROL ADMINISTRATION  
Government of Telangana  
Hyderabad

Dated: 24 -03-2016 Licensing Authority:



// CENTRAL LICENSE APPROVING AUTHORITY //

Dr. G. N. SINGH  
Drugs Controller General (India)  
Dte General of Health Services  
Ministry of Health & Family Welfare  
FDA Bhawan, Kotla Road, I.T.O.  
New Delhi-110002



ఆంధ్ర ప్రదేశ్ ప్రభుత్వము  
 Government of Telangana  
 ఆహార పరిరక్షణ మరియు ప్రమాణాల చట్టం 2006  
 (నిబంధన 2.1.1. (5) చూడుము)  
 ఆహార వ్యాపార నిర్వాహకుని నమోదు



**Registration of Food Business Operator**  
 under FSS Act, 2006 (See Regulation 2.1.1(5))

Registration **23617032000120**

1. ఆహార ఏకాపర నిర్వాహకుని రేరు మరియు క్వార్టర్స్ **ST.THERESA HOSPITAL**  
 చిరునామా **SANATHNAGAR, BALANAGAR,**  
**Name and permanent address of Food** **RANGAREDDI, Circle No.11 (Serilingampally-**  
**Business Operator (FBO)** **1), Hyderabad – West Zone (Telangana), -**  
**500018**
2. వ్యాపారము నిర్వహించు ప్రదేశము, చిరునామా **SANATHNAGAR, BALANAGAR,**  
**Address and location where Food** **RANGAREDDI, Circle No.11 (Serilingampally-**  
**Business is to be conducted** **1), Hyderabad – West Zone (Telangana), -**  
**500018**
3. ఆహార వ్యాపార స్వభావము/ స్థాయి **Club/Canteen**  
**Kind/ Category of Food Business**



Place :  
 Date : 12/06/2017

ఆహార పరిరక్షణ మరియు ప్రమాణాల చట్టం 2006 లోని నిబంధనలకు లోబడి అని సంబంధితముగా ఉని/ఉనిండున ఆహార ఏకాపర నిర్వాహకునికి ఈ నమోదు ధృవీకరణము మంజూరు చేయబడినది.

This Registration Certificate is issued under and is to subject to the provisions of FSS Act, 2006 all of which must be complied with the FBO.

చెల్లుబాటు మరియు పునరుద్ధరణ / Validation And Renewal .

నమోదు ధృవ పత్రము/ పునరుద్ధరణ తేదీ Registration Certificate/Renewal Date	నమోదు చెల్లుబాటు కాల పరిమితి Period of Validity	వరకు చెల్లుతుంది Valid Upto	నమోదు కొరకు చెల్లించిన పైకము Registration Fee Paid (In Rs.)	నమోదు చేయు అధికారి సంతకము Signature of Registering Authority
12/06/2017	5 Year(s)	11/06/2022	500	

**Disclaimer : 1 - This Registration Certificate is only to commence or carry on the food businesses and not for any other purpose.**

**2 - This is an electronically generated Registration Certificate and does not require any signature.**



ఆంధ్ర ప్రదేశ్ ప్రభుత్వము  
Government of Telangana  
ఆహార పరిరక్షణ మరియు ప్రమాణాల చట్టం 2006  
(నిబంధన 2.1.1. (5) చూడుము)  
ఆహార వ్యాపార నిర్వాహకుని నమోదు



**Registration of Food Business Operator**  
under FSS Act, 2006 (See Regulation 2.1.1(5))

Registration No. : 23617032000120

**Details of Food Item**

Sl.No.	Food Item(s)
1	15 - Ready-to-eat savouries
2	16 - Prepared Foods
3	13 - Foodstuffs intended for particular nutritional uses



**UNITED INDIA INSURANCE COMPANY LIMITED**

UNITED INDIA INSURANCE CO.LTD, DIVISIONAL OFFICE-5, D.NO.71-A, III  
FLOOR, SURYA PLAZA, ABOVE SBH, VENGALRAO NAGAR, HYDERABAD.  
HYDERABAD - 500038 TELANGANA  
PH: (40) 23810120 FAX: (40) 23810414 EMAIL:

**MISCELLANEOUS AND SPECIAL TYPE OF VEHICLES  
PACKAGE POLICY**

**POLICY NO.:0505003118P108668719**  
**VEHICLE NO.:TS - 09 - UB - 2469**

( DUPLICATE )

**PERIOD OF INSURANCE**  
From 00:00 Hrs of  
11/10/2019  
To Midnight of  
10/10/2020

*Insured*

**MS ST THERESSES HOSPITAL**  
SANATHNAGAR, HYDERABAD HYDERABAD  
500018  
HYDERABAD  
TELANGANA

**CONTACT NUMBER: 8121161550 (M)**

**IMPORTANT NOTICE:** KINDLY UPDATE YOUR AADHAAR NO. AND PAN/FORM 60. PLEASE IGNORE IF ALREADY UPDATED.

Agent Name  
Agent Code  
Mobile/Landline  
Number/Email

**UNITED INDIA INSURANCE CO. LTD**  
Service Hub, 2nd Floor,  
Posnett Bhavan, Tilak Road,  
HYDERABAD-500 001

LET US JOIN THE FUTURE OF INSURANCE  
PLEASE TAKE THE FLOOR AT 24762700 24762704 Fax No: 2475044

For any Information, Service Requests, Claim intimation and Grievances please write to 050500@uic.co.in  
Motor Claim Intimation - kindly visit <http://www.uic.co.in>

REGD. & HEAD OFFICE, 24, WHITES ROAD, CHENNAI - 600014  
Website: <http://www.uic.co.in>

Printed By : SWA24078 @ 04/10/2019 1:08:35 PM

0981528

GOVERNMENT OF TELANGANA  
TRANSPORT DEPARTMENT  
FORM 38 - CERTIFICATE OF FITNESS

NEW FC NUMBER : FC/1560/2017/TS009 Issue Date : 31/01/2019

Vehicle No : **TS09UB2469** IS CERTIFIED AS COMPLYING WITH THE PROVISIONS OF CHAPTER VII OF MOTOR VEHICLE ACT,1988 AND THE RULES MADE THERE UNDER. THE CERTIFICATE WILL EXPIRE ON **30/01/2021**

CHANDRASEKHAR KOMATI  
MOTOR VEHICLES INSPECTOR

Chassis Number MC1E1CH8HP003759  
Engine Number D61002537  
Class of Vehicle AMBULANCE

REGISTER AN AMBULANCE  
BSNL LANDLINE/MOBILE RANGEREKABAD  
OTHER NUMBERS: 1800 425 1110 (TOLL FREE)  
Website : www.aptransport.org