





Page 1 of 2



CUSTOMER SINCE - 1996 No. 301/A, 9th Main Road, 3rd Cross, Rajiv Gandhi Nagar, J.B. Kaval, Nandhini Layout Post, Bangalore - 560 096.

Contact: 080-23377266, Mob: 9986586789 / 9448080177 / 9964308118 | Email: info@viplgroup.com Web: www.viplgroup.com

NABL Accredited Calibration Lab as per ISO/IEC 17025 : 2017 With vide Certificate No: CC-2473

1 Name and Address of the Customer

M/s.: Energon Health..,

No.703, 3rd Cross Road, HRBR Layout,

1st Block, Kalyan Nagar, Bangalore - 560 043.

2 Customer Reference

2.1 ULR No.

: CC2473215000023414F

2.2 SRF No

: 0037

2.3 Certificate No.

: VI/21-22/0037-05

2.4 Format No.

: VI-FRM-ME-046 & VI-FRM-ET-011

2.5 Date of Issue

: 09-04-2021

3 Details Of Device Under Calibration(DUC).

3.1 Nomenclature

: Centrifuge

3.2 Make / Model

: Remi / R-8C

3.3 Id.No.

: EH/CF/01

3.4 DUC Condition

: Satisfactory

3.5 Calibration Procedure No.

: SOP-16-42 & SOP-37-11

3.6 No.of Pages

3.7 Calibration Date

: 08-04-2021

3.8 Calibration Due

: 07-04-2022

3.9 Calibration done at

: Onsite

3.10 Instrument Location

· Lab

3.11 Discipline

: Mechanical

4 Environmental Condition

Temperature

25.3 °C

Humidity: 52 %Rh

SI. No.	Nomenclature	Make & Model	SI. No. / Id.No.	Certificate No.	Validity
1	Digital Tachometer	SENTRY / ST723	SN1323004225	ULR- CC287920000004732F	10-09-2021
2	Time Totalizer	Beltronics / 501	251	VI/20-21/INT-ETH-426	23-02-2022

6 Notes:

- 6.1. The Calibration Certificate relates only to the above DUC
- 6.2. Publication or reproduction of this Certificate in any form other than by complete set of the whole report & in the language, written, is not permitted without the written consent of VI Lab.
- 6.3. Corrections/erasing, invalidate the Calibration Certificate.
- 6.4. Calibration of the DUC are traceable to National standards/International Standards
- 6.5. Any error in this Certificate should be brought to our knowledge within 30 days from the date of this Cert.
- 6.6. Results Reported are valid at the time of and under the stated conditions of measurements
- 6.7. The usage of NABL Symbol is as per NABL guidelines given in NABL-133

Calibrated By Madhusudhan Checked By

(Onsite In-Charge) (Calibration Engineer)







No. 301/A, 9th Main Road, 3rd Cross, Rajiv Gandhi Nagar, J.B. Kaval, Nandhini Layout Post, Bangalore - 560 096.

No. 301/A, 9th Main Road, 3rd Closs, Rajiv Galidii Ragar, v.b. razia, reali : info@viplgroup.com Web : www.viplgroup.com Contact : 080-23377266, Mob : 9986586789 / 9448080177 / 9964308118 | Email : info@viplgroup.com Web : www.viplgroup.com

NABL Accredited Calibration Lab as per ISO/IEC 17025 : 2017 With vide Certificate No: CC-2473

Certificate No.

Page No: 2 of 2

RPM Results:

Range: 0 to 5250 RPM Resolution: 1 RPM

talige. U to 3230 iti ili		resolution. The in			
SI. No.	Std Reading (RPM)	DUC Reading (RPM)	Error Observed in (RPM)	Measurement Uncertainty in ± (%)	k Factor
1	199.9	200	0.1		2.0
2	599.7	600	0.3		2.0
3	999.5	1000	0.5		2.0
4	1999.2	2000	0.8	1.2	2.0
5	2998.9	3000	1.1		2.0
6	3998.6	4000	1.4] [2.0
7	5248.3	5250	1.7	1	2.0

Timer Results:

Range: 0 to 99 min Resolution: 1min

SI. No.	Std Reading (hr:min:sec:msec)	DUC Reading (min)	Error Observed in (hr:min:sec:msec)	Measurement Uncertainty in ± (%)	k Factor
1	00:00:00:000	0	00:00:00:000		
2	00:15:00:012	15	-00:00:00:012	0.05	2.0
3	00:30:00:026	30	-00:00:00:026	0.05	2.0
4	00:45:00:042	45	-00:00:00:042	0.05	2.0
5	01:00:00:059	60	-00:00:00:059	0.05	2.0
6	01:39:00:067	99	-00:00:00:067	0.05	2.0

Conclusion :-

1. Measurement uncertainty reported is at 95.45 % confidence level.

Calibrated By


Madhusudhan

(Calibration Engineer)

Checked By

Umesh D

(Onsite In-Charge)







CUSTOMER SINCE - 1996

Vaidyanatheshwara Instruments CERTIFICATE OF CALIBRATION



Page: 1 of 2



No. 301/A, 9th Main Road, 3rd Cross, Rajiv Gandhi Nagar, J.B. Kaval, Nandhini Layout Post, Bangalore - 560 096. Contact: 080-23377266, Mob: 9986586789 / 9448080177 / 9964308118 | Email: info@viplgroup.com Web: www.viplgroup.com

NABL Accredited Calibration Lab as per ISO/IEC 17025 : 2017 With vide Certificate No: CC-2473

1 Name and Address of the Customer

M/s.: Energon Health,

No.703, 3rd Cross Road, HRBR Layout,

1 st Block, Kalyan Nagar, Bangalore - 560 043.

2 Customer Reference

2.1 ULR No.

2.2 Format No.

2.3 SRF No.

2.4 Certificate No.

2.5 Date of Issue

: CC247321500022900F

: VI-FRM-TH-006

: 0032

: VI/21-22/0032-01

: 07-04-2021

3 Details Of Device Under Calibration(DUC).

3.1 Nomenclature

3.2 Make

3.3 Id.No.

3.4 Range / Resolution

3.5 DUC Condition

3.6 Calibration Procedure No.

3.7 No.of Pages

3.8 Calibration Date

3.9 Calibration Due

3.10 Calibration done at

3.11 Instrument Location

3.12 Discipline

: Refrigerator

: LG

: EH/REF/01

: 2 to 8 °C / 0.1 °C

: Satisfactory

: SOP-38-06

: 06-04-2021

: 05-04-2022

: Onsite

: Sample Storage

: Thermal

4 Environmental Condition

Temperature

26.4 °C

Humidity

54 %RH

5 Standards Used for Temperature Calibration

5 Stand	5 Standards Used for Temperature Cambrato				14 11 114
SI. No.	Nomenclature	Make / Model	SI. No.	Certificate. No.	Validity
1	Precision Thermometer with	Lutron / TM-917	Q601311	VI/20-21/INT-TH-55	28-08-2021
1	RTD Sensor				

6 Note:

- 6.1. The Calibration Certificate relates only to the above DUC
- 6.2. Publication or reproduction of this Certificate in any form other than by complete set of the whole report & in the language, written, is not permitted without the written consent of VI.
- 6.3. Corrections/erasing, invalidate the Calibration Certificate.
- 6.4. Calibration of the DUC are traceable to National standards/International Standards
- 6.5. Any error in this Certificate should be brought to our knowledge within 30 days from the date of this Cert.
- 6.6. Results Reported are valid at the time of and under the stated conditions of measurements.
- 6.7. The usage of NABL Symbol is as per NABL guidelines given in NABL-133

Calibrated By

Madhusudhan

(Calibration Engineer)

Checked By

Umesh D

(Onsite In-Charge)









CUSTOMER SINCE - 1996

No. 301/A, 9th Main Road, 3rd Cross, Rajiv Gandhi Nagar, J.B. Kaval, Nandhini Layout Post, Bangalore - 560 096.

Contact: 080-23377266, Mob: 9986586789 / 9448080177 / 9964308118 | Email: info@viplgroup.com Web: www.viplgroup.com

NABL Accredited Calibration Lab as per ISO/IEC 17025 : 2017 With vide Certificate No: CC-2473

Certificate No. VI/21-22/0032-01

Page: 2 of 2


Results:

Range: 2 to 8 °C

Resolution: 0.1 °C

SI No	STD Reading	DUC Reading (°C)	Error Observed (°C)	Measurement Uncertainty ± (°C)	k Factor
		2.0	-0.05	1.6	2.0
1	2.05		-0.09	1.6	2.0
2	3.09	3.0		1.6	2.0
3	4.13	4.0	-0.13		2.0
4	6.18	6.0	-0.18	1.6	
5	8.25	8.0	-0.25	1.6	2.0

Pictorial Representation of Sensors Placement



Note:

1. S1 Indicates Placement of Standard Sensor

Conclusion / Remarks:

1 Measurement Uncertainty reported is at 95.45% confidence level with k = 2.

Calibrated By

Checked By

1-1


(Onsite In-Charge)

Gangadhar C.K

Layout Bangs

(Calibration Engineer)







Vaidyanatheshwara Instruments lac





No. 301/A, 9th Main Road, 3rd Cross, Rajiv Gandhi Nagar, J.B. Kaval, Nandhini Layout Post, Bangalore - 560 096. Contact: 080-23377266, Mob: 9986586789 / 9448080177 / 9964308118 | Email: info@viplgroup.com Web: www.viplgroup.com

NABL Accredited Calibration Lab as per ISO/IEC 17025 : 2017 With vide Certificate No: CC-2473

Page 1 of 2

1 Name and Address of the Customer : M/s. DIALOGIX HEALTH SERVICES PVT. LTD.,

Kalyan Nagar , Bangalore.

2 <u>Customer Reference</u>

2.1 ULR No : CC247321100009950F

2.2 SRF No : 0086

 2.3 Certificate No.
 : VI/21-22/0086-01

 2.4 Format No.
 : VI-FRM-ME-105

 2.5 Receipt Date
 : 07 - 04 - 2021

2.6 Date Of Issue : 07 - 04 - 2021

3 Details Of Device Under Calibration(DUC).

3.1 Nomenclature : Pipette

3.2 Make : DRAGON LAB

3.3 Range : 5 - 50 μl 3.4 SL No. : ΥΕ209ΑS00358

3.4 SL No. : YE209AS0035842
3.5 DUC Condition : Satisfactory

3.5 DUC Condition : Satisfactory
3.6 Calibration Procedure No. : SOP-16-71 Based On ISO 8659

3.6 Calibration Procedure No. : SOP-16-71 Based On ISO 8655-6:2002 E 3.7 No.of Pages : 2

3.8 Calibration Date : 07-04-2021 3.9 Calibration Due : 06-04-2022

3.10 Calibration done at : VI Volumetric Lab

3.11 Descipline : Mechanical (Mass & volume)

4 Environmental Condition

Temperature 20.4 °C Humidity 52 %Rh

5 Standards Used for calibration

SI. No.	Nomenclature	Make & Model	SI. No	Range	Traceable to /Cert. No.	Validity
1	Digital Weighing Balance	RADWAG/MYA5.4Y	544953	0.1mg to 5g	VI/20-21/INT-ME-121	18-09-2021
2	E1 Class Weights	LCGC	VI-E1-ME-001	1mg to 200g	TVCSPL 19/04/339-	02 - 04 - 2022

6 Note:

- 6.1. The Calibration Certificate relates only to the above DUC
- **6.2**. Publication or reproduction of this Certificate in any form other than by complete set of the whole report & in the language, written, is not permitted without the written consent of VI Lab..
- 6.3. Corrections/erasing, invalidate the Calibration Certificate.
- 6.4. Calibration of the DUC are traceable to National standards/International Standards
- 6.5. Any error in this Certificate should be brought to our knowledge within 30 days from the date of this Cert.
- 6.6. Results Reported are valid at the time of and under the stated conditions of measurements.
- 6.7. The usage of NABL symbol is as per NABL guidelines given in NABL-133.

Veda Murthy K.S
(Calibration Engineer)

Checked By

P. Santhosh Kumar

Authorized By

Gangadhar C.K







CUSTOMER SINCE - 1996
No. 301/A, 9th Main Road, 3rd Cross, Rajiv Gandhi Nagar, J.B. Kaval, Nandhini Layout Post, Bangalore - 560 096.
Contact: 080-23377266, Mob: 9986586789 / 9448080177 / 9964308118 | Email: info@viplgroup.com Web: www.viplgroup.com

NABL Accredited Calibration Lab as per ISO/IE€ 17025 : 2017 With vide Certificate No: CC-2473

Certificate No:

VI/21-22/0086-01

Page 2 of 2

Range:

5 - 50 µl

Results:

Range	Cal Point	Volume observed	Expanded Uncertainty
	μΙ	μΙ	μl
	5.0	5.014	0.02
5 - 50 µl	20.0	20.025	0.04
	50.0	50.046	0.20

Note:

- 1. Visual Inspection : Found Well.
- 2. Tripple Distilled water is used to Calibrate the MicroPipette.

Conclusion /Remarks:

1. Ref. standard used are traceable to National/International Standard

2. The Expanded Uncertainity of associated with measurement at approximate 95.45% confidence level with coverage factor k=2

Calibrated By

Checked By

Veda Murthy K.S

P. Santhosh Kumar

(Calibration Engineer)

(Lab-In-Charge)

Gangadhar C.K



CUSTOMER SINCE - 1996

Vaidyanatheshwara Instruments lac-MR CERTIFICATE OF CALIBRATION





No. 301/A, 9th Main Road, 3rd Cross, Rajiv Gandhi Nagar, J.B. Kaval, Nandhini Layout Post, Bangalore - 560 096. Contact: 080-23377266, Mob: 9986586789 / 9448080177 / 9964308118 | Email: info@viplgroup.com Web: www.viplgroup.com

NABL Accredited Calibration Lab as per ISO/IEC 17025 : 2017 With vide Certificate No: CC-2473

Page 1 of 2

1 Name and Address of the Customer : M/s. DIALOGIX HEALTH SERVICES PVT. LTD.,

Kalyan Nagar, Bangalore.

2 Customer Reference

2.1 ULR No.

2.2 SRF No

2.3 Certificate No.

2.4 Format No. 2.5 Receipt Date

2.6 Date Of Issue

3 Details Of Device Under Calibration(DUC).

3.1 Nomenclature

3.2 Make

3.3 Range

3.4 SL No.

3.5 DUC Condition

3.6 Calibration Procedure No.

3.7 No.of Pages

3.8 Calibration Date 3.9 Calibration Due

3.10 Calibration done at 3.11 Discipline

4 Environmenetal Condition

Temperature 5 Standards Used for calibration

: CC247321100009951F

: 0086

: VI/21-22/0086-02

: VI-FRM-ME-105

: 07 - 04 - 2021

: 07 - 04 - 2021

: Pipette

: DRAGON LAB

: 100 - 1000 µl

: YEAA9AD0013272

: Satisfactory

: SM/WI/M-10 Based On ISO 8655-6:2002 E

Humidity

: 2

: 07-04-2021

: 06-04-2022

: VI Volumetric Lab : Mechanical (Mass & Volume)

20.4 °C

51 %Rh

SI. No.	Nomenclature	Make & Model	SI. No	Range	Traceable to /Cert. No.	Validity
1	Digital Weighing Balance	RADWAG/MYA5.4Y	544953	0.1mg to 5g	VI/20-21/INT-ME-121	18-09-2021
2	E1 Class Weights	LCGC	VI-E1-ME-001	1mg to 200g	TVCSPL 19/04/339-01	02 - 04 - 2022

6 Note:

- 6.1. The Calibration Certificate relates only to the above DUC
- 6.2. Publication or reproduction of this Certificate in any form other than by complete set of the whole report & in the language, written, is not permitted without the written consent of VI Lab..
- 6.3. Corrections/erasing, invalidate the Calibration Certificate.
- 6.4. Calibration of the DUC are traceable to National standards/International Standards
- 6.5. Any error in this Certificate should be brought to our knowledge within 30 days from the date of this (6.6. Results Reported are valid at the time of and under the stated conditions of measurements REPLATE
- 6.7. The usage of NABL symbol is as per NABL guidelines given in NABL-133.

Calibrated By

(Calibration Engineer)

P Santhosh Kumar (Lab In-Charge)







No. 301/A, 9th Main Road, 3rd Cross, Rajiv Gandhi Nagar, J.B. Kaval, Nandhini Layout Post, Bangalore - 560 096. Contact: 080-23377266, Mob: 9986586789 / 9448080177 / 9964308118 | Email: info@viplgroup.com Web: www.viplgroup.com

NABL Accredited Calibration Lab as per ISO/IEC 17025 : 2017 With vide Certificate No: CC-2473

Certificate No:

VI/21-22/0086-02

Page 2 of 2

Range: 100 - 1000 µl

Results:

Range	Cal Point	Volume observed	Expanded Uncertainty ±
	μΙ	μl	μl
400 4000	100.0	99.459	0.62
100 - 1000 µI	500.0	498.838	3.10
	1000.0	998.159	6.20

Note:

- 1. Visual Inspection : Found Well.
- 2. Tripple Distilled water is used to Calibrate the MicroPipette.

Conclusion /Remarks:

- 1. Ref. standard used are traceable to National/International Standard
- 2. The Expanded Uncertainity of associated with measurement at approximate 95,459 level with coverage factor k=2

Calibrated By

Checked By

Veda Murthy K.S

(Calibration Engineer)

P Santhon (Lab In-Charge