OFFICE OF THE DEGISTRAR OF SOCIETIES, HYDERABAD.

CERTIFICATE OF REGISTRATION. (No.296 of 1973)

I roreby certify that

The St. Thereoa's Convent Society
Sanathnagar, Hyderabad-500018

is this day registered under the Andhra Pradesh (Tolongana Area) Public Societies Registration Act, 13:0 Faili (Act I of 1350 F.).

Given under my hand and seal at Hyderabad this the 4 day of June One thousand nine hundred and Seventy three.

REGIOTRAR OF SOCIETIES.

So Zillyw

CHIEF FUNCTIONARY St. Theresa's Convent Society 7-1-645/A, Sanathnagar, Hyderabad-500 018. Telangana State

रथाई लेखा संख्या. /PERMANENT ACCOUNT NUMBER



MANY PIF

ST. THERESAS CONVENT SOCIETY

निगमन/बनने की तिथि /DATE OF INCORPORATION/FORMATION

04-06-1973

Chilementon

मुख्य अध्यक्ष आवृत्तः, अन्य प्रदेश Chief Commissioner of Income-tax, Andhra Pradesh

TELANGANA

TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018 Phones: 040-23887500 Fax: 040-23815631

AUTHORISATION

(Issued under Rule 10 of the Bio-Medical Waste Management Rules, 2016)

- 1. Order No. TSPCB /BMWA/HYD -833582 /2017 2845 Date:04.12.2017
- M/s. St Theresas Hospital an occupier or operator of the facility located at D.No:7-1-645/A, Erragadda, Sanathnagar, Hyderabad is hereby granted an authorisation for Generation, segregation, Collection & Storage of Bio-Medical Waste.
- M/s. St. Theresas Hospital, D.No:7-1-645/A, Erragadda, Sanathnagar,
 Hyderabad is hereby authorized for handling of biomedical waste as per the capacity given below;
 - (i) Number of beds of HCF: 300 beds
 - (ii) Quantity of Biomedical waste handled, treated or disposed:

Type of Waste Category	Quantity permitted for Handling
Yellow	1500.0 Kg / Month
Red	1200.0 Kg / Month
White (Translucent)	600.0 Kg / Month
Blue	600.0 Kg / Month

- 4. This authorisation shall be in force for a period upto 31.07.2021.
- This authorisation is subject to the conditions stated below and to such other
 conditions as may be specified in the rules for the time being in force under the
 Environment (Protection) Act, 1986.

Hyderabad, Dated:04.12.2017

Sd/-MEMBER SECRETARY & PRESCRIBED AUTHORITY

// T.C.F.B.O //

Joint Chief Environmental Engineer

(Unit Head - II)

FORM IV (See Rule 5 (a)) GOVERNMENT OF TELANGANA. HEALTH MEDICAL & FAMILY WELFARE DEPARTMENT DISTRICT REGISTERING AUTHORITY

CERTIFICATE OF REGISTRATION OF ALLOPATHIC PRIVATE MEDICAL CARE ESTABLISHMENTS.

Application No. & Date: : 853 - 28-12-2017

2. Original File No. of Registration Authority : <u>07F-APMCE-0469</u>

3. Date of Issue of the Certificate of Registration : 05-02-2013

4. Date of Expiry of the Certificate of Registration : 04-02-2018

5. Date of Renewal of the Certificate of Registration: 05-02-2018

6. Renewal of Certificate of Registration valid up to : 04-02-2023

7. Name of the Owner / Applicant: Sr. THOMASAMMA, ADMINISTRATOR.

- This is to Certify that M/s. ST.THERESA'S HOSPITAL LOCATED AT D.NO.7-1-645/A, OPP:RYTHU BAZAR, SANATHNAGAR, HYDERABAD, is hereby registered under the provisions of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act 2002 to provide following medical care services.
 - 1. BASIC TYPES OF SERVICES.
 - 2. SPECIALITY TYPESOF SERVICES.
 - 3. SUPER SPECIALITY TYPESOF SERVICES.
 - 4. DIAGNOSTICS (HI-END CT, MRT etc.,) TYPES OF SERVICES.
 - 5. PHYSIOTHERAPHY TYPES OF SERVICES.
- 9. This registration shall be in force for a period of 5 (five) years from the date of issue.
- This Certificate shall be produced whenever it is required to the officer authorized by the registration authority.
- 11. The establishment shall not lend, sell, transfer or otherwise close down the without obtaining prior permission of the registration authority.
- 12. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the Establishment shall constitute a breach of registration.
- 13. The Establishment shall not violate the provision of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002) as amended from time to time and the rules made there under:
- 14. This Certificate is subject to the conditions and the provisions of the T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002.).

Dr. K. Padmaja, MBBS, DLO.
District Medical & Health Officer &
Chairman, District Registering Authority, Hyderabad District
4th Floor, NTPC Building, Patny Circle, Sec'bad
(Office Seal).

FORM IV (See Rule 5 (a)) GOVERNMENT OF TELANGANA. HEALTH MEDICAL & FAMILY WELFARE DEPARTMENT DISTRICT REGISTERING AUTHORITY

CERTIFICATE OF REGISTRATION OF ALLOPATHIC PRIVATE MEDICAL CARE ESTABLISHMENTS.

Application No. & Date: : 853 - 28-12-2017

2. Original File No. of Registration Authority : <u>07F-APMCE-0469</u>

3. Date of Issue of the Certificate of Registration : 05-02-2013

4. Date of Expiry of the Certificate of Registration : 04-02-2018

5. Date of Renewal of the Certificate of Registration: 05-02-2018

6. Renewal of Certificate of Registration valid up to : 04-02-2023

7. Name of the Owner / Applicant: Sr. THOMASAMMA, ADMINISTRATOR.

- This is to Certify that M/s. ST.THERESA'S HOSPITAL LOCATED AT D.NO.7-1-645/A, OPP:RYTHU BAZAR, SANATHNAGAR, HYDERABAD, is hereby registered under the provisions of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act 2002 to provide following medical care services.
 - 1. BASIC TYPES OF SERVICES.
 - 2. SPECIALITY TYPESOF SERVICES.
 - 3. SUPER SPECIALITY TYPESOF SERVICES.
 - 4. DIAGNOSTICS (HI-END CT, MRT etc.,) TYPES OF SERVICES.
 - 5. PHYSIOTHERAPHY TYPES OF SERVICES.
- 9. This registration shall be in force for a period of 5 (five) years from the date of issue.
- This Certificate shall be produced whenever it is required to the officer authorized by the registration authority.
- 11. The establishment shall not lend, sell, transfer or otherwise close down the without obtaining prior permission of the registration authority.
- 12. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the Establishment shall constitute a breach of registration.
- 13. The Establishment shall not violate the provision of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002) as amended from time to time and the rules made there under:
- 14. This Certificate is subject to the conditions and the provisions of the T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002.).

Dr. K. Padmaja, MBBS, DLO.
District Medical & Health Officer &
Chairman, District Registering Authority, Hyderabad District
4th Floor, NTPC Building, Patny Circle, Sec'bad
(Office Seal).

FORM IV (See Rule 5 (a)) GOVERNMENT OF TELANGANA. HEALTH MEDICAL & FAMILY WELFARE DEPARTMENT DISTRICT REGISTERING AUTHORITY

CERTIFICATE OF REGISTRATION OF ALLOPATHIC PRIVATE MEDICAL CARE ESTABLISHMENTS.

Application No. & Date: : 853 - 28-12-2017

2. Original File No. of Registration Authority : <u>07F-APMCE-0469</u>

3. Date of Issue of the Certificate of Registration : 05-02-2013

4. Date of Expiry of the Certificate of Registration : 04-02-2018

5. Date of Renewal of the Certificate of Registration: 05-02-2018

6. Renewal of Certificate of Registration valid up to : 04-02-2023

7. Name of the Owner / Applicant: Sr. THOMASAMMA, ADMINISTRATOR.

- This is to Certify that M/s. ST.THERESA'S HOSPITAL LOCATED AT D.NO.7-1-645/A, OPP:RYTHU BAZAR, SANATHNAGAR, HYDERABAD, is hereby registered under the provisions of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act 2002 to provide following medical care services.
 - 1. BASIC TYPES OF SERVICES.
 - 2. SPECIALITY TYPESOF SERVICES.
 - 3. SUPER SPECIALITY TYPESOF SERVICES.
 - 4. DIAGNOSTICS (HI-END CT, MRT etc.,) TYPES OF SERVICES.
 - 5. PHYSIOTHERAPHY TYPES OF SERVICES.
- 9. This registration shall be in force for a period of 5 (five) years from the date of issue.
- This Certificate shall be produced whenever it is required to the officer authorized by the registration authority.
- 11. The establishment shall not lend, sell, transfer or otherwise close down the without obtaining prior permission of the registration authority.
- 12. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the Establishment shall constitute a breach of registration.
- 13. The Establishment shall not violate the provision of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002) as amended from time to time and the rules made there under:
- 14. This Certificate is subject to the conditions and the provisions of the T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002.).

Dr. K. Padmaja, MBBS, DLO.
District Medical & Health Officer &
Chairman, District Registering Authority, Hyderabad District
4th Floor, NTPC Building, Patny Circle, Sec'bad
(Office Seal).

FORM IV (See Rule 5 (a)) GOVERNMENT OF TELANGANA. HEALTH MEDICAL & FAMILY WELFARE DEPARTMENT DISTRICT REGISTERING AUTHORITY

CERTIFICATE OF REGISTRATION OF ALLOPATHIC PRIVATE MEDICAL CARE ESTABLISHMENTS.

Application No. & Date: : 853 - 28-12-2017

2. Original File No. of Registration Authority : <u>07F-APMCE-0469</u>

3. Date of Issue of the Certificate of Registration : 05-02-2013

4. Date of Expiry of the Certificate of Registration : 04-02-2018

5. Date of Renewal of the Certificate of Registration: 05-02-2018

6. Renewal of Certificate of Registration valid up to : 04-02-2023

7. Name of the Owner / Applicant: Sr. THOMASAMMA, ADMINISTRATOR.

- This is to Certify that M/s. ST.THERESA'S HOSPITAL LOCATED AT D.NO.7-1-645/A, OPP:RYTHU BAZAR, SANATHNAGAR, HYDERABAD, is hereby registered under the provisions of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act 2002 to provide following medical care services.
 - 1. BASIC TYPES OF SERVICES.
 - 2. SPECIALITY TYPESOF SERVICES.
 - 3. SUPER SPECIALITY TYPESOF SERVICES.
 - 4. DIAGNOSTICS (HI-END CT, MRT etc.,) TYPES OF SERVICES.
 - 5. PHYSIOTHERAPHY TYPES OF SERVICES.
- 9. This registration shall be in force for a period of 5 (five) years from the date of issue.
- This Certificate shall be produced whenever it is required to the officer authorized by the registration authority.
- 11. The establishment shall not lend, sell, transfer or otherwise close down the without obtaining prior permission of the registration authority.
- 12. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the Establishment shall constitute a breach of registration.
- 13. The Establishment shall not violate the provision of T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002) as amended from time to time and the rules made there under:
- 14. This Certificate is subject to the conditions and the provisions of the T.G. Allopathic Private Medical Care Establishments Registration and Regulation) Act, 2002.).

Dr. K. Padmaja, MBBS, DLO.
District Medical & Health Officer &
Chairman, District Registering Authority, Hyderabad District
4th Floor, NTPC Building, Patny Circle, Sec'bad
(Office Seal).

TELANGANA

TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018 Phones: 040-23887500 Fax: 040-23815631

AUTHORISATION

(Issued under Rule 10 of the Bio-Medical Waste Management Rules, 2016)

- 1. Order No. TSPCB /BMWA/HYD -833582 /2017 2845 Date:04.12.2017
- M/s. St Theresas Hospital an occupier or operator of the facility located at D.No:7-1-645/A, Erragadda, Sanathnagar, Hyderabad is hereby granted an authorisation for Generation, segregation, Collection & Storage of Bio-Medical Waste.
- M/s. St. Theresas Hospital, D.No:7-1-645/A, Erragadda, Sanathnagar,
 Hyderabad is hereby authorized for handling of biomedical waste as per the capacity given below;
 - (i) Number of beds of HCF: 300 beds
 - (ii) Quantity of Biomedical waste handled, treated or disposed:

Type of Waste Category	Quantity permitted for Handling
Yellow	1500.0 Kg / Month
Red	1200.0 Kg / Month
White (Translucent)	600.0 Kg / Month
Blue	600.0 Kg / Month

- 4. This authorisation shall be in force for a period upto 31.07.2021.
- This authorisation is subject to the conditions stated below and to such other
 conditions as may be specified in the rules for the time being in force under the
 Environment (Protection) Act, 1986.

Hyderabad, Dated:04.12.2017

Sd/-MEMBER SECRETARY & PRESCRIBED AUTHORITY

// T.C.F.B.O //

Joint Chief Environmental Engineer

(Unit Head - II)



Medicare Environmental Management Pvt. Ltd. (Formerly Known as SembRamky Environmental Management Pvt.Ltd.) Ramky Grandiose, 13th Floor, Ramky Towers Complex, Gachibowli, Hyderabad-500 032

Tel.: +91-40-2301 5000

Plant: Sy.No.619, Pashamylaram Industrial Area

Isnapur (V), Patancheru (M), Medak (Dt.), Telangana.

SERVICE CERTIFICATE

This is to certify that M/s. ST.THERESA'S HOSPITAL	- ERRAGDDA	
Hospital / Nursing Home/ Diagnostic / Pharma / R. C.	D is a member of Med	dicare Environmental
Management Pvt. Ltd. bearing Registration. No.	S R - S - 089	Medicare is
providing bio-medical waste management service to the ir	ıstitution from	1-Mar-2015
a total bed - strength of	200 200	
Mode of Treatment Incineration / Auto clave as per Bio	Medical Waste Manag	gement Handling Rules.
This certificate is valid upto		and Management
	4.0	Auth Bewert Stenatory

1. R & 1

ZONAL OFFICE: HYDERABAD

R. Ravinder Reddy oint Chief Environmental Engineer

H.No.6-3-1219, T.S.No.1, Part, Block "C", Ward No.91; Begumpet, Umanagar, Near Country Club, Hyderabad - 500 016 Phone: 23402486

Email:hyd.zo.jcee@pcb.ap.gov.in

CONSENT & AUTHORIZATION ORDER - RED CATEGORY

BY REGISTERED POST WITH ACKNOWLEDGEMENT DUE

Consent Order No.180-HYD/TSPCB/ZOH/HCE/CFO/2017- 225 Date:09.05.2017

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof and Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof) and Authorization / Renewal of Authorization under Rule 6 of the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the provisions of HW (M&H) Rules (hereinafter referred to as 'the Acts', 'the Rules') and the rules and orders made thereunder to

M/s. St. Theresa's Hospital, D.No.7-1-645/a, Erragadda, Sanathnagar, Hyderabad

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below.

i) Outlets for discharge of effluents:

Outlet	Outlet Description	Max Daily Discharge	Point of Disposal	Limiting Standards
1.	Washings	2.0 KLD	After disinfection, the washing effluents shall be treated in STP. After treatment treated water	Total Suspended Solids - 600.0 mg
2.	Domestic	23.0 KLD	shall be partly utilized for on land gardening & balance shall be discharged into a municipal sewer.	20.0 mg /l,

ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow	Emission Standards
1.	Attached to DG set of capacity - 500 KVA		SPM - 115
2.	Attached to DG set of capacity - 250 KVA		mg/Nm ³

iii) Hazardous Waste Authorization: (Form - 2) [See Rule 6(2)]:

M/s. St.Theresa's Hospital, D.No.7-1-645/a, Erragadda, Sanathnagar, Hyderabad is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of the following wastes with quantities as mentioned below:

Sl. No.	Name of the Hazardous Waste	Stream	Quantity of Hazardous waste	Disposal Option
1	Used oil	5.1 of Sch- I	100 LPA	Shall be sent to authorized waste oil Re-Processors / Re-Cycling units.
2.	STP Sludge		-80 Kg/M	Shall be used for Manure
·3.	Bio Medical wastes	-	180 Kg/day	Shall be disposed to CBMTF for safe disposal
4.	E - waste	-	10 Kg/A	Shall be disposed to authorised recyclers
5	Domestic Solid waste	-2	100 Kg/day	Shall be given to the Municipal Solid waste collection system

This consent order is valid for the manufacture of the following products with quantities mentioned below only:

Sl. No.	Product & By Product	Quantity
1.	Hospital with bed strength	300 Nos.

This order is subject to the provisions of 'the Acts' and the Rules' and amendments made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This combined order of Consent and Authorization is valid for a period ending with the 30.11.2021

JOINT CHIEF ENVIRONMENTAL ENGINEER

To

M/s.St.Theresa's Hospital, D.No.7-1-645/a, Erragadda, Sanathnagar, Hyderabad

1. R & 1

ZONAL OFFICE: HYDERABAD

R. Ravinder Reddy oint Chief Environmental Engineer

H.No.6-3-1219, T.S.No.1, Part, Block "C", Ward No.91; Begumpet, Umanagar, Near Country Club, Hyderabad - 500 016 Phone: 23402486

Email:hyd.zo.jcee@pcb.ap.gov.in

CONSENT & AUTHORIZATION ORDER - RED CATEGORY

BY REGISTERED POST WITH ACKNOWLEDGEMENT DUE

Consent Order No.180-HYD/TSPCB/ZOH/HCE/CFO/2017- 225 Date:09.05.2017

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof and Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof) and Authorization / Renewal of Authorization under Rule 6 of the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the provisions of HW (M&H) Rules (hereinafter referred to as 'the Acts', 'the Rules') and the rules and orders made thereunder to

M/s. St. Theresa's Hospital, D.No.7-1-645/a, Erragadda, Sanathnagar, Hyderabad

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below.

i) Outlets for discharge of effluents:

Outlet	Outlet Description	Max Daily Discharge	Point of Disposal	Limiting Standards
1.	Washings	2.0 KLD	After disinfection, the washing effluents shall be treated in STP. After treatment treated water	Total Suspended Solids - 600.0 mg
2.	Domestic	23.0 KLD	shall be partly utilized for on land gardening & balance shall be discharged into a municipal sewer.	20.0 mg /l,

ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow	Emission Standards
1.	Attached to DG set of capacity - 500 KVA		SPM - 115
2.	Attached to DG set of capacity - 250 KVA		mg/Nm ³

iii) Hazardous Waste Authorization: (Form - 2) [See Rule 6(2)]:

M/s. St.Theresa's Hospital, D.No.7-1-645/a, Erragadda, Sanathnagar, Hyderabad is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of the following wastes with quantities as mentioned below:

Sl. No.	Name of the Hazardous Waste	Stream	Quantity of Hazardous waste	Disposal Option
1	Used oil	5.1 of Sch- I	100 LPA	Shall be sent to authorized waste oil Re-Processors / Re-Cycling units.
2.	STP Sludge		-80 Kg/M	Shall be used for Manure
·3.	Bio Medical wastes	-	180 Kg/day	Shall be disposed to CBMTF for safe disposal
4.	E - waste	-	10 Kg/A	Shall be disposed to authorised recyclers
5	Domestic Solid waste	-2	100 Kg/day	Shall be given to the Municipal Solid waste collection system

This consent order is valid for the manufacture of the following products with quantities mentioned below only:

Sl. No.	Product & By Product	Quantity
1.	Hospital with bed strength	300 Nos.

This order is subject to the provisions of 'the Acts' and the Rules' and amendments made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This combined order of Consent and Authorization is valid for a period ending with the 30.11.2021

JOINT CHIEF ENVIRONMENTAL ENGINEER

To

M/s.St.Theresa's Hospital, D.No.7-1-645/a, Erragadda, Sanathnagar, Hyderabad

- 1. In exercise of the powers conferred under Section 19(1) of the Pre-Natal Diagnostic Techniques (Registration and Prevention of Misuse) Act, 1994 (157 of 1994), the Appropriate Authority. DISTRICT MEDICAL & HEALTH OFFICER, 4TH FLOOR, NTPC BUILDING, OPP. HARI HARA KALA BHAVAN, PATNY CIRCLE, SEC'BAD hereby grants registration to the Genetic Counseling Centres* /Genetic Laboratory*/ Genetic Clinic* / Ultrasound Clinic* / Imaging Centre*named below for purposes of carrying out Genetic Counseling*/ Pre-natal Diagnostic Procedures* /Prenatal Diagnostic Tests*/ Ultrasonography under the aforesaid Act for a period of Five Years ending 29-01-2022.
- This registration is granted subject to the aforesaid Act and Rules there under, and any contravention thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years apart from prosecution.
- 3. Name of the Owner / Applicant: Sr.THOMASAMMA.
- A) Name and address of the Genetic Counselling Center* / Genetic Laboratory* / Genetic Clinic* / Ultrasound Clinic* / Imaging Center * St.THERESA'S HOSPITAL, D.NO.7-1-645/A, ERRAGADDA, OPP RHYTHU BAZAR, SANATHNAGAR, HYDERABAD, T.S.
- B) Pre-natal Diagnostic procedures* approved

Non-Invasive

- i) Ultra Sound Invasive
- ii) Amniocentesis
- iii) Charionic Villi biopsy
- iv) Foetoscopy
- Foetal skin or organ biopsy
- vi) Cordocentesis
- vii) Any other (Specify)
- C) Pre-natal Diagnostic Tests* approved (for Genetic Laboratory)
 - i) Chromosomal Studies
 - ii) Biochemical Studies
 - iii) Molecular Studies
- D) Any other purpose (please specify)
 - Model and make of equipments being used.

(Any change is to be intimated to the Appropriate Authority under Rule 13).

Make	Model	SI. No.
WIPRO GE	LOGIQ PRO	929045UM3
WIPRO GE	LOGIQ P5	118608SU9

SI.No Name of the Doctor		Qualification	
1	Dr. Ayesha	MBBS, MD-Radiodiagnosis	
Dr. Medha Arke MBBS, Sonol		MBBS, Sonology	
3	Dr.Krishnakanth Inturi	MBBS, MD-Radiodiagnosis	

- 5. Registration No. Allotted. 0116A188 Dated 29-01-2002.
- 6. For renewed Certificate of Registration only Period of validity of earlier Certificate From 29-01-2007 to 28-01-2012 & 29-01-2012 to 28-01-2017 of Registration.
- Renewal of Registration from 29-01-2017 to 28-01-2022.

Dr. J. Venkati MBBS, DCO
District Medical & Health Officer
Hyderabad District &
District Appropriate Authority for
PDF PNDTAE INFORMER 16996,000

District Appropriate Authority

भारत सरकार परमाणु ऊर्जा नियामक परिषद् विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA

ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: TS-35415-RF-XR-002

Issuance Date: 27/10/2017

Document Number: 17-LOEE-223733

Expiry Date: 27/10/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. THOMASAMMA YEDDANAPALLY to operate the following medical diagnostic x-ray equipment located at ST THERESAS HOSPITAL, 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	Wipro GE Healthcare Private ltd.	DX-300 (Fixed)	G-XR-75950

The ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD and DR. THOMASAMMA

YEDDANAPALLY are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane Head, RSD

DR. THOMASAMMA YEDDANAPALLY ST THERESAS HOSPITAL 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018

Copy to: ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्,नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र) Atomic Energy Regulatory Board, Niyarnak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



फेक्स/Fax: 91-22-2599 0650

भारत सरकार परमाणु ऊर्जा नियामक परिषद् विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: TS-35415-RF-XR-005

Issuance Date: 30/03/2018

Document Number: 18-LOEE-268813

Expiry Date: 30/03/2023

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. THOMASAMMA YEDDANAPALLY to operate the following medical diagnostic x-ray equipment located at ST THERESAS HOSPITAL, 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018 for medical diagnostic purpose.

Type of Equipment	- Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s Siemenş Healthcare Private Limited	Multimobil 2.5	G-XR-82847

The **ADMINISTRATOR**, **ST THERESAS HOSPITAL**, **HYDERABAD** and **DR. THOMASAMMA YEDDANAPALLY** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma Head, RSD

DR. THOMASAMMA YEDDANAPALLY

ST THERESAS HOSPITAL 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018

Copy to: ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियासक परिषद्, नियासक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र) Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



फेक्स/Fax: 91-22-2599 0650



GOVERNMENT OF INDIA ATOMIC ENERGY REGULATORY BOARD

अध्यक्ष Chairman .

Case File Number: TS-35415-RF-XL-001

Issuance Date: 22/03/2017

Document Number: 17-LOEE-173490

Expiry Date: 22/03/2022

LICENSE FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Licence in favour of Dr. THOMASAMMA A YEDDANAPALLY to operate the following medical diagnostic x-ray equipment located at ST THERESAS HOSPITAL, 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Interventional Radiology	PHILIPS INDIA LIMITED	Allura Centron	G-XL-64087

The ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD and DR. THOMASAMMA A YEDDANAPALLY are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Licence is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

(Competent Authority)

DR. THOMASAMMA A YEDDANAPALLY ST THERESAS HOSPITAL 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018

Copy to: ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD



परमाण् ऊर्जा नियामक परिषद्, नियामक भवन, अण्शक्तिनगर, मुंबई 400094 (महाराष्ट्र) Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



Croamsation फेक्स/Fax: 91-22-2599 03.



GOVERNMENT OF INDIA ATOMIC ENERGY REGULATORY BOARD

Chairman

Case File Number: TS-40480-RF-XL-001

Document Number: 17-LOEE-160072

Issuance Date: 2- 01 201-

Expiry Date: 2-01 2022

LICENSE FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 15 and 17 as applicable of Atomic Energy Act. 1962 read in conjunction. with Rule (3) of the Atomic Energy (Radiation Protection) Rules (AE/RP/R , 2004) the Atomic Energy Regulatory Board (AERB) hereby issues Licence in favour of Mr. NARRA SRIDHAR REDDY to operate the following medical diagnostic X-ray equipment located at VIVEK IMLAGING CENTRE, C.O. ST THERESAS HOSPITAL OPP RAITHUBAZAR ERRAGADDA SANATHNAGAR HYDERABAD, TELANGANA-500018 for medical diagnostic purpose

Type of Equipment	Manufacturer	or medical diagn	OSIN Durpose
Computed Tomography	V: '	Model Somatorh Spirit(2 slice)	Equipment ID
PROPRIETO	R. VIVEK IMAGING CENT	Shirte Files	G-XL-61622

The PROPRIETOR, VIVEK IMAGING CENTRE, HYDERABAD and MR. NARRA SRIDHAR REDDY are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, ir, respect of radiation protection of workers, public and The Emplover and Licensee are responsible for,

- Ensuring compliance with the relevant provisions of the
 - 1. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;

 - in. AERB Safety Code (AERB SC Med-1), 2001. Amendment 2011, and the revisions thereof N. All applicable Satety Codes, Guides issued by AERB for the above practice and regulatory documents issued Directives assued by Competent-Authority from time to time.
- Ensuring compliance with terms and conditions stated overleat

This Licence is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from

(Competent Authority)

MR NARRA SRIDHAR REDDY VIVER IMAGING CENTRE

C O ST THERESAS HOSPITAL, OPP RAITHUBAZAR ERRAGADDA SANATHNAGAR HYDERABAD, TELANGANA-500018

Copy to: PROPRIETOR, VIVEN IMAGING CENTRE, HYDERABAD



ा उने नियासक परिषट नियासक भवन अणुशक्तिसगर सुंबई 100091 संबागक c Energi Pegulaton, Board Mulamak Bhallan Houshaktirlega ili umbal 400094. Maharlashti a



भारत सरकार परमाणु ऊर्जा नियामक परिषद् विकिरण सरक्षा प्रभाग



GOVERNMENT OF INDIA

ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: TS-35415-RF-XR-003

Issuance Date: 12/11/2017

Document Number: 17-LOEE-227597

Expiry Date: 12/11/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. THOMASAMMA A YEDDANAPALLY to operate the following medical diagnostic x-ray equipment located at ST THERESAS HOSPITAL, 7 1 645 A SANATH NAGAR, HYDERABAD, TELANGANA-500018 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	M/s. Siemens Limited	Multimobil 5C	G-XR-75951

The ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD and DR. THOMASAMMA A YEDDANAPALLY are hereby identified as the Employer and licensee respectively, for the purpose of assigning the esponsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- Ensuring compliance with the relevant provisions of the
- i. Atomic Energy Act, 1962
- ii. Atomic Energy (Radiation Protection) Rules, 2004;
- iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
- iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
- v. Directives issued by Competent Authority from time to time.
- Ensuring compliance with terms and conditions stated overleaf.

ite:

his Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained om concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma Head, RSD

R. THOMASAMMA A YEDDANAPALLY

THERESAS HOSPITAL 1 645 A SANATH NAGAR.

YDERABAD, TELANGANA-500018

ppy to: ADMINISTRATOR, ST THERESAS HOSPITAL, HYDERABAD

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्,नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र) Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



फेक्स/Fax: 91-22-2599 0650

भारत सरकार प्रमाणु ऊर्जा नियामक परिषद् विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

e file no.: TS-35415-INST

Date of Issue: 10/01/2017

Valid till: 10/01/2020

Approval of Radiological Safety Officer

ADMINISTRATOR, ST THERESAS HOSPITAL, Hyderabad is hereby informed that the Competent Authority, the ADMINISTRATOR, ST THERESAS HOSPITAL, Hyderabad is hereby informed that the Competent Authority, aiman, Atomic protection) Rules, 2004, has approved the nomination of SAYYAD SARDAR as Radiological (Radiation provided in the ST THERESAS HOSPITAL, Hyderabad for the facilities as mentioned in annexure-1 to some the basis of information provided in the application.

RSO shall submit the periodic reports to AERB, in the prescribed format on safety status of the radiation

RSO shall promptly report any radiation safety related unusual occurrence to AERB.

RSO shall perform his duties and responsibilities as stipulated in Atomic Energy (Radiation Protection) Rules, and other related regulatory documents (refer annexure-2).

is approval stands cancelled in the event of SAYYAD SARDAR relinquishing the charge as RSO in ST ERESAS HOSPITAL, Hyderabad.

Issuing Authority,

Dr. A.U.Sonawane Head

(This is an electronically generated letter and hence signature is not required)

INISTRATOR IERESAS HOSPITAL 5 A SANATH NAGAR, , Hyderabad - 500018 (Telangana)

SAYYAD SARDAR IERESAS HOSPITAL IS A SANATH NAGAR, , Hyderabad - 500018 (Telangana)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र) Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



फैक्स/Fax: 91-22-2599 0650

भारत सरकार परमाणु ऊर्जा नियामक परिषद् विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA

ATOMIC ENERGY REGULATORY BOARD

RADIOLOGICAL SAFETY DIVISION

Case file no.: TS-35415-INST

Date of Issue: 10/01/2019

Document No.: 19-RSO-350316

Valid till: 10/01/2022

Approval of Radiological Safety Officer

- The ADMINISTRATOR, ST THERESAS HOSPITAL, Hyderabad is hereby informed that the Competent Authority, Chairman, Atomic Energy Regulatory Board (AERB), in exercise of powers conferred under Rule 19 of the Atomic Energy (Radiation Protection) Rules, 2004, has approved the nomination of AYESHA as Radiological Safety Officer (RSO) in the ST THERESAS HOSPITAL, Hyderabad for the facilities as mentioned in annexure-1 to this document on the basis of information provided in the application.
- The RSO shall submit the periodic reports to AERB, in the prescribed format on safety status of the radiation installation.
- 3. The RSO shall promptly report any radiation safety related unusual occurrence to AERB.
- The RSO shall perform his duties and responsibilities as stipulated in Atomic Energy (Radiation Protection) Rules, 2004 and other related regulatory documents (refer annexure-2).
- This approval stands cancelled in the event of AYESHA relinquishing the charge as RSO in ST THERESAS HOSPITAL, Hyderabad.

Issuing Authority,

Dr. P. K. Dash Sharma Head, RSD

(This is an electronically generated letter and hence signature is not required)

ADMINISTRATOR ST THERESAS HOSPITAL 7 1 645 A SANATH NAGAR, , Hyderabad - 500018 (Telangana)

Copy: AYESHA ST THERESAS HOSPITAL 7 1 645 A SANATH NAGAR, , Hyderabad - 500018 (Telangana)



परमाणु ऊर्जा नियासक परिषद्,नियासक भवन, अणुशक्तिनगर, सुंबई, 400094 (महाराष्ट्र) Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



फेक्स/Fax: 91-22-2599 0650



DRUGS CONTROL ADMINISTRATION Government of Telangana



LICENCE RETENTION FEE CERTIFICATE

This is to certify that the Licence of the firm M/s. M/s ST. THERESAS GENERAL HOSPITAL situated at address 7-1-645/A, ERRAGADA, SANATHNAGAR, HYD, SANATH NAGAR(V), VENGALRAO NAGAR(M), HYDERABAD(DIST.) bearing Licence No. 89/HD/AP/97/WR in the statutory Form 20,21,20B,21B granted/enewed on 01/01/2013 whose validity would get expired by 31/12/2017, is hereby permitted to be retained with the extended validity upto 31/12/2022.

Retention fees/ with penalty for amount of Rs. 3000,00 has been paid on 13/11/2017 by the licensee in accordance with provisions of Rule 63(1) of the Drugs and Cosmetics Rules, 1945.

Date:01/01/2013

Licensing Authority

Digitally Signed By V BALA NAGANJAN [DRUGS CONTROL ADMINISTRATION] Date: 22-12-2017 12:27:02 PM



DRUGS CONTROL ADMINISTRATION Government of Telangana



LICENCE RETENTION FEE CERTIFICATE

This is to certify that the Licence of the firm M/s. M/s ST. THERESAS GENERAL HOSPITAL situated at address 7-1-645/A, ERRAGADA, SANATHNAGAR, HYD, SANATH NAGAR(V), VENGALRAO NAGAR(M), HYDERABAD(DIST.) bearing Licence No. 89/HD/AP/97/WR in the statutory Form 20,21,20B,21B granted/enewed on 01/01/2013 whose validity would get expired by 31/12/2017, is hereby permitted to be retained with the extended validity upto 31/12/2022.

Retention fees/ with penalty for amount of Rs. 3000,00 has been paid on 13/11/2017 by the licensee in accordance with provisions of Rule 63(1) of the Drugs and Cosmetics Rules, 1945.

Date:01/01/2013

Licensing Authority

Digitally Signed By V BALA NAGANJAN [DRUGS CONTROL ADMINISTRATION] Date: 22-12-2017 12:27:02 PM



DRUGS CONTROL ADMINISTRATION Government of Telangana



L.Dis.No. NDPS-2/370/HYD/TS/2017

Dated:18/02/2020

M/s ST. THERESAS GENERAL HOSPITAL8600037159 , Address D.NO.7-1-645/A, ERRAGADDA, SANATHNAGAR

Sub:T.S.N.D.P.S.Rules,1986 - Renewal of NDPS License in Form NDPS-2 - Regarding.

Ref: Your application dated:

With reference to your application cited, I am herewith forwarding the License in N.D.P.S-2 bearing No.NDPS-2 370/HYD/TS/2017, dated: 24/07/2017, duly renewed for the period from: 01/01/2020 is valid upto 31/12/2020 for the quantities of the Narcotic Drugs and Psychotropic Substances mentioned in the License enclosed.

> Digitally Signed By RAMDHAN GUGULOTH Deputy Director & Licensing Authority DRUGS CONTROL ADMINISTRATION Date:18-02-2020 12:29:45 PM

This Document is Digitally Signed. Signature is not required



FORM - 26-G (See Rule-122-F)

CERTIFICATE OF RENEWAL OF LICENCE TO OPERATE A BLOOD BANK FOR PROCESSING OF WHOLE HUMAN BLOOD AND/OR PREPARATION FOR SALE OR DISTRIBUTION OF ITS COMPONENTS.

- Certified that Licence No.12/HD/AP/26f6/BB/R, granted on dated: dated: 22.09.2010 to M/s.St.Theresa's Hospital Blood Bank, for operation of Blood Bank, processing of Whole Human Blood and its components at the premises situated at Erragadda, Sanathnagar, Hyderabad, Telangana State is hereby renewed with effect from 22.09.2015 to 21.09.2020.
- 2) Name of the Product

Name of the Technical Staff:
 Dr.K.Mahesh, MD (Path)

3. Mrs.E.Yamini, DGNM

Ms.H.Sandhya, DGNM

Mr.M.Saidulu, DMLT

Mr.Md.Moin Khan, DMLT

7. Mr.Md.Shoeb, B.Sc MLT

8. Mr.Md Azahruddin, DMLT

Ms.Ch.Jhansi Rani, DMLT

2. Dr.A.Sathya Sandhya, MBBS

- 1. Whole Human Blood IP
- 2. Blood Components
 - Packed Red Blood Cells IP
 - b. Washed Cells
 - c. Fresh Frozen Plasma BP
 - d. Random Donor Platelet (Platelet Rich Concentrate)
 - e. Single Donor Platelet
 - f. Platelet Rich Plasma
 - g. Cryoprecipitate
- 3. Apheresis
 - a. Plateletpheresis Leading las single Denor Plate Plasmapheresis Leading to Plasma
 - Medical Officer
 - Medical Officer
 - Regd. Nurse
 - Regd. Nurse
 - Technical Supervisor
 - Technical Supervisor
 - Blood Bank Technician
 - Blood Bank Technician
 - Blood Bank Technician

Signature:

D--!----

Designation:

* (B) AYDERABAD B)

Dated: 24 -03-20


Licensing Authority:

DEPUTY DIRECTOR (Enf) & DESIGNATED OFFICER

DRUGS CONTROL ADMINISTRATION Government of Telangana Hyderabad

// CENTRAL LICENSE APPROVING AUTHORITY //

Dr. G. N. SINGH
Drugs Controller General (India)
Dte General of Health Services
Ministry of Health & Family Welfars
FDA Bhawan, Kotla Road, LT.O.
New Delhi-110002



ఆంధ్ర ప్రదేశ్ ప్రభుత్వము

Government of Telangana ఆహార పరిరక్షణ మరియు ప్రమాణాల చట్టం 2006

(నిబంధన 2.1.1. (5) చూడుము)

ఆహార వ్యాపార నిర్వాహకుని నమోదు

Jssai

Registration of Food Business Operator

under FSS Act, 2006 (See Regulation 2.1.1(5))

Registration 2 3 6 1 7 0 3 2 0 0 0 1 2 0

1. ఆహార ప్రాబం నిరార్హుకుని రేరు మరీర్యు క్వాశ్రీరాత ST.THERESA HOSPITAL

చిరునామా

Name and permanent address of Food Business Operator (FBO)

2. ఛ్యాపారము నిర్వహించు ప్రదేశము, చిరునామా

Address and location where Food Business is to be conducted

3. ఆహార వ్యాపార స్వభావము/ స్థాయి

Kind/ Category of Food Business

ST.THERESA HOSPITAL SANATHNAGAR, BALANAGAR, RANGAREDDI, Circle No.11 (Serilingampally-1), Hyderabad – West Zone (Telangana), -500018

SANATHNAGAR, BALANAGAR, RANGAREDDI, Circle No.11 (Serilingampally-1), Hyderabad – West Zone (Telangana), -500018

Club/Canteen



Place:

Date: 12/06/2017

ఆహార ీరీరకణ మెరీర్యు రమాణాల దట్టం 2006 లోని నిబంధనలకు లోబడి అని సంత్యేకరముగ ఉని/ఉనిందున ఆహార ప్రాపం నిరార్హుకునికి ఈ నమోదు దృవతరము మంజారు చేయబడినది.

This Registration Certificate is issued under and is to subject to the provisions of FSS Act, 2006 all of which must be complied with the FBO.

చెల్లుదాటు మరియు పునరుద్ధరణ / Validation And Renewal

నమోదు ధృవ పత్రము/ పునరుద్దరణ తేదీ Registration Certificate/Renewal Date	నమోదు చెల్లుబాటు కాల పరిమితి Period of Validity	వరకు చెల్లుతుంది Valid Upto	నమోదు కొరకు చెల్లించిన పైకము Registration Fee Paid (In Rs.)	నమోదు చేయు అధికారి సంతకము Signature of Registering Authority
12/06/2017	5 Year(s)	11/06/2022	500	

Disclaimer: 1 - This Registration Certificate is only to commence or carry on the food businesses and not for any other purpose.

2 - This is an electronically generated Registration Certificate and does not require any signature.




ఆంధ్ర ప్రదేశ్ ప్రభుత్వము

Government of Telangana ఆహార పరిరక్షణ మరియు ప్రమాణాల చట్టం 2006

(నిబంధన 2.1.1. (5) చూడుము)

ఆహార వ్యాపార నిర్వాహకుని నమోదు



under FSS Act, 2006 (See Regulation 2.1.1(5))

Registration No.: 23617032000120

Details of Food Item

SI.No.	Food Item(s)
1	15 - Ready-to-eat savouries
2	16 - Prepared Foods
3 1	13 - Foodstuffs intended for particular nutritional uses





UNITED INDIA INSURANCE COMPANY LIMITED

UNITED INDIA INSURANCE CO.LTD, DIVISIONAL OFFICE-5, D.NO.71-A, III FLOOR, SURYA PLAZA, ABOVE SBH, VENGALRAO NAGAR, HYDERABAD. HYDERABAD - 500038 TELANGANA PH: (40) 23810120 FAX: (40) 23810414 EMAIL:

> MISCELLANEOUS AND SPECIAL TYPE OF VEHICLES PACKAGE POLICY POLICY NO.:0505003118P108668719 VEHICLE NO .: TS - 09 - UB - 2469

> > (DUPLICATE)

PERIOD OF INSURANCE From 00:00 Hrs of 11/10/2019 To Midnight of 10/10/2020

Insured

MS ST THERESES HOSPITAL

SANATHNAGAR, HYDERABAD HYDERABAD 500018 HYDERABAD

TELANGANA CONTACT NUMBER: 8121161550 (M)

IMPORTANT NOTICE: KINDLY UPDATE YOUR AADHAAR NO. AND PAN/FORM 60. PLEASE IGNORE IF ALREADY UPDATED.

> Agent Name Agent Code Mobile/Landline Number/Email

UNITED INDIA INSURANCE CO. LTD Service Hub, 2nd Floor, Posnett Bhavan, Tilak Road. HYDERABAD-500 001

THURSDAY 24762704 Fax No: 2475044* For any Information, Service Requests, Claim intimation and Grievances please write to 050500@uiic.co.in

Motor Claim Intimation - kindly visit http://www.uiic.co.in

Printed By: SWA24078 @ 04/10/2019 1:08:35 PM

http://gecore.uiic.in/Configurator/UnderwrittingMasters/Reports/frmPolicySchedule.aspx... 04/10/2019



TRANSPORT DEPARTMENT

FORM 38 - CERTIFICATE OF FITNESS

NEW FC NUMBER: FC/1560/2017/TS009

Issue Date :31/01/2019

Vehicle No: TS09UB2469 IS CERTIFIED AS COMPLYING WITH THE PROVISIONS OF CHAPTER VII OF MOTOR VEHICLE ACT. 1988 AND THE RULES MADE THERE UNDER. THE CERTIFICATE WILL EXPIRE ON 30/01/2021

CHANDRASE KHAR KOMATI MCIEICHA8HP003759 VIOTOR VEHICLES INSPECTOR
D61002537 STEP AND RIAN PROFESSION OF THE PROPERTY OF T

Engine Number

Class of Vehicle OTHEMBULANCE