

Vaidyanatheshwara Instruments CERTIFICATE OF CALIBRATION





No. 301/A, 9th Main Road, 3rd Cross, Rajiv Gandhi Nagar, J.B. Kaval, Nandhini Layout Post, Bangalore - 560 096. Contact: 080-23377266, Mob: 9986586789 / 9448080177 / 9964308118 | Email: info@viplgroup.com Web: www.viplgroup.com

NABL Accredited Calibration Lab as per ISO/IEC 17025 : 2017 With vide Certificate No: CC-2473

Page: 1 of 2

1 Name and Address of the Customer M/s. Sri Spectra Diagnostic and Clinic.,

2nd Main Near DLF Yelenahalli Road 50 Feet Road, Akshaya Nagar, Begur Post, Bangalore - 560 068.

2 Customer Reference

2.1 ULR No. : CC247321500036803F

2.2 Format No. : VI-FRM-TH-006

2.3 SRF No. : 0625

2.4 Certificate No. : VI/21-22/0625-02

2.5 Date of Issue : 14/07/2021

3 Details Of Device Under Calibration(DUC).

3.1 Nomenclature : Refrigerator

3.2 Make : LG

3.3 SI. No. : 102NRCQ280363

3.4 Range / Resolution : 2 to 8 °C / 0.1 °C / 0 to -20 °C / 0.1 °C

3.5 DUC Condition : Satisfactory

3.6 Calibration Procedure No. : SOP-38-06

3.7 No.of Pages

3.8 Calibration Date : 13-07-2021 **3.9** Calibration Due : 12-07-2022

3.10 Calibration done at : Onsite

3.11 Instrument Location : Laboratory

3.12 Discipline : Thermal

4 Environmenetal Condition

Temperature 24.1 °C Humidity 54 %Rh

: 2

5 Standards Used for Temperature Calibration

SI. No.	Nomenclature	Make / Model	SI. No.	Certificate. No.	Validity
1	Precision Thermometer with RTD Sensor	Lutron / TM- 917	Q601311	VI/20-21/INT-TH-55	28-08-2021

6 Note:

- 6.1. The Calibration Certificate relates only to the above DUC
- **6.2**. Publication or reproduction of this Certificate in any form other than by complete set of the whole report & in the language, written, is not permitted without the written consent of VI.
- 6.3. Corrections/erasing, invalidate the Calibration Certificate.
- 6.4. Calibration of the DUC are traceable to National standards/International Standards
- 6.5. Any error in this Certificate should be brought to our knowledge within 30 days from the date of this Cert.
- 6.6. Results Reported are valid at the time of and under the stated conditions of measurements
- 6.7. The usage of NABL Symbol is as per NABL guidelines given in NABL-133

Calibrated By

Checked By

Gangadhar.C

(Calibration EngiTher port refers only to the item/gauge subgritted and may not be reproduced except in full without

