

Arth Diagnostic Centre, Udaipur

Sample No. : PRE-CHK-07

Date : 21/07/2021

Patient Name:

Age/Sex : /

Ref. By. :

Sample Type : Whole Blood

Sample Received Date: 21/07/2021 16:49:49

Report Generation: 21/07/2021 17:37


HAEMATOLOGY TEST REPORT

Test Name

Result Unit Reference Range

Haemoglobin	13.8	[g/dL]	(8.0 - 17.0)
TRBC (Erythrocytes)	4.37	[10 ⁶ /uL]	(2.50 - 5.50)
PCV (Haematocrit)	41.4	[%]	(26.0 - 50.0)
(RBC Indices)			
CV	94.7	[fL]	(86.0 - 110.0)
MCH	31.6	[pg]	(26.0 - 38.0)
MCHC	33.3	[g/dL]	(31.0 - 37.0)
RDW-SD	48.3	[fL]	(37.0 - 54.0)
RDW-CV	13.6	[%]	(11.0 - 16.0)

RBC



White Blood Cells

6.80 [10³/uL] (3.00 - 15.00)

(%Differential Count)

Neutrophils %	58.7	[%]	(37.0 - 72.0)
Lymphocytes %	36.0	[%]	(20.0 - 50.0)
Eosinophils %	1.6	[%]	(0.0 - 6.0)
Monocytes %	3.1	[%]	(0.0 - 14.0)
Basophils %	0.6	[%]	(0.0 - 1.0)
IG%	0.1	[%]	(0.0 - 72.0)

(Absolute Count)


NEUT#	3.99	[10 ³ /uL]
LYMPH#	2.45	[10 ³ /uL]
EO#	0.11	[10 ³ /uL]
MONO#	0.21	[10 ³ /uL]
BASO#	0.04	[10 ³ /uL]
IG#	0.01	[10 ³ /uL]

Platlets Count

313 [10³/uL] (50 - 400)

PDW	11.4	[fL]	(9.0 - 17.0)
MPV	10.2	[fL]	(9.0 - 13.0)
P-LCR	26.4	[%]	(13.0 - 43.0)
PCT	0.32	[%]	(0.17 - 0.35)

PLT



Comment

Methodology: TLC, DLC-Fluorescent Flow Cytometry, HB-SLS Method, TRBC, PCV, PLT-Electric Impedance/MCV, MCH, MCHC-Calculation.

*****End Of Report*****

Test done on sysmex 6-part fully automatic analyzer XN-550, Japan.

Arth Diagnostic Centre, Udaipur

Sample No. : PRE-CHK-06

Date : 21/07/2021

Patient Name:

Age/Sex : /

Ref.By. :

Sample Type : Whole Blood

Sample Received Date: 21/07/2021 16:47:58

Report Generation: 21/07/2021 17:37

HAEMATOLOGY TEST REPORT

Test Name	Result	Unit	Reference Range	RBC
Haemoglobin	13.8	[g/dL]	(8.0 - 17.0)	
TRBC (Erythrocytes)	4.32	[10 ⁶ /uL]	(2.50 - 5.50)	
PCV (Haematocrit)	41.0	[%]	(26.0 - 50.0)	
(RBC Indices)				
CV	94.9	[fL]	(86.0 - 110.0)	
MCH	31.9	[pg]	(26.0 - 38.0)	
MCHC	33.7	[g/dL]	(31.0 - 37.0)	
RDW-SD	48.3	[fL]	(37.0 - 54.0)	
RDW-CV	13.6	[%]	(11.0 - 16.0)	
White Blood Cells	6.88	[10 ³ /uL]	(3.00 - 15.00)	
(%Differential Count)				
Neutrophils %	58.7	[%]	(37.0 - 72.0)	NEUT# 4.04 [10 ³ /uL]
Lymphocytes %	36.5	[%]	(20.0 - 50.0)	LYMPH# 2.51 [10 ³ /uL]
Eosinophils %	1.7	[%]	(0.0 - 6.0)	EO# 0.12 [10 ³ /uL]
Monocytes %	2.5	[%]	(0.0 - 14.0)	MONO# 0.17 [10 ³ /uL]
Basophils %	0.6	[%]	(0.0 - 1.0)	BASO# 0.04 [10 ³ /uL]
IG%	0.1	[%]	(0.0 - 72.0)	IG# 0.01 [10 ³ /uL]
Platlets Count	305	[10 ³ /uL]	(50 - 400)	PLT
PDW	11.6	[fL]	(9.0 - 17.0)	
MPV	10.4	[fL]	(9.0 - 13.0)	
P-LCR	26.7	[%]	(13.0 - 43.0)	
PCT	0.32	[%]	(0.17 - 0.35)	

Comment

Methodology: TLC, DLC - Fluorescent Flow Cytometry, HB-SLS Method, TRBC, PCV, PLT - Electric Impedance/MCV, MCH, MCHC - Calculation.

*****End Of Report*****

Test done on sysmex 6-part fully automatic analyzer XN-550, Japan.

Arth Diagnostic Centre, Udaipur

Sample No. : PRE-CHK-04

Patient Name:

Date : 21/07/2021

Ref.By. :



Age/Sex : /

Sample Received Date: 21/07/2021 16:44:48

Sample Type : Whole Blood

Report Generation: 21/07/2021 17:37

HAEMATOLOGY TEST REPORT

Test Name	Result	Unit	Reference Range		
Haemoglobin	13.8	[g/dL]	(8.0 - 17.0)	<div style="text-align: center;">RBC</div> 	
TRBC (Erythrocytes)	4.32	[10 ⁶ /uL]	(2.50 - 5.50)		
PCV (Haematocrit)	41.1	[%]	(26.0 - 50.0)		
(RBC Indices)					
CV	95.1	[fL]	(86.0 - 110.0)		
MCH	31.9	[pg]	(26.0 - 38.0)		
MCHC	33.6	[g/dL]	(31.0 - 37.0)		
RDW-SD	48.5	[fL]	(37.0 - 54.0)		
RDW-CV	13.7	[%]	(11.0 - 16.0)		
White Blood Cells	6.82	[10 ³ /uL]	(3.00 - 15.00)		
(%Differential Count)				(Absolute Count)	
Neutrophils %	59.5	[%]	(37.0 - 72.0)	NEUT#	4.05 [10 ³ /uL]
Lymphocytes %	35.3	[%]	(20.0 - 50.0)	LYMPH#	2.41 [10 ³ /uL]
Eosinophils %	1.6	[%]	(0.0 - 6.0)	EO#	0.11 [10 ³ /uL]
Monocytes %	2.9	[%]	(0.0 - 14.0)	MONO#	0.20 [10 ³ /uL]
Basophils %	0.7	[%]	(0.0 - 1.0)	BASO#	0.05 [10 ³ /uL]
IG%	0.1	[%]	(0.0 - 72.0)	IG#	0.01 [10 ³ /uL]
Platelets Count	305	[10 ³ /uL]	(50 - 400)	<div style="text-align: center;">PLT</div> 	
PDW	11.4	[fL]	(9.0 - 17.0)		
MPV	10.3	[fL]	(9.0 - 13.0)		
P-LCR	26.2	[%]	(13.0 - 43.0)		
PCT	0.31	[%]	(0.17 - 0.35)		

Comment

Methodology: TLC, DLC-Fluorescent Flow Cytometry, HB-SLS Method, TRBC, PCV, PLT-Electric Impedance/MCV, MCH, MCHC-Calculation.

*****End Of Report*****

Test done on sysmex 6-part fully automatic analyzer XN-550, Japan.

Arth Diagnostic Centre, Udaipur

Sample No. : PRE-CHK-03

Date : 21/07/2021

Patient Name:

Age/Sex : /

Ref.By. :

Sample Type : Whole Blood

Sample Received Date: 21/07/2021 16:42:57

Report Generation: 21/07/2021 17:37

HAEMATOLOGY TEST REPORT

Test Name	Result	Unit	Reference Range		
Haemoglobin	13.9	[g/dL]	(8.0 - 17.0)	RBC	
TRBC (Erythrocytes)	4.36	[10 ⁶ /uL]	(2.50 - 5.50)		
PCV (Haematocrit) (RBC Indices)	41.3	[%]	(26.0 - 50.0)		
MCV	94.7	[fL]	(86.0 - 110.0)		
MCH	31.9	[pg]	(26.0 - 38.0)		
MCHC	33.7	[g/dL]	(31.0 - 37.0)		
RDW-SD	48.2	[fL]	(37.0 - 54.0)		
RDW-CV	13.5	[%]	(11.0 - 16.0)		
White Blood Cells	6.82	[10 ³ /uL]	(3.00 - 15.00)		(Absolute Count)
(Differential Count)					
Neutrophils %	59.1	[%]	(37.0 - 72.0)		NEUT# 4.03 [10 ³ /uL]
Lymphocytes %	35.6	[%]	(20.0 - 50.0)	LYMPH# 2.43 [10 ³ /uL]	
Eosinophils %	1.6	[%]	(0.0 - 6.0)	EO# 0.11 [10 ³ /uL]	
Monocytes %	3.1	[%]	(0.0 - 14.0)	MONO# 0.21 [10 ³ /uL]	
Basophils %	0.6	[%]	(0.0 - 1.0)	BASO# 0.04 [10 ³ /uL]	
IG%	0.1	[%]	(0.0 - 72.0)	IG# 0.01 [10 ³ /uL]	
Platelets Count	310	[10 ³ /uL]	(50 - 400)	PLT	
PDW	11.2	[fL]	(9.0 - 17.0)		
MPV	10.1	[fL]	(9.0 - 13.0)		
P-LCR	25.0	[%]	(13.0 - 43.0)		
PCT	0.31	[%]	(0.17 - 0.35)		

Comment

Methodology: TLC, DLC-Fluorescent Flow Cytometry, HB-SLS Method, TRBC, PCV, PLT-Electric Impedance/MCV, MCH, MCHC-Calculation.

*****End Of Report*****

Test done on sysmex 6-part fully automatic analyzer XN-550, Japan.

Arth Diagnostic Centre, Udaipur

sample No. : PRE-CHK-02

patient Name: _____

Date : 21/07/2021

Ref.By. : _____

Age/Sex : /

Sample Received Date: 21/07/2021 16:41:17

Sample Type : Whole Blood

Report Generation: 21/07/2021 17:37

Test Name

HAEMATOLOGY TEST REPORT

Test Name	Result	Unit	Reference Range
Haemoglobin	13.9	[g/dL]	(8.0 - 17.0)
TRBC (Erythrocytes)	4.36	[10 ⁶ /uL]	(2.50 - 5.50)
PCV (Haematocrit)	41.4	[%]	(26.0 - 50.0)
(RBC Indices)			
MCV	95.0	[fL]	(86.0 - 110.0)
MCH	31.9	[pg]	(26.0 - 38.0)
MCHC	33.6	[g/dL]	(31.0 - 37.0)
RDW-SD	48.6	[fL]	(37.0 - 54.0)
RDW-CV	13.6	[%]	(11.0 - 16.0)

RBC

WDF

White Blood Cells

6.62 [10³/uL] (3.00 - 15.00)

(%Differential Count)

(Absolute Count)

Cell Type	%	Reference Range	Absolute Count
Neutrophils %	58.4 * [%]	(37.0 - 72.0)	NEUT# 3.87 * [10 ³ /uL]
Lymphocytes %	36.6 * [%]	(20.0 - 50.0)	LYMPH# 2.42 * [10 ³ /uL]
Eosinophils %	1.2 [%]	(0.0 - 6.0)	EO# 0.08 [10 ³ /uL]
Monocytes %	3.0 * [%]	(0.0 - 14.0)	MONO# 0.20 * [10 ³ /uL]
Basophils %	0.8 [%]	(0.0 - 1.0)	BASO# 0.05 [10 ³ /uL]
IG%	0.2 * [%]	(0.0 - 72.0)	IG# 0.01 * [10 ³ /uL]

Platlets Count

307 [10³/uL] (50 - 400)

PLT

PDW	10.9	[fL]	(9.0 - 17.0)
MPV	10.2	[fL]	(9.0 - 13.0)
P-LCR	25.5	[%]	(13.0 - 43.0)
PCT	0.31	[%]	(0.17 - 0.35)

Blasts/Abn Lympho?

Comment

Methodology: TLC, DIC-Fluorescent Flow Cytometry, HB-SLS Method, TRBC, PCV, PLT-Electric Impedance/MCV, MCH, MCHC Calculation.

*****End Of Report*****

Test done on sysmex 6-part fully automatic analyzer XN-550, Japan.