

SALE-INVOICE

(ORIGINAL FOR RECIPIENT)

**YETI TV HOUSE & SERVICE DEPOT**  
 S.19/42, Cantonment  
 Varanasi -221002, Uttar Pradesh  
 Ph:2506195, 2501969, 9598058649  
 GSTIN/UIN: 09AAAFY3488N1ZD  
 State Name : Uttar Pradesh, Code : 09  
 E-Mail : yetivns@gmail.com

Invoice No.	Dated
<b>CREDIT-1565</b>	<b>19-Mar-2021</b>
Supplier's Ref.	Other Reference(s)
	<b>Jiten</b>
Terms of Delivery	

Buyer  
**Senior Superintendent**  
 Central Jail, Varanasi  
 State Name : Uttar Pradesh, Code : 09  
 Place of Supply : Uttar Pradesh

SI No.	Description of Goods	HSN/SAC	GST Rate	Quantity	Rate	per	Amount
1	<b>Whirlpool Ref 305 I/M Pro Plus Pm Saph. Abyss</b> Sr-INC203436523	8418	18 %	<b>1.00 Piece</b>	21,440.68	Piece	<b>21,440.68</b>
	<i>Output CGST @9% (GST @18%)</i>					9 %	<b>1,929.66</b>
	<i>Output SGST @9% (GST @18%)</i>					9 %	<b>1,929.66</b>
<b>Total</b>				<b>1.00 Piece</b>			<b>Rs. 25,300.00</b>

Amount Chargeable (in words) **Indian Rupees Twenty Five Thousand Three Hundred Only** E & O.E

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
8418	21,440.68	9%	1,929.66	9%	1,929.66	3,859.32
<b>Total</b>	<b>21,440.68</b>		<b>1,929.66</b>		<b>1,929.66</b>	<b>3,859.32</b>

Tax Amount (in words) : **Indian Rupees Three Thousand Eight Hundred Fifty Nine and Thirty Two paise Only**

**Declaration**  
 1, All products sold on this invoice are guaranteed or warranted by their manufacturer only. 2, Interest @24% P.A. will be charged extra if not paid within 7 days of its date. 3, Product sold on this invoice been delivered under entire satisfaction of the customer. 4, Goods once sold will not be taken back or exchange. 5, Product sold on this invoice will remain the property of seller till payment made.

**Company's Bank Details**  
 Bank Name : **Union Bank of India CC (880046)**  
 A/c No. : **304006010880046**  
 Branch & IFS Code : **Varanasi Cantt & UBIN0530409**

Customer's Seal and Signature \_\_\_\_\_  
 \_\_\_\_\_  
**for YETI TV HOUSE & SERVICE DEPOT**  
 Authorised Signatory

के क्लर्नपूल हाममकला परररररर  
 होगा कि क्लर्नपूल दुनिया भर में परररररर उपकरण बनाने वाली नं० 1 कम्पनी है, एच.ए.ए.ए.  
 परिवार में अपनी जगह बनाता है क्लर्नपूल यह आपके कारण है कि हमारा भरसका नवाचार और संवाहन एवं ग्राहक  
 उत्कृष्टता में बड़ा है। हमारे उपकरण सुविधाजनक डिजाइन और उपयोग में आसान है, ये वादा करते हैं उतम क्वालिटी का  
 और आपके जीवन में क्लर्नपूल का जादू भरने का अपने क्लर्नपूल से सर्वोत्तम परिणाम लेने के लिए इस आसान व सरल गाईड  
 में दी गई हिदायतों को पढ़ लें। अपने किसी भी सवाल या परेशानी के लिए हमारे क्लर्नपूल कस्टमर केयर पर कॉल करें।  
[www.whirlpoolindia.com](http://www.whirlpoolindia.com) पर सम्पर्क करें।

- Activated carbon  
Freshnizer crystals absorb excess oxygen so that your vegetables stay fresher.
- Zeolite Pouch  
Zeolite Crystal absorb ethylene, so that your vegetable stay fresh.
- (1) For Good performance, zeolite pouch needs to change "every 30 days".
- (2) MICROBLOCK VEG CRISPER  
Maintains vegetable at optimum temperature & moisture level for maximum freshness
- Unique life-long Microblock coating that actively prevents upto 99.9% microbial growth

हम कायदा करते हैं कि वहाँ तक अपने क्लर्नपूल बीटामिनिक / आइसमैजिक / जिनिवस से आप अपने परिवार में खुशियाँ लायें



**OMSONS**

# CALIBRATION LABORATORY

## NARINDRA SCIENTIFIC INDUSTRIES

### Calibration Certificate

Certificate No.155526



**NABL**  
Certificate No. C-1003

<b>Date of receipt</b>	<b>Date of calibration</b>	<b>Identification No.</b>	<b>Next Due Date of Calibration</b>
<b>Dec.22.2021</b>	<b>Dec.22.2021</b>	<b>218701</b>	<b>Dec.21.2023</b>

Name of User : M/S : **ICTC CENTRAL JAIL HOSPITAL, VARANASI**

Supplied Through : M/S : **GYAN SCIENTIFIC AGENCIES - VARANASI**

Type : **"OMSONS" Liquid-in-glass, Solid stem thermometer**

Range °C : **-10 to 50 °C ( Glass Thermometer with screen printing Mercury free (filled) )**

Least Count °C : **0.25 °C**

Total Length : **300 mm**

Immersion : **76 mm**

Environmental Condition : **( 25 ± 4 ) °C & ( 35 to 70 ) % RH**

The thermometer has been compared with the following Standard of OMSONS, traceable to SRI, New Delhi as per our procedure Sop/Thermal Calibration RD18/15.1.2016Rev00

<b>Particulars of standard used</b>	<b>Certificate No.</b>	<b>Valid Upto</b>
Digital Thermometer :	C1/0000243505	19-01-2023

The results of comparison are as follows :

Thermometer Reading °C	Correction To Readings °C
0.00 °C	- 0.10 °C
20.00 °C	- 0.10 °C
30.00 °C	- 0.10 °C
50.00 °C	- 0.10 °C

( Uncertainty of Measurement : ± 0.07 °C ( For coverage factor k=2, 95% Confidence level )

The correction is positive except when indicated otherwise. It has to be algebraically added the thermometer reading in order to get the actual temperature.

Temperature scale : International Temperature Scale : 1990 (ITC-90)

URL NO : CC100321000002798F

UNIT : Khuda Kalan to Sapehra Road, Vill. Sapehra, P.O. Pilkhani. -133104, Ambala. Haryana (INDIA)

Ph.: (O) 0171-4003733 • Mobile : +91 98120 63733, 98131 63495, 99925 25018

E-mail : sales@omsonsnsci.com, info@omsonsnsci.com | Website : www.omsonsnsci.com

Authorized Signatory

F-18B/Rev00



# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Services Facility )

Name of HCTS Facility:- ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:- Dr. Ashok Kumar

Medical Superintendent

Contact No.:- 9415287481

Month: **January**

Year: **2021**

Day Date	AM		PM		Remark
	Time	Temperature (In °c)	Time	Temperature (In °c)	
1	8:40	2.9	4:10	7.1	A
2	8:55	3.2	3:45	6.7	A
3	S	U	N	DA	Y
4	8:20	3.6	3:30	6.2	
5	8:00	2.8	3:00	6.0	
6	8:10	2.6	3:40	7.2	
7	8:25	3.4	3:50	7.0	
8	8:20	3.6	3:35	7.6	
9	8:05	3.6	3:20	6.6	
10	S	U	N	DA	Y
11	8:40	2.8	3:00	6.8	
12	8:30	2.2	4:00	6.2	
13	8:00	2.6	4:05	7.0	
14	—	—	—	—	—
15	8:50	3.0	3:30	7.6	
16	8:20	3.3	3:00	6.6	
17	S	U	N	DA	Y
18	8:00	2.6	3:40	6.2	
19	8:10	2.2	3:50	6.6	
20	8:40	2.8	3:30	7.0	
21	8:10	3.6	3:25	7.6	
22	8:35	3.0	3:20	6.2	
23	8:20	2.6	3:45	6.8	
24	S	U	N	DA	Y
25	8:00	2.4	3:25	7.2	
26	—	—	—	—	—
27	8:05	2.8	3:45	7.7	
28	8:20	3.0	3:20	7.2	
29	8:10	3.6	3:30	6.8	
30	8:20	2.6	3:50	6.6	
31	8:30	2.4	3:35	7.2	

Signature

Lab Technician  
ICTC, CENTRAL JAIL  
Varanasi

Signature

चिकित्सा अधीक्षक  
केन्द्रीय कारागार-वाराणसी



# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Srevices Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:- Dr. Ashok Kumar

Designation:-

Medical Suprintendent

Contact No.:- 9415287481

Month:

**FEBRUARY**

Year:

**2021**

Day	AM		PM		Remark
Date	Time	Temprature (In °c)	Time	Temprature (In °c)	
1	8:00	2.4	3:30	6.6	
2	8:20	3.0	3:50	6.0	
3	8:05	2.2	3:10	5.8	
4	8:10	3.6	3:05	6.2	
5	8:00	3.0	3:45	7.0	
6	8:20	3.2	3:20	7.4	
7	8:05	3.8	3:00	6.2	
8	8:25	3.3	3:15	6.6	
9	8:30	3.0	3:30	6.2	
10	8:00	2.6	3:05	6.7	
11	8:10	2.0	3:00	6.0	
12	8:30	3.6	3:20	7.0	
13	8:15	3.7	3:30	6.8	
14	S	U	N	DA	Y
15	8:10	3.0	3:00	7.8	
16	8:30	2.6	3:10	8.0	
17	8:05	2.2	2:30	7.6	
18	8:00	2.8	3:45	6.2	
19	8:20	2.6	3:55	7.4	
20	8:00	2.0	3:20	6.6	
21	S	U	N	DA	Y
22	8:10	3.2	3:10	6.0	
23	8:30	2.6	3:40	7.2	
24	8:05	2.8	3:30	7.0	
25	8:20	3.0	3:00	6.6	
26	8:00	2.2	3:10	7.4	
27	8:10	3.3	3:20	6.2	
28	S	U	N	DA	Y
29					
30					
31					

Signature

Signature

Lab Technician  
ICTC, CENTRAL JAIL  
Varanasi

विकिसा अधीक्षक  
केन्द्रीय कारागार-वाराणसी

# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Srevices Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designsation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:- Dr. Ashok Kumar

Designsation:-

Medical Suprintendent

Contact No.:- 9415287481

Month:

**MARCH**

Year:

**2021**

Day	AM		PM		Remark
Date	Time	Temperature (In °c)	Time	Temperature (In °c)	
1	8:20	2.6	3:40	7.0	
2	8:30	2.2	3:20	6.2	
3	8:15	2.0	4:00	8.0	
4	8:20	2.8	3:45	7.0	
5	8:00	3.2	3:30	6.2	
6	8:30	3.6	3:20	7.2	
7	S	U	N	DA	Y
8	8:10	3.4	3:45	7.7	
9	8:20	3.8	3:05	6.6	
10	8:00	2.4	3:00	7.2	
11	-	-	-	-	-
12	8:30	2.8	3:50	6.2	
13	8:30	2.2	3:45	8.0	
14	S	U	N	DA	Y
15	8:15	2.8	3:40	7.7	
16	8:35	2.0	3:30	6.8	
17	8:20	2.6	3:45	7.2	
18	8:00	2.8	3:20	6.3	
19	8:00	3.6	3:00	7.2	
20	8:10	2.8	3:10	6.8	
21	S	U	N	DA	Y
22	8:05	2.0	3:00	7.2	
23	8:15	2.2	3:50	7.0	
24	8:20	2.8	3:50	8.0	
25	8:30	2.4	3:30	7.2	
26	8:10	2.0	2:70	7.6	
27	8:00	2.3	3:00	7.8	
28	S	U	N	DA	Y
29	-	-	-	-	-
30	-	-	-	-	-
31	8:15	2.6	3:45	7.0	

Signature  
Lab Technician  
ICTC, CENTRAL JAIL  
Varanasi

Signature  
चिकित्सा अधीक्षक  
केन्द्रीय कारागार-वाराणसी



# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Srevices Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:- Dr. Ashok Kumar

Designation:-

Medical Suprintendent

Contact No.:- 9415287481

Month:

APRIL

Year:

2021

Day	AM		PM		Remark
Date	Time	Temprature (In °c)	Time	Temprature (In °c)	
1	8:20	2.4	3:30	6.2	
2	8:05	2.0	3:10	7.0	
3	8:00	2.6	3:00	6.6	
4	S	U	N	DA	y
5	8:10	3.0	3:45	6.2	
6	8:25	2.5	3:20	6.6	
7	8:00	2.0	3:10	7.0	
8	8:05	2.8	3:15	7.4	
9	8:20	2.2	3:30	6.0	
10	8:30	3.2	3:00	7.7	
11	S	U	N	DA	y
12	8:00	2.4	3:35	6.7	
13	8:20	3.2	3:20	6.2	
14	—	—	—	—	—
15	8:15	3.0	3:10	6.6	
16	8:30	2.8	3:05	7.0	
17	8:10	2.2	3:20	7.4	
18	S	U	N	DA	y
19	8:20	2.6	3:40	6.0	
20	8:00	2.8	3:15	6.3	
21	—	—	—	—	—
22	8:00	2.0	3:00	6.6	
23	8:20	2.5	3:20	7.2	
24	8:10	2.2	3:40	6.8	
25	S	U	N	DA	y
26	8:05	3.0	3:30	6.0	
27	8:20	2.8	3:15	6.4	
28	8:30	2.4	3:10	7.0	
29	8:00	2.6	3:20	7.4	
30	8:10	2.0	3:05	6.2	
31	—	—	—	—	—

Signature

Lab Technician  
ICTC, CENTRAL JAIL  
Varanasi

Signature

विक्रिस्ता अधीक्षक  
केन्द्रीय कारागार-वाराणसी

# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Srevicees Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:- Dr. Ashok Kumar

Medical Suprintendent

Contact No.:- 9415287481

Month:

MAY

Year:

2021

Day	AM		PM		Remark	
	Date	Time	Temperature (In °c)	Time		Temperature (In °c)
1		8:20	2.6	3:25	6.4	
2		S	U	N	DA	y
3		8:10	2.2	3:10	6.0	
4		8:00	3.0	3:40	7.2	
5		8:15	3.3	3:30	7.0	
6		8:20	2.6	3:05	6.2	
7		8:05	2.4	3:25	6.6	
8		8:10	3.0	3:40	6.0	
9		S	U	N	DA	y
10		8:00	2.0	3:25	6.2	
11		8:20	2.6	3:30	6.6	
12		8:10	2.2	3:45	6.0	
13		8:30	2.0	3:10	7.0	
14		8:05	2.7	3:45	6.2	
15		8:30	2.6	3:00	6.4	
16		S	U	N	DA	y
17		8:00	2.7	3:30	6.2	
18		8:30	2.0	3:10	7.0	
19		8:20	2.3	3:25	7.3	
20		8:05	2.4	3:45	6.6	
21		8:20	2.2	3:30	5.0	
22		8:00	2.0	3:00	5.6	
23		S	U	N	DA	y
24		8:30	3.0	3:45	6.0	
25		8:10	2.8	3:20	7.0	
26		8:20	2.2	3:15	6.4	
27		8:00	3.0	3:10	6.3	
28		8:30	2.7	3:00	5.4	
29		8:10	2.0	3:30	6.2	
30		S	U	N	DA	y
31		8:25	2.6	3:20	5.8	

Signature

Lab Technician  
ICTC, CENTRAL JAIL  
Varanasi

Signature

चिकित्सा अधीक्षक  
केन्द्रीय कारागार-वाराणसी



# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Srevicees Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:-

Dr. Ashok Kumar

Designation:-

Medical Suprintendent

Contact No.:- 9415287481

Month: **JUNE**

Year: **2021**

Day	AM		PM		Remark	
	Date	Time	Temperature (In °c )	Time		Temperature (In °c )
1		8:20	2.2	3:40	6.2	
2		8:00	3.4	3:00	7.0	
3		8:30	2.6	3:20	6.4	
4		8:05	2.0	4:00	6.2	
5		8:10	2.8	3:45	6.0	
6		S	U	N	DA	Y
7		3:00	2.2	2:10	6.2	
8		8:05	3.3	3:20	7.3	
9		8:20	2.6	3:00	6.6	
10		8:30	2.2	3:45	7.0	
11		8:05	2.6	3:30	6.4	
12		8:10	2.2	3:15	6.0	
13		S	U	N	DA	Y
14		8:00	2.0	3:20	6.6	
15		8:20	2.3	3:00	6.2	
16		8:30	3.0	3:40	7.0	
17		8:05	2.8	3:15	6.7	
18		8:10	2.7	3:30	6.2	
19		8:30	2.0	3:10	6.8	
20		S	U	N	DA	Y
21		8:00	2.8	3:00	6.0	
22		8:20	2.0	3:20	6.8	
23		8:15	2.4	3:45	6.4	
24		8:30	2.0	3:10	6.2	
25		8:05	3.0	3:25	6.8	
26		8:10	2.2	3:00	6.0	
27		S	U	N	DA	Y
28		8:25	2.7	3:25	6.4	
29		8:00	3.2	3:10	6.2	
30		8:10	2.4	3:30	6.0	
31						

Signature

Lab Technician  
CTC, CENTRAL JAIL  
Varanasi

Signature

विक्रिस्ता अधीक्षक  
केन्द्रीय कारागार-वाराणसी



# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Services Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:- Dr. Ashok Kumar

Designation:-

Medical Superintendent

Contact No.:- 9415287481

Month: **JULY**

Year: **2021**

Day	AM		PM		Remark
Date	Time	Temperature (In °c)	Time	Temperature (In °c)	
1	8:05	2.2	3:20	7.0	
2	8:25	2.6	3:00	7.4	
3	8:00	3.0	3:10	6.2	
4	S	U	N	DA	Y
5	8:10	2.4	3:20	6.0	
6	8:30	2.2	3:00	6.6	
7	8:05	2.6	3:10	6.8	
8	8:00	3.0	3:25	7.0	
9	8:10	2.0	3:05	6.2	
10	8:30	2.8	3:30	6.6	
11	S	U	N	DA	Y
12	8:10	3.0	3:20	7.0	
13	8:05	3.2	3:40	7.6	
14	8:00	2.6	3:00	6.2	
15	8:10	3.4	3:45	7.2	
16	8:25	3.0	3:20	8.0	
17	8:30	2.8	4:00	7.4	
18	S	U	N	DA	Y
19	8:00	2.6	4:00	6.2	
20	8:20	2.0	3:30	6.6	
21	8:15	3.0	3:10	7.0	
22	8:40	3.7	3:20	6.8	
23	8:05	2.4	3:45	7.0	
24	8:00	2.8	3:30	6.8	
25	S	U	N	DA	Y
26	8:20	3.0	3:00	7.2	
27	8:05	2.6	3:40	6.6	
28	8:00	2.4	3:35	6.0	
29	8:20	2.2	3:10	6.6	
30	8:10	2.8	3:20	6.2	
31	8:30	2.0	3:25	7.0	

Signature

Lab Technician  
ICTC, CENTRAL JAIL  
Varanasi

Signature

चिकित्सा अधीक्षक  
केन्द्रीय कारागार-वाराणसी



# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Srevice Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:- Dr. Ashok Kumar

Designation:-

Medical Suprintendent

Contact No.:- 9415287481

Month:

AUGUST

Year:

2021

Day	AM		PM		Remark
Date	Time	Temperature (In °c)	Time	Temperature (In °c)	
1	S	U	N	DA	Y
2	8:20	2.4	3:45	6.7	
3	8:05	2.0	3:20	6.0	
4	8:10	2.6	3:05	7.0	
5	8:00	3.2	3:25	6.8	
6	8:30	2.8	3:00	6.4	
7	8:00	2.7	3:40	7.2	
8	S	U	N	DA	Y
9	8:20	2.0	3:00	7.6	
10	8:10	3.2	3:30	7.0	
11	8:05	2.8	3:05	6.6	
12	8:00	2.7	3:10	6.0	
13	8:20	2.4	3:45	6.4	
14	8:30	2.6	3:20	6.2	
15	15		August		
16	8:00	2.0	3:20	6.0	
17	8:20	3.2	3:00	6.6	
18	8:05	2.8	3:30	7.0	
19	8:30	2.4	3:10	7.6	
20	8:10	3.0	3:40	8.0	
21	8:00	2.2	3:20	7.2	
22	S	U	N	DA	Y
23	8:30	2.8	3:00	6.2	
24	8:10	3.2	3:30	6.6	
25	8:40	2.6	3:10	7.0	
26	8:00	3.6	3:40	8.0	
27	8:20	2.0	3:25	7.6	
28	8:05	2.2	3:10	6.0	
29	S	U	N	DA	Y
30	8:20	2.8	3:00	6.6	
31	8:10	2.2	3:25	6.0	

Signature

**Akhilesh Kumar**

Lab. Technician (ICTC)

Central Jail Hospital Varanasi

Signature

**विकास अधीक्षक**

केन्द्रीय कारागार-वाराणसी



# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Services Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:-

Dr. Ashok Kumar

Designation:-

Medical Superintendent

Contact No.:- 9415287481

Month: **September**

Year: **2021**

Day	AM		PM		Remark
Date	Time	Temperature (In °c)	Time	Temperature (In °c)	
1	8:20	2.0	3:40	6.2	
2	8:00	3.2	3:45	6.0	
3	8:05	2.6	3:20	7.0	
4	8:10	2.2	3:50	7.6	
5	S	U	N	DA	Y
6	8:00	2.6	3:20	6.8	
7	8:10	3.2	3:10	6.2	
8	8:30	2.8	3:40	7.0	
9	8:20	2.8	3:15	6.2	
10	8:00	2.2	3:30	6.4	
11	8:10	3.4	3:20	6.0	
12	S	U	N	DA	Y
13	8:20	2.2	3:30	6.2	
14	8:05	2.6	3:10	7.0	
15	8:30	3.0	3:20	6.6	
16	8:10	3.3	3:05	6.3	
17	8:00	3.7	3:40	7.2	
18	8:20	2.8	3:25	6.0	
19	S	U	N	DA	Y
20	8:00	2.3	3:10	6.6	
21	8:30	2.8	3:20	6.0	
22	8:10	3.0	3:00	7.0	
23	8:25	2.6	3:40	6.0	
24	8:30	2.4	3:20	6.4	
25	8:05	3.0	3:05	6.8	
26	S	U	N	DA	Y
27	8:20	2.8	3:10	6.2	
28	8:10	2.2	3:30	6.7	
29	8:30	2.8	3:00	6.0	
30	8:05	2.0	3:45	7.2	
31					

Signature

**Akhilesh Kumar**

Lab. Technician (IGTC)

Central Jail Hospital Varanasi

Signature



# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Srevicees Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:- Dr. Ashok Kumar

Designation:-

Medical Superintendent

Contact No.:- 9415287481

Month:

OCTOBER

Year:

2021

Day	AM		PM		Remark
Date	Time	Temperature (In °c)	Time	Temperature (In °c)	
1	8:20	2.2	3:40	6.2	
2	—	—	—	—	—
3	S	U	N	DA	y
4	8:00	2.6	3:00	6.6	
5	8:10	3.0	3:45	7.0	
6	8:30	2.8	3:30	6.2	
7	8:05	2.0	3:10	6.8	
8	8:20	2.4	3:20	7.2	
9	8:00	3.3	3:45	7.4	
10	S	U	N	DA	y
11	8:30	2.6	3:40	7.0	
12	8:10	3.0	3:20	6.6	
13	8:25	3.2	3:10	6.8	
14	8:20	2.4	3:30	7.2	
15	—	—	—	—	—
16	8:10	2.6	3:20	6.4	
17	S	U	N	DA	y
18	8:05	2.6	3:00	6.0	
19	8:20	2.3	3:40	6.7	
20	8:20	3.0	3:20	6.4	
21	8:00	3.6	3:35	6.2	
22	8:30	2.0	3:10	7.0	
23	8:10	2.8	3:25	7.4	
24	S	U	N	DA	y
25	8:30	2.6	3:30	6.4	
26	8:10	2.0	3:10	6.0	
27	8:20	2.8	3:25	7.0	
28	8:00	3.0	3:45	8.0	
29	8:05	2.2	3:20	6.6	
30	8:30	2.6	3:50	7.0	
31	S	U	N	DA	y

Signature

**Akhilesh Kumar**  
Lab. Technician (IGTG)  
Central Jail Hospital Varanasi

Signature

इश्वरिन्सा अधीक्षक  
केन्द्रीय कारागार-वाराणसी



# NATIONAL AIDS CONTROL ORGANIZATION

## Daily Temperature Log Sheet

( HIV Counselling & Testing Srevices Facility )

Name of HCTS Facility:-

ICTC Central Jail Varanasi.

Address:-

Central Jail, Hospital Shivpur District- Varanasi U. P.

Name of The Staff:-

Akhilesh Kumar

Designation:-

Lab. Technician

Contact No.:- 8808896535

Name of In-charge of HCTS Facility:-

Dr. Ashok Kumar

Designation:-

Medical Suprintendent

Contact No.:- 9415287481

Month: **NOVEMBER**

Year: **2021**

Day	AM		PM		Remark
Date	Time	Temprature (In °c)	Time	Temprature (In °c)	
1	8:10	2.4	3:30	6.2	
2	8:00	2.0	3:00	7.0	
3	8:30	2.8	3:20	8.0	
4	—	बिना चीस्ट	—	—	—
5	8:05	2.6	3:15	6.6	
6	8:20	2.0	3:45	6.8	
7	S	U	N	DA	Y
8	8:10	2.2	3:10	7.2	
9	8:00	2.0	3:35	7.4	
10	8:25	2.8	3:00	8.0	
11	8:05	3.0	3:30	7.2	
12	8:10	2.6	3:10	6.8	
13	8:00	2.0	3:40	6.3	
14	S	U	N	DA	Y
15	8:05	2.0	3:25	7.4	
16	8:20	2.6	3:10	7.1	
17	8:10	2.3	3:30	6.5	
18	8:00	2.5	3:50	6.8	
19	8:15	2.9	3:10	7.3	
20	8:10	2.0	3:20	7.9	
21	S	U	N	DA	Y
22	8:30	2.1	3:00	8.0	
23	8:40	2.5	3:30	6.2	
24	8:05	2.0	3:45	6.7	
25	8:10	3.0	4:00	7.3	
26	8:00	2.6	3:05	7.9	
27	8:15	2.9	3:20	6.4	
28	S	U	N	DA	Y
29	8:20	2.5	3:10	6.6	
30	8:05	2.4	3:25	6.0	
31					

Signature  
**Akhilesh Kumar**  
 Lab. Technician ( ICTC )  
 Central Jail Hospital Varanasi

Signature  
 विक्रिसा अयोगक  
 केन्द्रीय कारागार-वाराणसी