

Indian Calibration Services



An Exclusive House for Validation & Calibration of Analytical Instruments
304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
Phone / Fax : (011) 22453259, 22434362, 9599482307
E-mail : indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF MICROPIPETTE

Calibration Certificate No.	21700020806	Issued On	31/12/2021
ULR No.	CC214621700020806F	Calibration Date	28/12/2021
Job Identification No.	ICS/C/MVD/12/20806	Next Calibration Date:	27/12/2022
Ref. No.	SRF, Dated - 24/12/2021		

CALIBRATED FOR:	M/s Oxford Hospital Pvt. Ltd., 305, Lajpat Nagar, Jalandhar.
------------------------	--------------------------------------------------------------------

Name	Variable Micropipette		
Make/ Model	Dragon Lab	Visual Inspection	Ok
Serial No.	YE197AL0470795	I.D. No.	---
Range	5 µl - 50 µl	Least Count	0.5 µl
Location	Laboratory	Calibration Site	In-Lab

ENVIRONMENTAL CONDITIONS

Temperature	25.0 °C ± 3.0° C	Humidity	50 ± 10 % RH
-------------	------------------	----------	--------------

STANDARD EQUIPMENT DETAILS Traceable to National/ International Standard

Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
Stainless Steel Wire Weights	Weightronics	WMCL/E/2020-05/3364	WMCL	31/05/2020	30/05/2023
Digital Temp. Indicator with Sensor	"Lutron"	21100000003	Indian Calibration Services, Delhi	01/01/2021	01/01/2022

USED EQUIPMENT DETAILS	Calibrated Balance, Distilled Water & Glass wares
PRINCIPLE/METHODOLOGY OF CALIBRATION:	As per Calibration Procedure No.: ICS/CAL/SOP-M03 (Gravimetric Method), ISO 8655-6

RESULTS: Mechanical Calibration

Below Volume is determined at 27°C

U.U.C. Reading (in ml)	Standard Measured Volume (in ml) (Average)	Uncertainty at approx 95% C.L. and coverage factor k=2
0.0050 (05.0 µl)	0.00509 (0005.09 µl)	± 0.3 µl
0.0250 (25.0 µl)	0.02518 (0025.18 µl)	± 0.3 µl
0.0500 (50.0 µl)	0.05037 (0050.37 µl)	± 0.3 µl

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.

END OF REPORT

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
2. The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
3. Total liability of our Organisation is limited to the invoiced amount.
4. Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
5. In case any reconfirmation of contents of this Calibration Certificate is required, Please contact our office.
6. The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

Checked by  RAJESH KAPOOR
Operator Authorised Signatory

Indian Calibration Services



An Exclusive House for Validation & Calibration of Analytical Instruments
 304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
 Phone / Fax : (011) 22453259, 22434362, 9599482307
 E-mail : indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF MICROPIPETTE

Calibration Certificate No.	21700020807	Issued On	31/12/2021
ULR No.	CC214621700020807F	Calibration Date	28/12/2021
Job Identification No.	ICS/C/MVD/12/20807	Next Calibration Date:	27/12/2022
Ref. No.	SRF, Dated - 24/12/2021		

CALIBRATED FOR:	M/s Oxford Hospital Pvt. Ltd., 305, Lajpat Nagar, Jalandhar.
------------------------	--------------------------------------------------------------------

Name	Variable Micropipette		
Make/ Model	Biotech	Visual Inspection	Ok
Serial No.	01234	I.D. No.	---
Range	20 µl - 200 µl	Least Count	1 µl
Location	Laboratory	Calibration Site	In-Lab

ENVIRONMENTAL CONDITIONS

Temperature	25.0 °C ± 3.0 °C	Humidity	50 ± 10 % RH
-------------	------------------	----------	--------------

STANDARD EQUIPMENT DETAILS Traceable to National/ International Standard

Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
Stainless Steel Wire Weights	Weightronics	WMCL/E/2020-05/3364	WMCL	31/05/2020	30/05/2023
Digital Temp. Indicator with Sensor	"Lutron"	21100000003	Indian Calibration Services, Delhi	01/01/2021	01/01/2022

USED EQUIPMENT DETAILS	Calibrated Balance, Distilled Water & Glass wares
PRINCIPLE/METHODOLOGY OF CALIBRATION:	As per Calibration Procedure No.: ICS/CAL/SOP-M03 (Gravimetric Method), ISO 8655-6

RESULTS: Mechanical Calibration

Below Volume is determined at 27°C

U.U.C. Reading (in ml)	Standard Measured Volume (in ml) (Average)	Uncertainty at approx 95% C.L. and coverage factor k=2
0.020 (020 µl)	0.02016 (0020.16 µl)	± 0.6 µl
0.100 (100 µl)	0.10037 (0100.37 µl)	± 0.6 µl
0.200 (200 µl)	0.20065 (0200.65 µl)	± 0.6 µl


REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.

END OF REPORT

Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.

- The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our Organisation is limited to the invoiced amount.
- Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
- In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
- The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services


Checked by


Rajesh Kapoor
Authorized Signatory
Operation Head



Indian Calibration Services

An Exclusive House for Validation & Calibration of Analytical Instruments
 304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
 Phone / Fax : (011) 22453259, 22434362, 9599482307
 E-mail : indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF MICROPIPETTE

Calibration Certificate No.	21700020808	Issued On	31/12/2021
ULR No.	CC214621700020808F	Calibration Date	28/12/2021
Job Identification No.	ICS/C/MVD/12/20808	Next Calibration Date:	27/12/2022
Ref. No.	SRF, Dated - 24/12/2021		

CALIBRATED FOR:	M/s Oxford Hospital Pvt. Ltd., 305, Lajpat Nagar, Jalandhar.
------------------------	--------------------------------------------------------------------

Name	Variable Micropipette		
Make/ Model	---	Visual Inspection	Ok
Serial No.	NH467059	I.D. No.	---
Range	100 µl - 1000 µl	Least Count	5 µl
Location	Laboratory	Calibration Site	In-Lab

ENVIRONMENTAL CONDITIONS

Temperature	25.0 °C ± 3.0° C	Humidity	50 ± 10 % RH
-------------	------------------	----------	--------------

STANDARD EQUIPMENT DETAILS Traceable to National/ International Standard

Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
Stainless Steel Wire Weights	Weightronics	WMCL/E/2020-05/3364	WMCL	31/05/2020	30/05/2023
Stainless Steel Weights	Weightronics	19100823/D1.01/C-115	NPL, New Delhi	02-03/12/2019	03/12/2022
Digital Temp. Indicator with Sensor	"Lutron"	21100000003	Indian Calibration Services, Delhi	01/01/2021	01/01/2022

USED EQUIPMENT DETAILS	Calibrated Balance, Distilled Water & Glass wares
PRINCIPLE/METHODOLOGY OF CALIBRATION:	As per Calibration Procedure No.: ICS/CAL/SOP-M03 (Gravimetric Method), ISO 8655-6

RESULTS: Mechanical Calibration

Below Volume is determined at 27°C

U.U.C. Reading (in ml)	Standard Measured Volume (in ml) (Average)	Uncertainty at approx 95% C.L and coverage factor k=2
0.100 (0100 µl)	0.10027 (0100.27 µl)	± 3 µl
0.500 (0500 µl)	0.50038 (0500.38 µl)	± 3 µl
1.000 (1000 µl)	1.00045 (1000.45 µl)	± 3 µl

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.
 ***END OF REPORT ***

- Note :
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
 - The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 - Total liability of our Organisation is limited to the invoiced amount.
 - Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
 - In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
 - The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

[Signature]
 Checked by

RAJESH KAPOOR
 Authorised Signatory
 Operator/Head



Indian Calibration Services

An Exclusive House for Validation & Calibration of Analytical Instruments
 304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
 Phone / Fax : (011) 22453259, 22434362, 9599482307
 E-mail : indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF MICROPIPETTE

Calibration Certificate No.	21700020809	Issued On	31/12/2021
ULR No.	CC214621700020809F	Calibration Date	28/12/2021
Job Identification No.	ICS/C/MVD/12/20809	Next Calibration Date:	27/12/2022
Ref. No.	SRF, Dated - 24/12/2021		

CALIBRATED FOR:	M/s Oxford Hospital Pvt. Ltd., 305, Lajpat Nagar, Jalandhar.
------------------------	--------------------------------------------------------------------

Name	Variable Micropipette		
Make/ Model	Dragon Lab	Visual Inspection	Ok
Serial No.	YE196AL0456797	I.D. No.	---
Range	100 µl - 1000 µl	Least Count	5 µl
Location	Laboratory	Calibration Site	In-Lab

ENVIRONMENTAL CONDITIONS			
Temperature	25.0 °C ± 3.0° C	Humidity	50 ± 10 % RH

STANDARD EQUIPMENT DETAILS					
Traceable to National/ International Standard					
Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
Stainless Steel Wire Weights	Weightronics	WMCL/E/2020-05/3364	WMCL	31/05/2020	30/05/2023
Stainless Steel Weights	Weightronics	19100823/D1.01/C-115	NPL, New Delhi	02-03/12/2019	03/12/2022
Digital Temp. Indicator with Sensor	"Lutron"	21100000003	Indian Calibration Services, Delhi	01/01/2021	01/01/2022

USED EQUIPMENT DETAILS	Calibrated Balance, Distilled Water & Glass wares
PRINCIPLE/METHODOLOGY OF CALIBRATION:	As per Calibration Procedure No. : ICS/CAL/SOP-M03 (Gravimetric Method), ISO 8655-6

RESULTS: Mechanical Calibration

Below Volume is determined at 27°C

U.U.C. Reading (in ml)	Standard Measured Volume (in ml) (Average)	Uncertainty at approx 95% C.L and coverage factor k=2
0.100 (0100 µl)	0.10018 (0100.18 µl)	± 3 µl
0.500 (0500 µl)	0.50037 (0500.37 µl)	± 3 µl
1.000 (1000 µl)	1.00065 (1000.65 µl)	± 3 µl

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.
 ***END OF REPORT ***

- Note :**
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
 - The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 - Total liability of our Organisation is limited to the invoiced amount.
 - Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
 - In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
 - The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

Free
 Checked By

Re
 Authorised Signatory

RAJPOOR
 1234

Indian Calibration Services



An Exclusive House for Validation & Calibration of Analytical Instruments
 304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
 Phone / Fax : (011) 22453259, 22434362, 9599482307
 E-mail : indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF MICROPIPETTE

Calibration Certificate No.	21700020810	Issued On	31/12/2021
ULR No.	CC214621700020810F	Calibration Date	28/12/2021
Job Identification No.	ICS/C/MVD/12/20810	Next Calibration Date:	27/12/2022
Ref. No.	SRF, Dated - 24/12/2021		

CALIBRATED FOR:	M/s Oxford Hospital Pvt. Ltd., 305, Lajpat Nagar, Jalandhar.
------------------------	--------------------------------------------------------------------

Name	Variable Micropipette		
Make/ Model	Dragon Lab	Visual Inspection	Ok
Serial No.	YE193AL0316165	I.D. No.	---
Range	100 µl - 1000 µl	Least Count	5 µl
Location	Laboratory	Calibration Site	In-Lab

ENVIRONMENTAL CONDITIONS			
Temperature	25.0 °C ± 3.0° C	Humidity	50 ± 10 % RH

STANDARD EQUIPMENT DETAILS					
Traceable to National/ International Standard					
Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
Stainless Steel Wire Weights	Weightronics	WMCL/E/2020-05/3364	WMCL	31/05/2020	30/05/2023
Stainless Steel Weights	Weightronics	19100823/D1.01/C-115	NPL, New Delhi	02-03/12/2019	03/12/2022
Digital Temp. Indicator with Sensor	"Lutron"	21100000003	Indian Calibration Services, Delhi	01/01/2021	01/01/2022
USED EQUIPMENT DETAILS	Calibrated Balance, Distilled Water & Glass wares				
PRINCIPLE/METHODOLOGY OF CALIBRATION:	As per Calibration Procedure No.: ICS/CAL/SOP-M03 (Gravimetric Method), ISO 8655-6				

RESULTS: Mechanical Calibration

Below Volume is determined at 27°C

U.U.C. Reading (in ml)	Standard Measured Volume (in ml) (Average)	Uncertainty at approx 95% C.L and coverage factor k=2
0.100 (0100 µl)	0.10032 (0100.32 µl)	± 3 µl
0.500 (0500 µl)	0.50068 (0500.68 µl)	± 3 µl
1.000 (1000 µl)	1.00132 (1001.32 µl)	± 3 µl

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.

***END OF REPORT ***

- Note :**
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
 - The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 - Total liability of our Organisation is limited to the invoiced amount.
 - Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
 - In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
 - The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

[Signature]
 Checked by

[Signature]
 RAJESH KAPOOR
 Authorized Signatory
 Operation Head

Indian Calibration Services



An Exclusive House for Validation & Calibration of Analytical Instruments
 304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
 Phone / Fax : (011) 22453259, 22434362, 9599482307
 E-mail : indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF DIGITAL THERMO-HYGROMETER WITH SENSOR

Certificate No:	21100024886	Issued On:	31/12/2021
ULR No:	CC214621100024886F	Calibration Date:	29/12/2021
Job Identification No:	ICS/C/T/12/24886	Next Calibration Date:	28/12/2022
Ref. No:	SRF, Dated -24/12/2021		

CALIBRATED FOR: M/s Oxford Hospital Pvt. Ltd.,
 305, Lajpat Nagar,
 Jalandhar.

EQUIPMENT DESCRIPTION

Name	Digital Thermo-Hygrometer with sensor, For Refrigerator		
Make/ Model	Winner/ TH402	Visual Inspection	Ok
Serial No.	---	I.D. No.	THG-02
Range	Upto 60°C / Upto 99 % (RH)	Least Count	0.1°C / 1 % RH
Location	Laboratory	Calibration Site	In-Lab

ENVIRONMENTAL CONDITIONS

Temperature	25.0 °C ± 3.0 °C	Humidity	50 ± 10 % RH
-------------	------------------	----------	--------------

STANDARD REFERENCE DETAILS Traceable to National/ International Standard

Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
Digital Temp. Indicator with Sensor	"Lutron"	21100000001	Indian Calibration Services, Delhi	01/01/2021	01/01/2022
Digital Temp. Humidity Indicator with Sensor	"Lutron"	21100000042	Indian Calibration Services, Delhi	08-01-2021	08-01-2022

USED EQUIPMENT DETAILS: Environmental Chamber

PRINCIPLE/METHODOLOGY OF CALIBRATION: As per Calibration Procedure No.: ICS/CAL/SOP-TH06, ITS-90 (Comparison Method)

RESULTS: Thermal Calibration

(On Working Range)

U.U.C. Reading		Corrected Value of Standard (Average)			Uncertainty at approx 95% C.L. coverage factor k=2	
Temperature	Humidity	Temperature (In)	Temperature (Out)	Humidity	Temperature	Humidity
15.0 °C	20 % RH	15.03°C	15.06°C	20.95 %RH	± 0.37°C	± 2.0 % RH
20.0 °C	40 % RH	20.05°C	20.09°C	41.13 %RH	± 0.37°C	± 2.0 % RH
30.0 °C	75 % RH	30.09°C	30.15°C	76.78 %RH	± 0.43°C	± 2.0 % RH
40.0 °C	90 % RH	40.12°C	40.27°C	92.35 %RH	± 0.43°C	± 2.0 % RH

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.

***END OF REPORT ***

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
 2. The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Total liability of our Organisation is limited to the invoiced amount.
 4. Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
 5. In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
 6. The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

Seal
 Checked by

Signature
 Authorised Signatory
RAJESH POOR
 Operation-Head

Indian Calibration Services



An Exclusive House for Validation & Calibration of Analytical Instruments
 304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
 Phone / Fax : (011) 22453259, 22434362, 9599482307
 E-mail : indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF DIGITAL THERMO-HYGROMETER WITH SENSOR

Certificate No:	21100024885	Issued On:	31/12/2021
ULR No:	CC214621100024885F	Calibration Date:	29/12/2021
Job Identification No:	ICS/C/T/12/24885	Next Calibration Date:	28/12/2022
Ref. No:	SRF, Dated -24/12/2021		

CALIBRATED FOR:	M/s Oxford Hospital Pvt. Ltd., 305, Lajpat Nagar, Jalandhar.
------------------------	--------------------------------------------------------------------

EQUIPMENT DESCRIPTION

Name	Digital Thermo-Hygrometer with sensor, For Refrigerator		
Make/ Model	Winner/ TH402	Visual Inspection	Ok
Serial No.	---	I.D. No.	THG-01
Range	Upto 60°C / Upto 99 % (RH)	Least Count	0.1°C / 1 % RH
Location	Laboratory	Calibration Site	In-Lab

ENVIRONMENTAL CONDITIONS

Temperature	25.0 °C ± 3.0 °C	Humidity	50 ± 10 % RH
-------------	------------------	----------	--------------

STANDARD REFERENCE DETAILS Traceable to National/ International Standard

Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
Digital Temp. Indicator with Sensor	"Lutron"	21100000001	Indian Calibration Services, Delhi	01/01/2021	01/01/2022
Digital Temp. Humidity Indicator with Sensor	"Lutron"	21100000042	Indian Calibration Services, Delhi	08-01-2021	08-01-2022

USED EQUIPMENT DETAILS	Environmental Chamber
PRINCIPLE/METHODOLOGY OF CALIBRATION:	As per Calibration Procedure No.: ICS/CAL/SOP-TH06, ITS-90 (Comparison Method)

RESULTS: Thermal Calibration

(On Working Range)

U.U.C. Reading		Corrected Value of Standard (Average)			Uncertainty at approx 95% C.L. coverage factor k=2	
Temperature	Humidity	Temperature (In)	Temperature (Out)	Humidity	Temperature	Humidity
15.0 °C	20 % RH	15.05°C	15.05°C	20.89 %RH	± 0.37°C	± 2.0 % RH
20.0 °C	40 % RH	20.09°C	20.07°C	41.27 %RH	± 0.37°C	± 2.0 % RH
30.0 °C	75 % RH	30.13°C	30.11°C	76.89 %RH	± 0.43°C	± 2.0 % RH
40.0 °C	90 % RH	40.20°C	40.13°C	92.65 %RH	± 0.43°C	± 2.0 % RH

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.
 ***END OF REPORT ***

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
 2. The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Total liability of our Organisation is limited to the invoiced amount.
 4. Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
 5. In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
 6. The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

[Signature]
 Checked by

[Signature]
 Authorised Signatory
 Operation-Head

Indian Calibration Services



An Exclusive House for Validation & Calibration of Analytical Instruments
 304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
 Phone / Fax : (011) 22453259, 22434362, 9599482307
 E-mail : indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF BACTERIOLOGICAL INCUBATOR

Certificate No:	21100024884	Issued On:	31/12/2021
ULR No:	CC214621100024884F	Calibration Date:	29/12/2021
Job Identification No:	ICS/C/T/12/24884	Next Calibration Date:	28/12/2022
Ref. No:	SRF, Dated -24/12/2021		

CALIBRATED FOR:	M/s Oxford Hospital Pvt. Ltd., 305, Lajpat Nagar, Jalandhar.
------------------------	--------------------------------------------------------------------

EQUIPMENT DESCRIPTION

Name	Digital Temperature Cont. Cum Indicator with sensor fitted in Bacteriological Incubator		
Make/ Model	i-Therm/ AI-7781	Visual Inspection	Ok
Serial No.	---	I.D. No.	INC-02
Range	Upto 75°C	Least Count	0.1°C
Location	Laboratory	Calibration Site	On-Site

ENVIRONMENTAL CONDITIONS

Temperature	25.0 °C ± 5.0° C	Humidity	50 ± 15 % RH
-------------	------------------	----------	--------------

STANDARD REFERENCE DETAILS

Traceable to National/ International Standard

Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
RTD Sensor with Digital Indicator	Yudian	ETL/2070/21/C/F/060	FCRI, Palakkad	24-25/02/2021	25/02/2022

USED EQUIPMENT DETAILS	Water Bath
PRINCIPLE/METHODOLOGY OF CALIBRATION:	As per Calibration Procedure No.: ICS-/CAL/SOP-TH02, ITS-90 (Comparison Method)

RESULTS: Thermal Calibration


U.U.C. READING (In °C)	CORRECTED VALUE OF STANDARD (In °C) (Avg.)	Uncertainty at approx 95% C.L and coverage factor k=2 (in °C)
30.0	30.137	± 0.28
35.0	35.198	± 0.28
37.0	37.242	± 0.28
45.0	45.254	± 0.28
60.0	60.386	± 0.28

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.

*** END OF REPORT ***

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
 2. The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Total liability of our Organisation is limited to the invoiced amount.
 4. Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
 5. In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
 6. The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

Checked by 
 Authorised Signatory 
 JEEV KAPOOR
 Operator No. 1234



Indian Calibration Services

An Exclusive House for Validation & Calibration of Analytical Instruments
 304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
 Phone / Fax : (011) 22453259, 22434362, 9599482307
 E-mail: indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF DIGITAL ELECTRONIC PIPETTE

Calibration Certificate No.	21700020804	Issued On	31/12/2021
ULR No.	CC214621700020804F	Calibration Date	28/12/2021
Job Identification No.	ICS/C/MVD/12/20804	Next Calibration Date:	27/12/2022
Ref. No.	SRF, Dated - 24/12/2021		

CALIBRATED FOR: M/s Oxford Hospital Pvt. Ltd.,
 305, Lajpat Nagar,
 Jalandhar.

Name	Variable Electronic Micropipette		
Make/ Model	CAPP Electronic	Visual Inspection	Ok
Serial No.	ACA20001-1610033	I.D. No.	---
Range	10 µl – 200 µl	Least Count	1 µl
Location	Laboratory	Calibration Site	In-Lab

ENVIRONMENTAL CONDITIONS

Temperature	25.0 °C ± 3.0 °C	Humidity	50 ± 10 % RH
-------------	------------------	----------	--------------

STANDARD EQUIPMENT DETAILS Traceable to National/ International Standard

Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
Stainless Steel Wire Weights	Weightronics	WMCL/E/2020-05/3364	WMCL	31/05/2020	30/05/2023
Digital Temp. Indicator with Sensor	"Lutron"	21100000003	Indian Calibration Services, Delhi	01/01/2021	01/01/2022

USED EQUIPMENT DETAILS	Calibrated Balance, Distilled Water & Glass wares
PRINCIPLE/METHODOLOGY OF CALIBRATION:	As per Calibration Procedure No.: ICS/CAL/SOP-M03 (Gravimetric Method), ISO 8655-6

RESULTS: Mechanical Calibration

Below Volume is determined at 27°C

U.U.C. Reading (in ml)	Standard Measured Volume (in ml) (Average)	Uncertainty at approx 95% C.I and coverage factor k=2
0.010 (010 µl)	0.01013 (0010.13 µl)	± 0.6 µl
0.100 (100 µl)	0.10048 (0100.48 µl)	± 0.6 µl
0.200 (200 µl)	0.20068 (0200.68 µl)	± 0.6 µl

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.

***END OF REPORT ***

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
 2. The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Total liability of our Organisation is limited to the invoiced amount.
 4. Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
 5. In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
 6. The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

Checked by 
 Authorised Signatory
 Operation-Head

Indian Calibration Services



An Exclusive House for Validation & Calibration of Analytical Instruments
 304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
 Phone / Fax : (011) 22453259, 22434362, 9599482307
 E-mail : indiancalibrationservices@gmail.com Website : www.multitechics.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF MICROPIPETTE

Calibration Certificate No.	21700020805	Issued On	31/12/2021
ULR No.	CC214621700020805F	Calibration Date	28/12/2021
Job Identification No.	ICS/C/MVD/12/20805	Next Calibration Date:	27/12/2022
Ref. No.	SRF, Dated - 24/12/2021		

CALIBRATED FOR: M/s Oxford Hospital Pvt. Ltd.,
 305, Lajpat Nagar,
 Jalandhar.

Name	Variable Micropipette		
Make/ Model	Merilette	Visual Inspection	Ok
Serial No.	012345	I.D. No.	---
Range	100 µl - 1000 µl	Least Count	5 µl
Location	Laboratory	Calibration Site	In-Lab

ENVIRONMENTAL CONDITIONS

Temperature	25.0 °C ± 3.0° C	Humidity	50 ± 10 % RH
-------------	------------------	----------	--------------

STANDARD EQUIPMENT DETAILS Traceable to National/ International Standard

Name of the Standard	Make	Certificate No.	Calibration Agency/Traceability	Date of Calibration	Valid up to
Stainless Steel Wire Weights	Weightronics	WMCL/E/2020-05/3364	WMCL	31/05/2020	30/05/2023
Digital Temp. Indicator with Sensor	"Lutron"	21100000003	Indian Calibration Services, Delhi	01/01/2021	01/01/2022
Stainless Steel Weights	Weightronics	19100823/D1.01/C-115	NPL, New Delhi	02-03/12/2019	03/12/2022

USED EQUIPMENT DETAILS Calibrated Balance, Distilled Water & Glass wares

PRINCIPLE/METHODOLOGY OF CALIBRATION: As per Calibration Procedure No.: ICS/CAL/SOP-M03 (Gravimetric Method), ISO 8655-6

RESULTS: Mechanical Calibration

Below Volume is determined at 27°C

U.U.C. Reading (in ml)	Standard Measured Volume (in ml) (Average)	Uncertainty at approx 95% C.L and coverage factor k=2
0.100 (0100 µl)	0.10035 (0100.35 µl)	± 3 µl
0.500 (0500 µl)	0.50086 (0500.86 µl)	± 3 µl
1.000 (1000 µl)	1.00132 (1001.32 µl)	± 3 µl

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.

END OF REPORT

- Note :**
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
 - The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 - Total liability of our Organisation is limited to the invoiced amount.
 - Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
 - In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
 - The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

Jeal
 Checked By

h
 Authorised Signatory

Indian Calibration Services



An Exclusive House for Validation & Calibration of Analytical Instruments
304 & 313, Laxmi Deep, District Centre, Near Nirman Vihar Metro Station, Laxmi Nagar, Delhi-110092
Phone / Fax : (011) 22453259, 22434362, 9599482307
E-mail : indiancalibrationservices@gmail.com Website : www.multitechcs.com

CALIBRATION CERTIFICATE

Page 1 of 1

CALIBRATION CERTIFICATE OF BLOOD MIXER

Calibration Certificate No.	21900006533	Issued On	31/12/2021
ULR No.	CC214621900006533F	Calibration Date	29/12/2021
Job Identification No.	ICS/C/AS/12/6533	Next Due Date	28/12/2022
Ref. No.	SRF, Dated - 24/12/2021		

CALIBRATED FOR: M/s Oxford Hospital Pvt. Ltd.,
305, Lajpat Nagar,
Jalandhar.

EQUIPMENT DESCRIPTION

Name	RPM Measurement for Blood Mixer		
Make/Model	Lab Line	Visual Inspection	Ok
Serial No.	1809	I.D. No.	---
Range	At 30 RPM	Least Count	---
Location	Laboratory	Calibration Site	On-Site

ENVIRONMENTAL CONDITIONS

Temperature	25.0 °C ± 2.0° C	Humidity	45 to 75 % RH
-------------	------------------	----------	---------------

STANDARD REFERENCE DETAILS Traceable to National / International Standard

Name of the Standard	Make	Certificate No.	Calibration Agency	Date of Calibration	Valid up to
Digital Tachometer	Lutron	C-210615-2-1	Godrej, Chennai	16/06/2021	16/06/2023

USED EQUIPMENT DETAILS

Not Applicable

PRINCIPLE/METHODOLOGY OF CALIBRATION:

As per Calibration Procedure No.: ICS/CAL/SOP-RPM01
(Comparison Method)

RESULTS: Mechanical Calibration

MEASUREMENT: (in RPM)

U.U.C. SPEED KNOB' POSITION	CORRECTED VALUE OF TACHOMETER READING (AVG.)	Uncertainty at approx 95% C.L and coverage factor k=2
Reading # 1	30.2	± 2
Reading # 2	29.8	
Reading # 3	29.5	
Reading # 4	30.3	
Reading # 5	30.8	

REMARKS: The recommended date for next calibration is mentioned, as asked by the customer.
END OF REPORT

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
2. The result listed refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
3. Total liability of our Organisation is limited to the invoiced amount.
4. Samples will be destroyed after one month from the date of issue of Calibration Certificate unless otherwise specified.
5. In case any reconfirmation of contents of this Calibration Certificate is required. Please contact our office.
6. The calibration certificate/Test Report is valid only for the condition of the UUC at the time under stated condition of calibration.

For and on behalf of
Indian Calibration Services

Jee
Checked by

Rajesh Kapoor
Authorised Signatory
Head