



## CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY  
CMC EXTERNAL QUALITY ASSURANCE SCHEME  
MONTHLY SUMMARY REPORT - MARCH 2022



PC-1024

Lab Name                      GOVT PRIMARY HEALTH CENTRE                      Lab No    10578  
Constituent Group        Chemistry III    Date of Result Entered :                      19/03/2022  
PT item                        Lyophilized Serum    Date of Report Published :                      06/04/2022

Sl.No	Analyte	Method / Principle Name	Analyzer Name	No of Participants	DV	Participants		Your Value	SDI	U
						CV	SD			
1	GLUCOSE III	GOD-POD III	Robonik ( Semi automatic / Fully Automatic )	1766	151.83	7.28	11.06	161.34 mg/dL	0.86	0.53
2	CREATININE III	Jaffes Kinetic - Alkaline Picrate III	Robonik ( Semi automatic / Fully Automatic )	1708	1.20	11.54	0.14	1.15 mg/dL	-0.36	0.01
3	CHOLESTROL III	CHOD-PAP III	Robonik ( Semi automatic / Fully Automatic )	1655	115.16	6.70	7.71	115.62 mg/dL	0.06	0.38

SDI Range	Interpretation
Within -1.00 to +1.00	Excellent.
Within ±1.01 to ±2.00	Good.
Within ±2.01 to ±2.99	Accept with caution. Warning Signal.
Beyond ±3.0	Unacceptable performance. Action Signal.

LAB ADDRESS :  
GOVT PRIMARY HEALTH CENTRE  
CLINICAL LABORATORY , RAMANATHAPURAM District.,  
VENKITANKURICHI  
TAMILNADU623707

Coordinator Contact Details:  
Email:clinq@cmcvellore.ac.in  
Contact Number: 0416-2283102

*Pamela Christudoss*  
Dr. Pamela Christudoss  
CMC EQAS Coordinator  
Christian Medical College, Vellore

Homogeneity and Stability of the sample is passed.  
Data in CMC EQAS reports is confidential  
CMC EQAS does not sub contract any components  
\*\*\*\*\* End of Report \*\*\*\*\*