



CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY

CMC EXTERNAL QUALITY ASSURANCE SCHEME

MONTHLY SUMMARY REPORT - AUGUST 2022



PC-1024

Lab Name ANKERITE PUSHPA SRIRAM HOSPITAL

Lab No 14688

Constituent Group Chemistry II

Date of Result Entered : 20/08/2022

PT item Lyophilized Serum

Date of Report Published : 05/09/2022

Sl.No	Analyte	Method / Principle Name	Analyzer Name	No of Participants	DV	Participants		Your Value	SDI	U
						CV	SD			
1	GLUCOSE II	GOD-POD II	Transasia / Erba	856	109.37	10.01	10.95	74.6 mg/dL	-3.18	0.75
2	UREA II	Urease UV / GLDH II	Transasia / Erba	639	23.85	14.71	3.51	40.9 mg/dL	4.86	0.28
3	CREATININE II	Jaffes Kinetic- Alkaline Picrate II	Transasia / Erba	538	6.31	11.80	0.74	3.4 mg/dL	-3.93	0.06
4	T.BILIRUBIN II	Diazonium Salt (Colorimetric) / Jendrassik II	Transasia / Erba	787	4.61	11.51	0.53	4.9 mg/dL	0.55	0.04
5	T-PROTEIN II	Biuret - Colorimetric II	Transasia / Erba	747	6.06	8.39	0.51	6.9 g/dL	1.65	0.04
6	ALBUMIN II	BCG - Colorimetric II	Transasia / Erba	702	3.42	8.55	0.29	10.2 g/dL	23.38	0.02
7	URIC ACID II	Enzymatic / Uricase Colorimetric II	Transasia / Erba	610	4.08	13.18	0.54	3.1 mg/dL	-1.81	0.04
8	CHOLESTROL II	CHOD-PAP II	Transasia / Erba	731	112.93	10.40	11.74	56.9 mg/dL	-4.77	0.87
9	TRIGLYCERIDE II	GPO-PAP / Enzymatic Colorimetric / End Point II	Transasia / Erba	732	175.54	11.84	20.78	118.5 mg/dL	-2.74	1.54

SDI Range	Interpretation
Within -1.00 to +1.00	Excellent.
Within ±1.01 to ±2.00	Good.
Within ±2.01 to ±2.99	Accept with caution. Warning Signal.
Beyond ±3.0	Unacceptable performance. Action Signal.

LAB ADDRESS :

ANKERITE PUSHPA SRIRAM HOSPITAL
C.R.P.F CHAURAHA, MATI ROAD, MATI, BIJNOUR
LUCKNOW
UTTAR PRADESH 226002

Coordinator Contact Details:
Email: clinqc@cmcvellore.ac.in
Contact Number: 0416-2283102

Pamela Christudoss

Dr. Pamela Christudoss
CMC EQAS Coordinator
Christian Medical College, Vellore

Homogeneity and Stability of the sample is passed.

Data in CMC EQAS reports is confidential
CMC EQAS does not sub contract any components

***** End of Report *****