



PC-1033

111th IAMM EQAS Microbiology: Bacteriology/ Serology
CMC MICRO EQAS
 Department of Clinical Microbiology, Christian Medical College, Vellore-632004, Tamil Nadu
 Email: eqas@cmevellore.ac.in, Twitter: @microeqas, Phone: +91-416-2282588



JULY 2022

111th EQAS EVALUATION REPORT

MEMBER ID:

M 1 1 6 2

JULY 2022 / SEROLOGY

Test method employed for detection C-reactive protein (CRP) at your lab: Latex Agglutination

Peer group (n) = 229

Please refer the attached evaluation format for details on the criteria for evaluation

Marks Obtained: 10/10 (100%)

	Parameter	Your Result	Your Value (mg/L)	Intended Result	Robust Mean	Robust SD	Range (mg/L)	Uncertainty of Assigned value	Z & Z' score	Max Marks	Your Score	
SE1	CRP	Negative	Not reported	Negative	Not Applicable						2	2
SE2	CRP	Positive	48	Positive	31.0011	19.1529	6 to 192	1.6328	0.9	2	2	
SE3	CRP	Positive	24	Positive	20.3592	12.0561	6 to 192	1.0525	0.3	2	2	

JULY 2022 / SEROLOGY

Test method employed for detection Rheumatoid Factor (RF) at your lab: Latex Agglutination

Peer group (n) = 406

Please refer the attached evaluation format for details on the criteria for evaluation

	Parameter	Your Result	Your Value (IU/mL)	Intended Result	Robust Mean	Robust SD	Range (IU/mL)	Uncertainty of Assigned value	Z & Z' score	Max Marks	Your Score		
SE1	RF	Negative	Not reported	Negative	Not Applicable						2	2	
SE2	RF	Negative	Not reported	Negative	Not Applicable						2	2	
SE3	RF	Positive	16	Negative	NOT EVALUATED*								

*As >30% participants scored <70% on this exercise, it has been excluded from the final evaluation.