



# CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY  
CMC EXTERNAL QUALITY ASSURANCE SCHEME  
MONTHLY SUMMARY REPORT - OCTOBER 2022



PC-1024

Lab Name **JAVIX LIFE PVT LTD** Lab No **16513**  
 Constituent Group **Chemistry II** Date of Result Entered : **20/10/2022**  
 PT item **Lyophilized Serum** Date of Report Published : **03/11/2022**

Sl.No	Analyte	Method / Principle Name	Analyzer Name	No of Participants	DV	Participants		Your Value	SDI	U
						CV	SD			
1	GLUCOSE II	GOD-POD II	Transasia / Erba	854	363.74	10.40	37.83	375.4 mg/dL	0.31	2.59
2	UREA II	Urease UV / GLDH II	Transasia / Erba	671	34.43	10.58	3.64	27 mg/dL	-2.04	0.28
3	CREATININE II	Jaffes End point II	Any Analyser (Automation / Semi Automation)	670	1.43	13.22	0.19	1.4 mg/dL	-0.16	0.01
4	T.BILIRUBIN II	Diazonium Salt (Colorimetric) / Jendrassik II	Transasia / Erba	714	1.46	19.22	0.28	1.3 mg/dL	-0.57	0.02
5	T-PROTEIN II	Biuret - Colorimetric II	Transasia / Erba	666	5.77	7.82	0.45	4.9 g/dL	-1.93	0.03
6	ALBUMIN II	BCG - Colorimetric II	Transasia / Erba	717	3.31	8.64	0.29	3.4 g/dL	0.31	0.02
7	URIC ACID II	Enzymatic / Uricase Colorimetric II	Transasia / Erba	685	7.43	10.59	0.79	6.9 mg/dL	-0.67	0.06
8	CHOLESTROL II	CHOD-PAP II	Transasia / Erba	790	115.96	10.02	11.62	115.8 mg/dL	-0.01	0.83
9	TRIGLYCERIDE II	GPO-PAP / Enzymatic Colorimetric / End Point II	Transasia / Erba	827	210.76	13.41	28.26	242.7 mg/dL	1.13	1.97

SDI Range	Interpretation
Within -1.00 to +1.00	Excellent.
Within $\pm 1.01$ to $\pm 2.00$	Good.
Within $\pm 2.01$ to $\pm 2.99$	Accept with caution. Warning Signal.
Beyond $\pm 3.0$	Unacceptable performance. Action Signal.

## LAB ADDRESS :

JAVIX LIFE PVT LTD  
B2-702, PACIFIC GOLF ESTATE, SAHASTRADHARA ROAD  
DEHRADUN  
UTTARAKHAND248001

Coordinator Contact Details:  
Email: clinqc@cmcvellore.ac.in  
Contact Number: 0416-2283102

*Pamela Christudoss*  
Dr. Pamela Christudoss  
CMC EQAS Coordinator  
Christian Medical College, Vellore

Homogeneity and Stability of the sample is passed.  
Data in CMC EQAS reports is confidential  
CMC EQAS does not sub contract any components

\*\*\*\*\* End of Report \*\*\*\*\*