



111<sup>th</sup> IAMM EQAS Microbiology: Bacteriology/ Serology  
**CMC MICRO EQAS**

Department of Clinical Microbiology, Christian Medical College, Vellore-632004, Tamil Nadu  
 Email: [eqas@cmcvellore.ac.in](mailto:eqas@cmcvellore.ac.in), Twitter: @microeqas, Phone: +91-416-2282588



JULY 2022

111<sup>th</sup> EQAS EVALUATION REPORT

MEMBER ID:

M	1	2	0	9
---	---	---	---	---

JULY 2022 / SEROLOGY

Test method employed for detection C-reactive protein (CRP) at your lab: Latex Agglutination

Peer group (n) = 229

<b>Marks Obtained: 10/10 (100%)</b>
-------------------------------------

Please refer the attached evaluation format for details on the criteria for evaluation

	Parameter	Your Result	Your Value (mg/L)	Intended Result	Robust Mean	Robust SD	Range (mg/L)	Uncertainty of Assigned value	Z & Z' score	Max Marks	Your Score
SE1	CRP	Negative	Not reported	Negative	Not Applicable					2	2
SE2	CRP	Positive	48	Positive	31.0011	19.1529	6 to 192	1.6328	0.9	2	2
SE3	CRP	Positive	24	Positive	20.3592	12.0561	6 to 192	1.0525	0.3	2	2

JULY 2022 / SEROLOGY

Test method employed for detection Rheumatoid Factor (RF) at your lab: Latex Agglutination

Peer group (n) = 406

Please refer the attached evaluation format for details on the criteria for evaluation

	Parameter	Your Result	Your Value (IU/mL)	Intended Result	Robust Mean	Robust SD	Range (IU/mL)	Uncertainty of Assigned value	Z & Z' score	Max Marks	Your Score
SE1	RF	Negative	Not reported	Negative	Not Applicable					2	2
SE2	RF	Negative	Not reported	Negative	Not Applicable					2	2
SE3	RF	Positive	16	Negative	NOT EVALUATED*						

\*As >30% participants scored <70% on this exercise, it has been excluded from the final evaluation.

**Disclaimer:**

This is a confidential document and subject to the rules of confidentiality as described by the ISO 17043:2010 standard.

MEMBER ID:

M 1 2 0 9


SE1	SE2	SE3	Marks obtained	
4	4	2	10	100%
4	4	2	Maximum marks = 10	



Dr. Rani Diana Sahni  
Scientific Co-ordinator



Dr. John A Jude Prakash  
Quality Manager



Dr. V. Balaji  
PT Co-ordinator

Report Dispatch Date: 15.11.2022

\*\*\*\*\* End of Report \*\*\*\*\*