



CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY
CMC EXTERNAL QUALITY ASSURANCE SCHEME
MONTHLY SUMMARY REPORT - FEBRUARY 2023



PC-1024

Lab Name **V K MEDICAL CENTRE** Lab No **3685**
Constituent Group **Chemistry II** Date of Result Entered : **11/02/2023**
PT item **Lyophilized human serum based** Date of Report Published : **08/03/2023**

Sl.No	Analyte	Method / Principle Name	Analyzer Name	No of Participants	DV	Participants		Your Value	SDI	U
						CV	SD			
1	GLUCOSE II	GOD-POD II	Any Analyser (Automation / Semi Automation)	1433	118.28	8.87	10.49	126.6 mg/dL	0.79	0.55
2	UREA II	Urease UV / GLDH II	Any Analyser (Automation / Semi Automation)	908	124.78	11.93	14.88	136.4 mg/dL	0.78	0.99
3	CREATININE II	Jaffes End point II	Any Analyser (Automation / Semi Automation)	714	4.49	12.88	0.58	5.7 mg/dL	2.09	0.04
4	T.BILIRUBIN II	Diazonium Salt (Colorimetric) / Jendrassik II	Any Analyser (Automation / Semi Automation)	1038	1.59	18.03	0.29	1.3 mg/dL	-1.01	0.02
5	T-PROTEIN II	Biuret - Colorimetric II	Any Analyser (Automation / Semi Automation)	1046	4.85	10.14	0.49	4.3 g/dL	-1.12	0.03
6	ALBUMIN II	BCG - Colorimetric II	Any Analyser (Automation / Semi Automation)	1126	2.95	11.21	0.33	2.8 g/dL	-0.45	0.02
7	URIC ACID II	Enzymatic / Uricase Colorimetric II	Any Analyser (Automation / Semi Automation)	1220	7.22	12.28	0.89	7.6 mg/dL	0.43	0.05
8	CHOLESTROL II	CHOD-PAP II	Any Analyser (Automation / Semi Automation)	1405	101.48	12.06	12.24	101.9 mg/dL	0.03	0.65
9	TRIGLYCERIDE II	GPO-PAP / Enzymatic Colorimetric / End Point II	Any Analyser (Automation / Semi Automation)	1184	92.72	16.26	15.08	89 mg/dL	-0.25	0.88

SDI Range	Interpretation
Within -1.00 to +1.00	Excellent.
Within ±1.01 to ±2.00	Good.
Within ±2.01 to ±2.99	Accept with caution. Warning Signal.
Beyond ±3.0	Unacceptable performance. Action Signal.

LAB ADDRESS :

V K MEDICAL CENTRE
#A-45, 1st FLOOR, 3rd AVENUE, ANNA NAGAR (EAST)
CHENNAI
TAMILNADU600102

Coordinator Contact Details:
Email: clinqc@cmcvellore.ac.in
Contact Number: 0416-2283102

Pamela Christudoss

Dr. Pamela Christudoss
CMC EQAS Coordinator
Christian Medical College, Vellore

Homogeneity and Stability of the sample is passed.

Data in CMC EQAS reports is confidential

CMC EQAS does not sub contract any components

******* End of Report *******