

EIGHTCHECK-3WP ASSAY SHEET

Low Level

LOT 23370821

11-Mar-2023

Model		WBC	RBC	HGB		HCT	MCV	MCH		MCHC		PLT
		[10 ³ /μL]	[10 ⁶ /μL]	[g/dL]	[mmol/L]	[%]	[fL]	[pg]	[amol]	[g/dL]	[mmol/L]	[10 ³ /μL]
K-800	Range	4.2	2.68	6.4	4.0	18.6	71.2	25.0	1551	37.8	23.4	114
		3.4	2.44	5.8	3.6	15.8	63.2	22.6	1403	33.2	20.6	62
K-1000	Mean	3.8	2.56	6.1	3.8	17.2	67.2	23.8	1477	35.5	22.0	88
		Limit %	10.0	4.50	4.5	4.5	8.0	6.0	5.0	5.0	6.5	6.5
K-4500 ¹⁾	Range	4.1	2.71	6.5	4.0	18.6	71.2	25.5	1580	38.5	23.9	115
		3.1	2.41	5.7	3.6	15.8	63.2	22.1	1374	32.5	20.1	55
K-4500 Closed Mode	Mean	3.6	2.56	6.1	3.8	17.2	67.2	23.8	1477	35.5	22.0	85
		Limit %	15.0	6.00	6.0	6.0	8.3	6.0	7.0	7.0	8.5	8.5
KX-21N	Range	4.1	2.71	6.6	4.1	19.1	72.3	25.9	1605	38.7	24.0	117
		3.3	2.45	6.0	3.7	16.1	64.1	22.9	1423	32.9	20.4	63
KX-21	Mean	3.7	2.58	6.3	3.9	17.6	68.2	24.4	1514	35.8	22.2	90
		Limit %	12.0	5.00	5.0	5.0	8.5	6.0	6.0	6.0	8.0	8.0
poch-100i	Range	0.4	0.13	0.3	0.2	1.5	4.1	1.5	91	2.9	1.8	27
		3.8	2.81	6.4	3.9	20.2	75.1	24.2	1501	34.9	21.6	108
poch-100i	Mean	2.8	2.49	5.6	3.5	17.0	65.3	21.0	1305	29.7	18.4	58
		Limit %	14.0	6.00	6.0	6.0	8.5	7.0	7.0	7.0	8.0	8.0
poch-100i	Limit #	0.5	0.16	0.4	0.2	1.6	4.9	1.6	98	2.6	1.6	25
		3.8	2.71	6.3	3.9	19.1	72.3	24.7	1533	36.8	22.9	113
XP series	Range	3.0	2.45	5.7	3.5	16.1	64.1	21.9	1359	31.4	19.5	61
		Mean	3.4	2.58	6.0	3.7	17.6	68.2	23.3	1446	34.1	21.2
XP series	Limit %	12.0	5.00	5.0	5.0	8.5	6.0	6.0	6.0	8.0	8.0	30
		Limit #	0.4	0.13	0.3	0.2	1.5	4.1	1.4	87	2.7	1.7

Model		W-SCR/	W-MCR/	W-LCR/	W-SCC/	W-MCC/	W-LCC/	W-SMV	W-LMV	RDW-CV	RDW-SD	PDW	MPV	P-LCR	PCT
		LYM [%]	MXD [%]	NEUT [%] ²⁾	LYM [10 ³ /μL] ²⁾	MXD [10 ³ /μL] ²⁾	NEUT [10 ³ /μL] ²⁾	[fL]	[fL]	[%]	[fL]	[fL]	[fL]	[fL]	[%]
K-1000	Range	23.2	12.3	80.5	1.0	0.5	3.1	52.6	210.8	18.3	34.7	8.3	9.5	17.0	
		17.2	7.3	59.5	0.6	0.3	2.1	36.6	152.6	12.7	24.1	5.5	7.7	4.2	
K-4500 ¹⁾	Mean	20.2	9.8	70.0	0.8	0.4	2.6	44.6	181.7	15.5	29.4	6.9	8.6	10.6	
		Limit %	15.0	25.0	15.0	20.0	25.0	20.0	18.0	16.0	18.0	18.0	20.0	10.0	60.0
K-4500 Closed Mode	Range	23.2	12.3	80.5	0.8	0.5	3.0	52.6	210.8	18.3	34.7	8.3	9.5	17.0	
		17.2	7.3	59.5	0.6	0.3	2.0	36.6	152.6	12.7	24.1	5.5	7.7	4.2	
K-4500 Closed Mode	Mean	20.2	9.8	70.0	0.7	0.4	2.5	46.6	181.7	15.5	29.4	6.9	8.6	10.6	
		Limit %	15.0	25.0	15.0	20.0	25.0	20.0	18.0	16.0	18.0	18.0	20.0	10.0	60.0
KX-21N	Range	26.4	12.0	79.1	1.0	0.4	3.1	72.4	232.6	17.8	46.9	9.0	9.4	17.8	
		17.6	6.4	58.5	0.6	0.2	2.1	48.2	155.0	11.8	31.3	6.0	7.6	4.4	
KX-21	Mean	22.0	9.2	68.8	0.8	0.3	2.6	60.3	193.8	14.8	39.1	7.5	8.5	11.1	
		Limit %	20.0	30.0	15.0	25.0	30.0	20.0	20.0	20.0	20.0	20.0	20.0	10.0	60.0
poch-100i	Range	4.4	2.8	10.3	0.2	0.1	0.5	12.1	38.8	3.0	7.8	1.5	0.9	6.7	
		26.6	13.6	79.9	0.9	0.4	2.8	77.0	239.8	3.0	7.8	1.5	0.9	6.7	
poch-100i	Mean	16.0	4.8	59.1	0.5	0.2	1.8	51.4	159.8	14.5	36.2	6.2	8.7	5.7	
		Limit %	25.0	48.0	15.0	30.0	41.0	20.0	20.0	20.0	20.0	20.0	20.0	10.0	60.0
poch-100i	Limit #	5.3	4.4	10.4	0.2	0.1	0.5	12.8	40.0	3.6	9.0	1.6	1.0	8.6	
		25.4	12.6	79.5	0.9	0.4	2.9	71.8	228.2	17.0	45.7	8.9	9.6	18.1	
XP series	Range	17.0	6.8	58.7	0.5	0.2	1.9	47.8	152.2	11.4	30.5	5.9	7.8	4.5	
		Mean	21.2	9.7	69.1	0.7	0.3	2.4	59.8	190.2	14.2	38.1	7.4	8.7	11.3
XP series	Limit %	20.0	30.0	15.0	25.0	30.0	20.0	20.0	20.0	20.0	20.0	20.0	10.0	60.0	
		Limit #	4.2	2.9	10.4	0.2	0.1	0.5	12.0	38.0	2.8	7.6	1.5	0.9	6.8

Remarks:
 1) K-4500: Open Mode assay values
 2) These parameters values should be used as a reference only.

Please refer to the package insert for the handling procedure for EIGHTCHECK-3WP.



Assay EIGHTCHECK-3WP-Ab
 Part No. 8011
 800000C

Authorised representative in the Asia Pacific Region:
 Sysmex Asia Pacific Pte Ltd
 9 Tampines Grande #06-18, Singapore 528735
 sysmex@sysmex-ap.com
 www.sysmex-ap.com

Manufacturer: Sysmex Corporation
 1-5-1, Wakayama-Kaigandori,
 Chuo-ku, Kochi 751-0073, Japan
 www.sysmex.co.jp

EIGHTCHECK-3WP ASSAY SHEET

Normal Level

LOT

23370822



11-Mar-2023

Model		WBC [10 ³ /μL]	RBC [10 ⁶ /μL]	HGB		HCT [%]	MCV [fL]	MCH		MCHC		PLT [10 ³ /μL]
				[g/dL]	[mmol/L]			[pg]	[amol]	[g/dL]	[mmol/L]	
K-800 K-1000 K-4500 ¹⁾	Range	8.3	4.50	13.0	8.0	36.5	82.3	30.5	1890	39.0	24.3	265
		7.1	4.20	12.2	7.6	31.7	74.5	27.5	1710	35.0	21.7	195
	Mean	7.7	4.35	12.6	7.8	34.1	78.4	29.0	1800	37.0	23.0	230
	Limit %	8.0	3.50	3.0	3.0	7.0	5.0	5.0	5.0	5.5	5.5	15
K-4500 Closed Mode	Range	8.2	4.57	13.1	8.1	36.7	82.3	30.7	1908	39.8	24.7	256
		6.4	4.13	12.1	7.5	31.5	74.5	27.3	1692	34.2	21.3	190
	Mean	7.3	4.35	12.6	7.8	34.1	78.4	29.0	1800	37.0	23.0	223
	Limit %	13.0	5.00	4.0	4.0	7.5	5.0	6.0	6.0	7.5	7.5	15
KX-21N KX-21	Range	7.8	4.51	13.1	8.1	36.9	83.0	30.9	1918	39.6	24.6	275
		6.8	4.17	12.3	7.7	31.7	75.0	27.7	1718	34.4	21.4	203
	Mean	7.3	4.34	12.7	7.9	34.3	79.0	29.3	1818	37.0	23.0	239
	Limit %	7.0	4.00	3.0	3.0	7.5	5.0	5.5	5.5	7.0	7.0	15
	Limit #	0.5	0.17	0.4	0.2	2.6	4.0	1.6	100	2.6	1.6	36
poch-100i	Range	7.6	4.70	13.0	8.1	39.6	86.8	29.4	1822	36.2	22.5	262
		6.4	4.26	11.8	7.3	33.8	77.0	26.0	1616	31.4	19.5	194
	Mean	7.0	4.48	12.4	7.7	36.7	81.9	27.7	1719	33.8	21.0	228
	Limit %	9.0	5.00	5.0	5.0	8.0	6.0	6.0	6.0	7.0	7.0	15
	Limit #	0.6	0.22	0.6	0.4	2.9	4.9	1.7	103	2.4	1.5	34
XP series	Range	7.6	4.49	12.7	7.8	36.7	82.8	30.1	1866	38.6	24.0	275
		6.6	4.15	11.9	7.4	31.5	75.0	26.9	1672	33.6	20.8	203
	Mean	7.1	4.32	12.3	7.6	34.1	78.9	28.5	1769	36.1	22.4	239
	Limit %	7.0	4.00	3.0	3.0	7.5	5.0	5.5	5.5	7.0	7.0	15
	Limit #	0.5	0.17	0.4	0.2	2.6	3.9	1.6	97	2.5	1.6	36

Model		W-SCR/ LYM	W-MCR/ MXD	W-LCR/ NEUT	W-SCC/ LYM	W-MCC/ MXD	W-LCC/ NEUT	W-SMV	W-LMV	RDW-CV	RDW-SD	PDW	MPV	P-LCR	PCT
		[%]	[%]	[%] ²⁾	[10 ³ /μL] ²⁾	[10 ³ /μL] ²⁾	[10 ³ /μL] ²⁾	[fL]	[fL]	[%]	[fL]	[fL]	[fL]	[%]	[%]
K-1000 K-4500 ¹⁾	Range	31.1	13.3	63.5	2.4	1.0	5.1	53.1	196.3	13.7	31.5	7.6	9.3	14.3	
		27.1	9.9	55.1	2.0	0.8	4.1	36.9	167.3	10.1	23.3	6.2	7.9	4.7	
	Mean	29.1	11.6	59.3	2.2	0.9	4.6	45.0	181.8	11.9	27.4	6.9	8.6	9.5	
	Limit %	7.0	15.0	7.0	10.0	15.0	10.0	18.0	8.0	15.0	15.0	10.0	8.0	50.0	
K-4500 Closed Mode	Range	31.1	13.3	63.5	2.3	0.9	4.8	53.1	196.3	13.7	31.5	7.6	9.3	14.3	
		27.1	9.9	55.1	1.9	0.7	4.0	36.9	167.3	10.1	23.3	6.2	7.9	4.7	
	Mean	29.1	11.6	59.3	2.1	0.8	4.4	45.0	181.8	11.9	27.4	6.9	8.6	9.5	
	Limit %	7.0	15.0	7.0	10.0	15.0	10.0	18.0	8.0	15.0	15.0	10.0	8.0	50.0	
KX-21N KX-21	Range	35.7	13.5	62.3	2.6	1.0	4.6	71.0	224.0	12.3	40.0	8.3	9.2	14.0	
		26.3	8.1	54.1	2.0	0.6	3.8	49.4	165.6	9.1	29.6	6.7	7.8	4.6	
	Mean	31.0	10.8	58.2	2.3	0.8	4.2	60.2	194.8	10.7	34.8	7.5	8.5	9.3	
	Limit %	15.0	25.0	7.0	15.0	25.0	10.0	18.0	15.0	15.0	15.0	10.0	8.0	50.0	
	Limit #	4.7	2.7	4.1	0.3	0.2	0.4	10.8	29.2	1.6	5.2	0.8	0.7	4.7	
poch-100i	Range	36.1	13.3	62.3	2.5	0.9	4.6	75.3	229.9	17.3	49.5	8.8	10.0	17.0	
		26.7	7.5	54.1	1.9	0.5	3.6	52.3	169.9	12.7	36.5	7.2	8.6	4.2	
	Mean	31.4	10.4	58.2	2.2	0.7	4.1	63.8	199.9	15.0	43.0	8.0	9.3	10.6	
	Limit %	15.0	28.0	7.0	15.0	28.0	12.0	18.0	15.0	15.0	10.0	8.0	60.0		
	Limit #	4.7	2.9	4.1	0.3	0.2	0.5	11.5	30.0	2.3	6.5	0.8	0.7	6.4	
XP series	Range	35.4	13.3	62.7	2.5	1.0	4.5	70.4	219.0	11.6	39.4	8.3	9.4	15.3	0.30
		26.2	7.9	54.5	1.9	0.6	3.7	49.0	161.8	8.6	29.2	6.7	8.0	5.1	0.12
	Mean	30.8	10.6	58.6	2.2	0.8	4.1	59.7	190.4	10.1	34.3	7.5	8.7	10.2	0.21
	Limit %	15.0	25.0	7.0	15.0	25.0	10.0	18.0	15.0	15.0	10.0	8.0	50.0	43.0	
	Limit #	4.6	2.7	4.1	0.3	0.2	0.4	10.7	28.6	1.5	5.1	0.8	0.7	5.1	0.09

Remarks:

- 1) K-4500: Open Mode assay values
- 2) These parameters values should be used as a reference only.

Please refer to the package insert for the handling procedure for EIGHTCHECK-3WP.



Assay EIGHTCHECK-3WP Normal AP
Part No 350312
CX48394C

Authorised representative in the Asia Pacific Region:
Sysmex Asia Pacific Pte Ltd
9 Tampines Grande #06-18, Singapore 528735
sysmex@sysmex-ap.com
www.sysmex-ap.com

Manufacturer: Sysmex Corporation
1-5-1, Wakohama-Kalgandori,
Chuo-ku, Kobe 651-0073, Japan
www.sysmex.co.jp

EIGHTCHECK-3WP ASSAY SHEET

High Level

LOT

23370823



11-Mar-2023

Model		WBC [10 ³ /μL]	RBC [10 ⁶ /μL]	HGB		HCT [%]	MCV [fL]	MCH		MCHC		PLT [10 ³ /μL]
				[g/dL]	[mmol/L]			[pg]	[amol]	[g/dL]	[mmol/L]	
K-800 K-1000 K-4500 ¹⁾	Range	21.1	5.37	17.0	10.5	47.0	88.8	33.4	2073	39.5	24.5	584
		17.9	5.01	16.0	9.9	40.8	80.4	30.2	1875	35.7	22.1	450
	Mean	19.5	5.19	16.5	10.2	43.9	84.6	31.8	1974	37.6	23.3	517
K-4500 Closed Mode	Limit %	8.0	3.50	3.1	3.1	7.0	5.0	5.0	5.0	5.0	5.0	13
	Range	20.9	5.48	17.2	10.7	47.2	88.8	33.7	2092	40.4	25.0	566
		16.1	4.90	15.8	9.7	40.6	80.4	29.9	1856	34.8	21.6	436
KX-21N KX-21	Mean	18.5	5.19	16.5	10.2	43.9	84.6	31.8	1974	37.6	23.3	501
	Limit %	13.0	5.50	4.5	4.5	7.5	5.0	6.0	6.0	7.5	7.5	13
	Range	20.7	5.42	17.4	10.8	47.7	89.5	34.0	2108	40.4	25.1	658
poch-100i		17.9	5.00	16.2	10.0	41.1	80.9	30.4	1888	35.2	21.9	506
	Mean	19.3	5.21	16.8	10.4	44.4	85.2	32.2	1998	37.8	23.5	582
	Limit %	7.0	4.00	3.5	3.5	7.5	5.0	5.5	5.5	7.0	7.0	13
XP series	Limit #	1.4	0.21	0.6	0.4	3.3	4.3	1.8	110	2.6	1.6	76
	Range	19.9	5.64	17.5	10.9	51.3	93.8	32.8	2036	37.7	23.3	600
		16.7	5.10	15.9	9.9	43.7	83.2	29.4	1824	32.7	20.3	444
KX-21N KX-21	Mean	18.3	5.37	16.7	10.4	47.5	88.5	31.1	1930	35.2	21.8	522
	Limit %	9.0	5.00	5.0	5.0	8.0	6.0	5.5	5.5	7.0	7.0	15
	Limit #	1.6	0.27	0.8	0.5	3.8	5.3	1.7	106	2.5	1.5	78
poch-100i	Range	19.0	5.41	16.8	10.5	47.7	89.7	32.9	2042	39.1	24.3	635
		16.6	4.99	15.6	9.7	41.1	81.1	29.5	1830	33.9	21.1	489
	Mean	17.8	5.20	16.2	10.1	44.4	85.4	31.2	1936	36.5	22.7	562
XP series	Limit %	7.0	4.00	3.5	3.5	7.5	5.0	5.5	5.5	7.0	7.0	13
	Limit #	1.2	0.21	0.6	0.4	3.3	4.3	1.7	106	2.6	1.6	73

Model		W-SCR/ LYM [%]	W-MCR/ MXD [%]	W-LCR/ NEUT [%] ²⁾	W-SCC/ LYM [10 ³ /μL] ²⁾	W-MCC/ MXD [10 ³ /μL] ²⁾	W-LCC/ NEUT [10 ³ /μL] ²⁾	W-SMV [fL]	W-LMV [fL]	RDW-CV [%]	RDW-SD [fL]	PDW [fL]	MPV [fL]	P-LCR [%]	PCT [%]
K-4500 Closed Mode		31.0	14.1	46.6	5.8	2.7	8.8	37.2	168.6	9.3	24.6	6.3	7.9	4.8	
	Mean	33.3	16.6	50.1	6.5	3.2	9.8	45.4	183.3	11.0	29.0	7.0	8.6	9.6	
	Limit %	7.0	15.0	7.0	10.0	15.0	10.0	18.0	8.0	15.0	15.0	10.0	8.0	50.0	
KX-21N KX-21	Range	38.3	20.8	57.6	7.4	3.9	11.0	53.6	212.6	13.0	34.2	8.4	9.5	15.4	
		28.3	12.4	42.6	5.0	2.3	7.4	37.2	154.0	9.0	23.8	5.6	7.7	3.8	
	Mean	33.3	16.6	50.1	6.2	3.1	9.2	45.4	183.3	11.0	29.0	7.0	8.6	9.6	
poch-100i	Limit %	15.0	25.0	15.0	20.0	25.0	20.0	18.0	16.0	18.0	18.0	20.0	10.0	60.0	
	Range	41.3	19.4	52.0	7.9	3.8	10.3	71.4	224.6	11.5	40.6	8.4	9.2	13.4	
		30.5	11.6	45.2	5.9	2.2	8.5	49.6	166.0	8.5	30.0	6.8	7.8	4.4	
XP series	Mean	35.9	15.5	48.6	6.9	3.0	9.4	60.5	195.3	10.0	35.3	7.6	8.5	8.9	
	Limit %	15.0	25.0	7.0	15.0	25.0	10.0	18.0	15.0	15.0	15.0	10.0	8.0	50.0	
	Limit #	5.4	3.9	3.4	1.0	0.8	0.9	10.9	29.3	1.5	5.3	0.8	0.7	4.5	
KX-21N KX-21	Range	42.7	20.0	50.6	7.8	3.7	9.6	75.0	230.2	16.8	51.3	9.1	9.8	15.5	
		31.5	11.2	44.0	5.8	2.1	7.6	52.2	170.2	12.4	37.9	7.5	8.4	3.9	
	Mean	37.1	15.6	47.3	6.8	2.9	8.6	63.6	200.2	14.6	44.6	8.3	9.1	9.7	
poch-100i	Limit %	15.0	28.0	7.0	15.0	28.0	12.0	18.0	15.0	15.0	15.0	10.0	8.0	60.0	
	Range	40.8	19.6	52.2	7.2	3.5	9.6	70.8	219.8	10.8	39.1	8.3	9.3	14.1	0.69
		30.2	11.8	45.4	5.4	2.1	7.8	49.2	162.4	8.0	28.9	6.7	7.9	4.7	0.27
XP series	Mean	35.5	15.7	48.8	6.3	2.8	8.7	60.0	191.1	9.4	34.0	7.5	8.6	9.4	0.48
	Limit %	15.0	25.0	7.0	15.0	25.0	10.0	18.0	15.0	15.0	15.0	10.0	8.0	50.0	43.0
	Limit #	5.3	3.9	3.4	0.9	0.7	0.9	10.8	28.7	1.4	5.1	0.8	0.7	4.7	0.21

Remarks:

- 1) K-4500: Open Mode assay values
- 2) These parameters values should be used as a reference only.

Please refer to the package insert for the handling procedure for EIGHTCHECK-3WP.



Assay EIGHTCHECK-3WP High AP
Part No 350313
BP82483C

Authorized representative in the Asia Pacific Region:
Sysmex Asia Pacific Pte Ltd
9 Tampines Grande #06-18, Singapore 528735
sysmex@sysmex-ap.com
www.sysmex-ap.com

Manufacturer: Sysmex Corporation
1-5-1, Wakayama-Kaigandori,
Chuo-ku, Kobe 651-0073, Japan
www.sysmex.co.jp

10/06/2023 19:36

* QC File Settings *

File 1
Lot ID 23370821
Exp. 2023/03/11

	Target	Limit	
WBC	3.4	0.4	$\times 10^3$
RBC	2.58	0.13	$\times 10^6$
HGB	6.0	0.3	g/dl
HCT	17.6	1.5	%
MCV	68.2	4.1	fL
MCH	23.3	1.4	pg
MCHC	34.1	2.7	g/dl
PLT	87	26	$\times 10^3$
LYM%	0.0	0.0	%
MXD%	0.0	0.0	%
NEUT%	0.0	0.0	%
LYM#	0.0	0.0	$\times 10^3$
MXD#	0.0	0.0	$\times 10^3$
NEUT#	0.0	0.0	$\times 10^3$
W-SMV	0.0	0.0	fL
W-LMV	0.0	0.0	fL
RDW-SD	0.0	0.0	fL
RDW-CV	0.0	0.0	%
PDW	0.0	0.0	fL
MPV	0.0	0.0	fL
P-LCR	0.0	0.0	%
PCT	0.00	0.00	%

10/06/2023 19:37

* QC File Settings *

File 2
Lot ID 23370822
Exp. 2023/03/11

	Target	Limit	
WBC	7.1	0.5	$\times 10^3$
RBC	4.32	0.17	$\times 10^6$
HGB	12.3	0.4	g/dl
HCT	34.1	2.6	%
MCV	78.9	3.9	fL
MCH	28.5	1.6	pg
MCHC	36.1	2.5	g/dl
PLT	239	36	$\times 10^3$
LYM%	0.0	0.0	%
MXD%	0.0	0.0	%
NEUT%	0.0	0.0	%
LYM#	0.0	0.0	$\times 10^3$
MXD#	0.0	0.0	$\times 10^3$
NEUT#	0.0	0.0	$\times 10^3$
W-SMV	0.0	0.0	fL
W-LMV	0.0	0.0	fL
RDW-SD	0.0	0.0	fL
RDW-CV	0.0	0.0	%
PDW	0.0	0.0	fL
MPV	0.0	0.0	fL
P-LCR	0.0	0.0	%
PCT	0.00	0.00	%

10/06/2023 19:38

* QC File Settings *

File 3
Lot ID 23370823
Exp. 2023/03/11

	Target	Limit	
WBC	17.8	1.2	$\times 10^3$
RBC	5.20	0.21	$\times 10^6$
HGB	16.2	0.6	g/dl
HCT	44.4	3.3	%
MCV	85.4	4.3	fL
MCH	31.2	1.7	pg
MCHC	36.5	2.6	g/dl
PLT	562	73	$\times 10^3$
LYM%	0.0	0.0	%
MXD%	0.0	0.0	%
NEUT%	0.0	0.0	%
LYM#	0.0	0.0	$\times 10^3$
MXD#	0.0	0.0	$\times 10^3$
NEUT#	0.0	0.0	$\times 10^3$
W-SMV	0.0	0.0	fL
W-LMV	0.0	0.0	fL
RDW-SD	0.0	0.0	fL
RDW-CV	0.0	0.0	%
PDW	0.0	0.0	fL
MPV	0.0	0.0	fL
P-LCR	0.0	0.0	%
PCT	0.00	0.00	%