



CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY
CMC EXTERNAL QUALITY ASSURANCE SCHEME
MONTHLY SUMMARY REPORT - JUNE 2023



PC-1024

Lab Name **FAME DIAGNOSTICS & HEALTHCARE PVT LTD** Lab No **15125**
Constituent Group **Chemistry II** Date of Result Entered : **17/06/2023**
PT item **Lyophilized human serum based** Date of Report Published : **04/07/2023**

Sl.No	Analyte	Method / Principle Name	Analyzer Name	No of Participants	DV	Participants		Your Value	SDI	U
						CV	SD			
1	GLUCOSE II	GOD-POD II	Any Analyser (Automation / Semi Automation)	1526	266.99	9.70	25.91	277 mg/dL	0.38	1.33
2	UREA II	Urease UV / GLDH II	Any Analyser (Automation / Semi Automation)	1025	47.23	11.49	5.42	44.7 mg/dL	-0.47	0.34
3	CREATININE II	Jaffes Kinetic-Alkaline Picrate II	Any Analyser (Automation / Semi Automation)	1158	1.04	15.24	0.16	1.2 mg/dL	1.01	0.01
4	T.BILIRUBIN II	Diazonium Salt (Colorimetric) / Jendrasik II	Any Analyser (Automation / Semi Automation)	1337	4.71	15.27	0.72	4.3 mg/dL	-0.57	0.04
5	T-PROTEIN II	Biuret - Colorimetric II	Any Analyser (Automation / Semi Automation)	1248	5.94	9.76	0.58	5.1 g/dL	-1.45	0.03
6	ALBUMIN II	BCG - Colorimetric II	Any Analyser (Automation / Semi Automation)	1229	3.50	9.29	0.32	3.1 g/dL	-1.23	0.02
7	URIC ACID II	Enzymatic / Uricase Colorimetric II	Any Analyser (Automation / Semi Automation)	1129	4.67	17.89	0.84	3.6 mg/dL	-1.28	0.05
8	CHOLESTROL II	CHOD-PAP II	Any Analyser (Automation / Semi Automation)	1590	128.46	11.58	14.88	105 mg/dL	-1.58	0.75
9	TRIGLYCERIDE II	GPO-PAP / Enzymatic Colorimetric / End Point II	Any Analyser (Automation / Semi Automation)	1346	160.03	14.05	22.49	187 mg/dL	1.20	1.23
SDI Range				Interpretation						
Within -1.00 to +1.00				Excellent.						
Within ±1.01 to ±2.00				Good.						
Within ±2.01 to ±2.99				Accept with caution. Warning Signal.						
Beyond ±3.0				Unacceptable performance. Action Signal.						

LAB ADDRESS :

FAME DIAGNOSTICS & HEALTHCARE PVT LTD
#88, RK HEGDE NAGAR, DR. SRK NAGARPOST, NEAR RASHTROTHANA FLYOVER
BANGALORE
KARNATAKA560077

Pamela Christudoss

Coordinator Contact Details:
Email: clinqc@cmcvellore.ac.in
Contact Number: 0416-2283102

Dr. Pamela Christudoss
CMC EQAS Coordinator
Christian Medical College, Vellore

Homogeneity and Stability of the sample is passed.
Data in CMC EQAS reports is confidential
CMC EQAS does not sub contract any components
***** End of Report *****