KOVID EDUCATIONAL SOCIETY



Reg. Off.H-33-B/A, Tagore Path, Bani Park, Jaipur

Corp. Office: C-35, F-402, Yuvraj Residency, Piyush Path Bapu Nagar, Jaipur - 302015

Ph. No. 0141 - 2708000 • Mob.: 9414031234

Ref.

DECLARATION

THIS IS TO INFORM THAT MODERN LAB IS RUNNING a unit of KOVID EDUCATIONAL SOCIETY.

Registered under Udyam Registration and Rajasthan pollution control Board OBJECTIVE EVIDENCE:

- 1. UDYAM REGISTRATION CERTIFICATE
- 2. POLLUTION CERTIFICATE-AUTHORIZATION -BMW

FOR KOVID EDUCATION SOCIETY

Director/Authorized Signatory



भारत सरकार **Government of India** सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय



Ministry of Micro, Small and Medium Enterprises

UDYAM REGISTRATION CERTIFICATE

UDYAM REGISTRATION NUMBER

UDYAM-RJ-17-0278852

NAME OF ENTERPRISE

MODERN THE PEOPLE LAB (A UNIT OF KOVID EDUCATIONAL SOCIETY)

TYPE OF ENTERPRISE *

SNo.	Classification Year	Enterprise Type	Classification Date
1	2023-24	Micro	13/07/2023

MAJOR ACTIVITY

TRADING [For availing benefits of Priority Sector Lending(PSL) ONLY]

SOCIAL CATEGORY OF

ENTREPRENEUR

GENERAL

NAME OF UNIT(S)

S.No.	No. Name of Unit(s)	
1	MODERN THE PEOPLE LAB	

OFFICAL ADDRESS OF ENTERPRISE

Flat/Door/Block No.	Shop No. A-1	Name of Premises/ Building	Shopping Center
Village/Town	Sector-7	Block	Pratap Nagar
Road/Street/Lane	Sanganer	City	Jaipur
State	RAJASTHAN	District	JAIPUR, Pin 302033
Mobile	887555513	Email:	sharmaskumar1984@gmail.com

DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE

10/02/2023

DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS

NATIONAL INDUSTRY CLASSIFICATION CODE(S)

SNo.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
1	86 - Human health activities	8620 - Medical and dental practice activities	86201 - Medical practice activities	Services

DATE OF UDYAM REGISTRATION

13/07/2023

Disclaimer: This is computer generated statement, no signature required Printed from https://udyamregistration.gov.in & Date of printing:-14/07/2023

For any assistance, you may contact:

1. District Industries Centre: JAIPUR CITY (RAJASTHAN)

2. MSME-DFO: JAIPUR (RAJASTHAN)

Visit: www.msme.gov.in; www.dcmsme.gov.in; www.champions.g









^{*} In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the M/o MSME.

RAJASTHAN STATE POLLUTION CONTROL BOARD



Unit Id: 120702

8/263, Malviya Nagar, Behind Renault Showroom Near Jawahar Circle, J

Phone: 0141-4068311 Fax: 5159699

Registered



17/08/2022

Date:

F(BMW)/JAIPUR(Sanganer)/6238()/2022-2023/1139-1140

FORM IV

(Authorization for operating a facility for Collection, Generation, Reception, Storage of Biomedical Wastes)

(SEE Rule 10 of BMW Rules, 2016)

- 1 Authorization Letter No. BMW/2022-2023/Jaipur (S)/BMW/107.
- 2 YUDHVEER SINGH BALWADA, Secretary of Modren The peoples lab Jaipur (A Unit of kovid educational society) is hereby granted an authorization under Rule 10 of Bio-Medical Waste (Management & Handling) Rules, 2016 (BMW Rules, 2016) to operate a facility for Collection, Generation, Reception, Storage of biomedical waste on the premisses situated at Shope no A-1 Shoping Center, Sector-7, Pratap Nagar, Jaipur, Tehsil Sanganer, District Jaipur.
- 3 This authorization is valid till it is cancelled /revoked by the Competent Authority.
- 4 This authorization is valid for operation of the Laboratory with 0 (zero) number of beds.
- This authorization is subject to the conditions contained in enclosed annexure and to such other conditions/guidlines as may be specified under BMW Rules, 2016 by Central Pollution Control Board, Delhi or Ministry of Environment & Forests(MoEF), Government of India (GOI) or Department of Environment (DOE), Government MARAGEST (GOR).
- 6 Segregation, packing, transportation, storage, recommendation accordance with Rule 7 & 8 of BMW Rules, 2016. The bio medical waste shall be disposed of at Common Biomedical Waste Treatment & Disposal Facility (CBMWTDF) established for the area viz.
- The mercury bearing, waste arising due to breakage of thermometers, pressure gauges and other instruments is not to be treated as bio-medical waste or other solid waste. The mercury bearing waste is to be segregated, collected, stored and disposed in accordance with the provisions of Hazardous Waste and other wastes

 (Management and Transboundary Movement) Rules, 2016.
- 8 The Annual report in accordance with Rule 13 for the period 1st January to 31st December of previous year shall be submitted On or before 30th June of every year in form IV as prescribed in the Rules and the annual report shall also be made available on the web-site of the occupier. Further, all the health care facilities shall develop their website within two years from the date of notification of the BMW Rules, 2016, in case not already developed.

17-06-2023 20:20:10

26.809379

Regional Office Jaipur (S)

Rajasthan State Pollution Control Board

480998/263, Malviya Nagar, Behind Renault Showroom Near Jawahar (Phone: 0141-496時本1 Fax: 5159699



Registered

File No :

F(Tech)/JAIPUR(Sanganer)/6811(1)/2022-2023/1135-1136

Order No:

2022-2023/Jaipur (S)/11184

Date:

Aug 17 2022 6:28PM

Unit Id :

120702

M/s Modren The peoples lab Jaipur (A Unit of kovid educational society)

Shope no A-1 Shoping Center, Sector-7, Pratap Nagar, Jaipur

Tehsil:Sanganer District:JAIPUR

Sub: Consent

Consent to Operate under Section 25/26 of the Water (Prevention & Control of Pollution)

Act, 1974.

Your application for Consent to Operate dated 04/07/2022 and subsequent correspondence.

Sir.

Ref:

Consent to Operate under the provisions of Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) as amended to date and rules & the orders issued thereunder is hereby granted for your A Unit of kovid educational society plant situated at Shope no A-1 Shoping Center, Sector-7, Pratap Nagar Jaipur Tehsil:Sanganer District:JAIPUR , Rajasthan, subject to the following conditions:-

- 1 That this Consent to Operate is valid till it is cancelled /revoked by the Competent Authority.
- 2 That this one time Consent is valid only for with 0 number of beds.
- 3 That this consent to operate is for existing plant, process & capacity and separate consent to establish/operate is required to be taken for any addition / modification / alteration in process or change in capacity or change in fuel. Signature Not Verified
- 4 That the quantity of effluent generation at the quantity of effluent generation at the generation at the generation of the treated effluent shall be as under:

Type of effluent	Max. effluent generation (KLD)	Recycled Qty of Effluent (KLD)	Disposed Qty of effluent (KLD)and mode of disposal
Domestic Sewage	0:200	NIL	0.200 Septic Tank and Soakpit