

भारतीय गैर न्यायिक

पचास
रुपये

रु.50



FIFTY
RUPEES

Rs.50

INDIA NON JUDICIAL

தமிழ்நாடு தமில்நாடு TAMILNADU



தமிழ்நாடு எண்: 42757

தேதி:

சுபாய்:

18 SEP 2018

ASEPTIC SYSTEMS. TU

Agreement of Services

AY 729102

P. ஜோசப் P. முயல்

முத்திரைத்தாள் அறிவுகளைபுள்ளர்
74, மதுரை ரோடு, திருநெல்வேலி-
உரிமை எண்: 3 of 1997

This agreement is entered on the 01 day of May 2022 between Aseptic Systems Bio Medical Waste having its registered office at B1, 'C' Colony, Perumalpuram, Tirunelveli - 627 007. (Hereinafter called as "Party A") represented by its Authorized Signatory Mr.N.Murugan.

And

B.The Deputy Director of Health Services Nagercoil Health Unit District, (Herein after called as " Party B")

For ASEPTIC SYSTEMS BMWM Co.

N. Murugan
Manager

DEPUTY DIRECTOR OF HEALTH SERVICES
NAGERCOIL

NAGERCOIL

N. Murugan
Manager



A2
1308

TAMILNADU POLLUTION CONTROL BOARD



FORM III

(See Rule 10)

AUTHORISATION No: 19BAD26308603 Dated 03/07/2019

Proceeding No: F.0992NGL/BWA/OS/DEE/TNPCB/NGL/2016 dated 03/07/2019

Sub: Tamil Nadu Pollution Control Board – Bio-Medical Waste Authorization - Fresh-HCF- M/s.GOVERNMENT PRIMARY HEALTH CENTRE- KUTTAKUZHI, S.F.No.474/8, CHERUKOLE village, KALKULAM Taluk, Kanyakumari District - Authorization under Rule 10 of the Bio-Medical Waste Management Rules, 2016 enacted under Environment (Protection) Act, 1986 – Issued- Reg.

Ref: 1. Unit's BMWA Application Id: 26308603 submitted on 08/06/2019
2. BMW-IR.No: F.0992NGL/BWA/OS/DEE/NGL/2019 dated 03/07/2019

AUTHORISATION FOR OPERATING A FACILITY FOR GENERATION, COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIO-MEDICAL WASTES

1. File number of authorization: 19BAD26308603 and date of issue: 03/07/2019
2. Medical Officer of M/s. GOVERNMENT PRIMARY HEALTH CENTRE- KUTTAKUZHI, an occupier or operator of the facility located at S.F.No.474/8, CHERUKOLE Village, KALKULAM Taluk, Kanyakumari District is hereby granted an Authorisation for Generation, Segregation, Collection, Storage, Packaging, Disposal of Bio-Medical Waste
3. M/s. GOVERNMENT PRIMARY HEALTH CENTRE- KUTTAKUZHI is hereby authorized for handling of Bio-Medical waste as per the capacity given below.

i)	Number of beds of HCF	30	Nos	
ii)	Quantity of Bio-Medical Waste handled, treated or disposed			
	Category	Type of Waste	Quantity permitted for handling	Unit
	Yellow	a) Human Anatomical Waste	3.0	Kg/day
		b) Animal Anatomical Waste		Kg/day
		c) Soiled Waste	3.0	Kg/day
		d) Expired or Discarded Medicines	0.25	Kg/day
		e) Chemical Solid Waste		Kg/day
		f) Chemical Liquid Waste in KLD		KLD
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid routine mask and gown	2.0	Kg/day
		h) Microbiology, Biotechnology and other	0.25	Kg/day

POLLUTION PREVENTION PAYS

அகம் தாய்மை வாய்மைக்கு! புறம் தாய்மை வாழ்வுக்கு!



A3.

1576

Public Works Department

From
Er. V.R. Vellaichamy Raj, B.E., M.Tech.,
Executive Engineer, P.W.D.,
Buildings (C & M) Division,
Nagercoil.

To
Block Medical Officer,
Government Primary Health Centre,
Kuttakuzhi.

Lr. No. D2/643^m /C-38/2022/Dt: 15.12.2022.

Sir,

Sub: Buildings - Stability Certificate for Government Primary Health Centre at Kuttakuzhi stability report - Submitted reg.

Ref: 1. Block medical office, Government Primary Health Centre letter No. Nil.
2. Assistant Executive Engineer, Buildings (C&M) Sub Division, Kuzhithurai Lr.No: 726/C-44/2022, dt: 05.12.2022.

With reference to the letter cited above, the Government Primary Health Centre at Kuttakuzhi was inspected and its statement is as follows.

Sl. No.	Name of block building	Year of Construction	No.of floors	Type of structure	Remarks
1.	OP ward	2008-2009	1	Load Bearing	No Visible cracks
2.	Emergency ward	2011-2012	1	Load Bearing	No Visible cracks
3.	Office Building	1973	1	Load Bearing	No Visible cracks
4.	Naturopathy	2014	1	Load Bearing	No Visible cracks
5.	Sidha	2001-2002	1	Load Bearing	No Visible cracks
6.	Office	1968	1	Load Bearing	No Visible cracks
7.	Review / Meeting	1980	1	Load Bearing	No Visible cracks

The above building is constructed based on the type design evolved by the Chief architect, PWD., Chennai and being maintained by PWD.

Certified that the above building is fair enough to run as hospital.

Executive Engineer, P.W.D.,
Building (C&M) Division,
Nagercoil.

19/12/22



GOVERNMENT OF TAMIL NADU
DIRECTORATE OF MEDICAL AND RURAL HEALTH SERVICES
DMS COMPLEX, NO 356-361, ANNA SALAI, CHENNAI - 600 006
PHONE : (044)24343271 - FAX : (044) 24343271

FORM II

(see rule 8)

CERTIFICATE OF REGISTRATION OF CLINICAL ESTABLISHMENT

Registration No **KNKIAL20190004351**

Date of Issue **28-11-2019**

Valid upto **27-11-2024**

1. **Govt Primary Health Centre Kuttakuzhi** operating from **Govt Primary Health Centre Kuttakuzhi, Veeyanoor Post , Village , Kanniyakumari , Tamil Nadu - 629177** as **Primary Health Centre** is hereby registered under the provisions of the Tamil Nadu Clinical Establishments (Regulation) Act, 1997 to provide services under **Allopathic** system of Medicine with **30** beds.
2. The Certificate of Registration shall be subject to the conditions laid down in the Tamil Nadu Clinical Establishments (Regulation) Act, 1997 and the Tamil Nadu Clinical Establishments (Regulation) Rules, 2018.




28/11/2019

Place: **Nagercoil**
Date: **28-11-2019**

Competent Authority
Joint Director of Health Services
Kanyakumari Dist. @ Nagercoil

PWD

Electrical Stability Certificate

Govt.Primary Health Centre, Kuttaikuzhi

Electrical Installations:

1. SBT Fittings	-	85 Nos
2. Ceiling Fan	-	55 Nos
3. BH Fitting	-	32 Nos
4. Street light	-	9Nos
5. T.M.O Fitting	-	4Nos
6. 2TR AC Unit	-	3Nos
7. 1TR AC	-	1No
8. Auto Clave	-	1No
9. Sterilizer	-	1No
10. I.L.R	-	1No
11. DE freezer	-	2Nos
12. U.S.G	-	1No
13. X-ray Machine	-	100mA
14. 1.0KVA Invertor	-	1No
15. Refrigerator	-	4Nos
16. Computer	-	6Nos
17. Printer	-	3Nos
18. 12.5KVA Generator	-	1No

Certified that the electrical installations are found satisfactory for the PWD executed wiring works in the above building.

A. Padma
ASSISTANT ENGINEER
PWD Electrical Section
Thuckalay.

PWD

From
Er.A.Padmabeaula,M.E.,
Assistant Engineer,PWD,
Electrical Section,
Thuckalay.

To
The Medical Officer,
Primary Health Centre,
Kuttaikuzhi.

Lr.No: F15 / PHC /2022-23 Dt : 18/11/2022

Sir,

Sub: Electrical Stability Certificate- Submission Reg.

Ref: The Medical Officer, Primary Health Office, Kuttaikuzhi Lr.No:

I am enclosing herewith the Electrical Stability Certificate for favour of NQAS
Inspection.

Encl: 1. Electrical Stability certificate - 1 No

A. Padmabeaula
Assistant Engineer, PWD,
Electrical Section,
Thuckalay.



GOVERNMENT OF TAMIL NADU
DIRECTORATE OF MEDICAL AND RURAL HEALTH SERVICES
DMS COMPLEX, NO 356-361, ANNA SALAI, CHENNAI - 600 006
PHONE : (044)24343271 - FAX : (044) 24343271

FORM II

(see rule 8)

CERTIFICATE OF REGISTRATION OF CLINICAL ESTABLISHMENT

Registration No **KNKISID20190004304**

Date of Issue **27-11-2019**

Valid upto **26-11-2024**

- 1. Government Primary Health Centre, Kuttakuzhi operating from Government Primary Health Centre Kuttakuzhi , Veeyanoor Post , ATTOOR , Kanniyakumari , Tamil Nadu - 629177 as Primary Health Centre is hereby registered under the provisions of the Tamil Nadu Clinical Establishments (Regulation) Act, 1997 to provide services under Siddha system of Medicine with 0 beds.**
- 2. The Certificate of Registration shall be subject to the conditions laid down in the Tamil Nadu Clinical Establishments (Regulation) Act, 1997 and the Tamil Nadu Clinical Establishments (Regulation) Rules, 2018.**




27/11/19

Place: **Nagercoil**
Date: **27-11-2019**

Competent Authority
Joint Director of Health Services
Kanyakumari Dist. @ Nagercoil

TAMIL NADU FIRE – RESCUE SERVICE
FIRE –LICENSE
(See Section 13)



Dis.No: 8056/ A / 2022

Date : 23.11.2022

License is hereby granted under section 13 of the Tamil Nadu Fire Service Act-1985 to for Running Hospital in the name of "Government Primary Health Centre" within the Jurisdiction of Thiruvattor Taluk, at the Premises Sy No:175/10, of Viyanoor Village, Kuttakuzhi, Kanyakumari District. Subject to the Condition noted thereon and such other condition as may be prescribed.

The above Building is inspected by Kulasekaram Station Officer G.Micheal Dhanapalan on 18.11.2022.

This Fire License is valid for one year from the date of issue of this license.

CONDITIONS:

- 1) *The Installed Fire Fighting Equipments should be maintained in good condition at all times.*
- 2) *All exits should be free of obstructions. Exits should be clearly visible and the routes to reach the exit shall be clearly marked.*
- 3) *Trained Fire personnel should be available to operate the Fire Fighting Equipments in case of any emergency*
- 4) *"Mock Drill Should be conducted periodically and the date of conduction should be informed to this office well in advance to enable the team to make suggestions if any*
- 5) *Dumping of waste materials anywhere should be avoided. Dust bin should be cleared frequently*
- 6) *Any erection of permanent or temporary structure should be intimated to this department.*
- 7) *Do s Don'ts in time of emergencies should be available in a laminated hanging card.*
- 8) *Permission should be obtained from the Local Planning Authority/ Town and Country Planning Authority.*
- 9) *In Compliance to section 3.2 of BIS 12459:1988-code of practice for fire safety in cable regularization, a transparent fire retardant coating of 1 meter shall be applied on all electrical cables at both sides of termination points in every electrical panel and all the cables in the distribution box.*

Office Seal with Date



[Handwritten Signature]
District Officer
Fire & Rescue Services
Kanyakumari District, Nagercoil

To The Taluk Medical Officer,
Govt. Primary Health Centre,
Kuttakuzhi,
Viyanoor Post,
Kanyakumari District 629 158.



TAMILNADU POLLUTION CONTROL BOARD
CONSENT ORDER NO. 1905224078141 DATED: 22/06/2019

PROCEEDINGS NO.F.0992NGL/OS/DEE/TNPCB/NGL/A/2019 DATED: 22/06/2019

SUB: Tamil Nadu Pollution Control Board -CONSENT TO OPERATE -DIRECT -M/s. GOVERNMENT PRIMARY HEALTH CENTRE- KUTTAKUZHI , S.F.No. 474/8, YETTACODE village Kalkulam Taluk and Kanyakumari District - Consent for operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) -Issued- Reg.

Ref: 1. Unit's Application Id: 24078141 for CTO Direct resubmitted on 20/06/2019
2. IR.No : F.0992NGL/OS/AE/NGL/2019 dated 21/06/2019
3. Minutes of DLCCC meeting vide Item No. 129 - 14 dated 21/06/2019

CONSENT TO OPERATE is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as "The Act") and the rules and orders made there under to

Medical Officer,
M/s . GOVERNMENT PRIMARY HEALTH CENTRE- KUTTAKUZHI
S.F No.474/8,
YETTACODE Village,
Kalkulam Taluk,
Kanyakumari District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This CONSENT is valid for the period ending March 31, 2029

P. KIRUPANANTHA RAJAN Digitally signed by P. KIRUPANANTHA
Date: 2019.06.22 19:57:40 +05'30'

District Environmental Engineer,
Tamil Nadu Pollution Control Board,
NAGERCOIL

To
Medical Officer,
M/s.GOVERNMENT PRIMARY HEALTH CENTRE- KUTTAKUZHI,
Government Primary Health Centre Kuttakuzhi, Veeyanoor Post,
Pin: 629177

Copy to:

1. The Commissioner, TIRUVATTAR-Panchayat Union, Kalkulam Taluk, Kanyakumari District .
2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, TIRUNELVELI for favour of kind information.
4. File

POLLUTION PREVENTION PAYS

அகம் தூய்மை வாய்மைக்கு! புறம் தூய்மை வாழ்வுக்கு!



CONSENT ORDER NO. 1905124078141 DATED: 22/06/2019.

PROCEEDINGS NO. F.0992NGL/OS/DEE/TNPCB/NGL/W/2019 DATED: 22/06/2019

SUB: Tamil Nadu Pollution Control Board –CONSENT TO OPERATE – DIRECT -M/s. GOVERNMENT PRIMARY HEALTH CENTRE- KUTTAKUZHI , S.F.No. 474/8, YETTACODE village Kalkulam Taluk and Kanyakumari District - Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg.

Ref: 1. Unit's Application Id: 24078141 for CTO Direct resubmitted on 20/06/2019
2. IR.No : F.0992NGL/OS/AE/NGL/2019 dated 21/06/2019
3. Minutes of DLCCC meeting vide Item No. 129 - 14 dated 21/06/2019

CONSENT TO OPERATE is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

Medical Officer,
M/s . GOVERNMENT PRIMARY HEALTH CENTRE- KUTTAKUZHI
S.F.No.474/8,
YETTACODE Village,
Kalkulam Taluk,
Kanyakumari District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This CONSENT is valid for the period ending March 31, 2029

P. KIRUPANANTHA RAJAN Digitally signed by P. KIRUPANANTHA AJAI
Date: 2019.06.22 19:56:28 +05'30'

District Environmental Engineer,
Tamil Nadu Pollution Control Board,
NAGERCOIL

To
Medical Officer,
M/s.GOVERNMENT PRIMARY HEALTH CENTRE- KUTTAKUZHI,
Government Primary Health Centre Kuttakuzhi, Veeyanoor Post,
Pin: 629177

Copy to:

1. The Commissioner, TIRUVATTAR-Panchayat Union, Kalkulam Taluk, Kanyakumari District .
2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, TIRUNELVELI for favour of kind information.
4. File

POLLUTION PREVENTION PAYS

அகம் தாய்மை வாய்மைக்கு! புறம் தாய்மை வாழ்வுக்கு!