

			CAL	IBRA	TIOI	V CER	TIFICAT	E	
CERTIFICATE NO: SBS/CL/23/11823					ı	MECHANICAL		Page No:1 of 1	
Issue Date				28-09-2023					
SRF No & Date				SRF/23/00391-0007 & 27-09-2023					
Receipt Date					27-09-2023				
Calibration Date					27-09-2023				
Calibration Due					26-09-2024				
Customer Nar	ne & Addr	ess							
GOVERNMEN	T UPGRAI	DED PRIMAR	RY HEAL	TH CENTF	RE,				
PARTHIBANUI	R-623608.								
			D	etails of D	evice U	nder Calibr	ation (DUC)		
Description	scription : CENTRIFUGE			Make & Model		:	REMI & C-852		
Range : 3500 RPM		RPM		Sr. No		:	ZIKN-41058		
Resolution : 1 RPM			Identific	cation No		NA			
OUC Condition : Satisfactory				Location		:	LAB		
		Envir	ronmenta	I Condition	ns & Sta	ndard Ope	rating Proced	ure Details	
Environmental Details Temperature			ure: 24.3 °	e: 24.3 °C		lumidity	54 % Rh		
Calibration Procedure No SBS/CP/ML/			1L/04	/04 Calibra		n done at	ONSITE	ONSITE	
		- TE		Refe	rence St	andards De	etails		
S.No Descrip	.No Description				Make/ SI No:		Certificate No		Validity
Digital Ta	Digital Tachometer			LINE SI	LINE SEIKI / 175-0034V		JRPM-CCTR-A&S-2023-0013		09-06-2024
CALIBRATION	RESULTS	3							11111111111

S.No	DEVICE UNDER CALIBRATION READINGS	STANDARD INSTRUMENTS	DEVIATION	EXPANDED UNCERTAINTY (±)
	RPM	RPM	RPM	%
1	1000	999.8	0.2	4.2
2	2000	1999.9	0.1	4.2
3	3000	2999.7	0.3	4.2

<u>REMARKS</u>

- 1. This Calibration certificate shall not be reproduced except in full, without written approval of the laboratory.
- 2. The user should determine the suitability of the instrument for its intended use.
- 3. The recalibration interval should be determined on the user requirement.
- 4. The results stated in this certificate relate only to the item calibrated.
- 5. The indicated uncertainties are expanded uncertainty estimated for a confidence level of approximately 95% for a coverage factor
- 6. Equipment used for Calibration were calibrated & traceable to National & International Standards.

Calibrated By

(Calibration Engineer) M.ADHIBAN



Quali	ty Manager
	VABALAN)

Authorised Signatory

Chief Executive