



# CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY  
CMC EXTERNAL QUALITY ASSURANCE SCHEME  
MONTHLY SUMMARY REPORT - AUGUST 2023



PC-1024

Lab Name: Govt. PHC, 24 Veerapandi  
Constituent Group: Chemistry III  
PT item: Lyophilized human serum based

Lab No: 12053  
Date of Result Entered: 16/08/2023  
Date of Report Published: 01/09/2023

Sl.No	Analyte	Method / Principle Name	Analyzer Name	No of Participants	DV	Participants		Your Value	SDI	U
						CV	SD			
1	GLUCOSE III	GOD-POD III	Robonik ( Semi automatic / Fully Automatic )	1841	175.58	5.13	9.00	172.6 mg/dL	-0.33	0.42
2	CREATININE III	Jaffes Kinetic - Alkaline Picrate III	Robonik ( Semi automatic / Fully Automatic )	1852	1.76	6.77	0.12	1.69 mg/dL	-0.59	0.01
3	CHOLESTROL III	CHOD-PAP III	Robonik ( Semi automatic / Fully Automatic )	1764	113.80	4.07	4.64	122.7 mg/dL	1.92	0.22
SDI Range										
Within -1.00 to +1.00										
Within ±1.01 to ±2.00										
Within ±2.01 to ±2.99										
Beyond ±3.0										
Interpretation										
Excellent.										
Good.										
Accept with caution. Warning Signal.										
Unacceptable performance. Action Signal.										

LAB ADDRESS :  
Govt. PHC, 24 Veerapandi  
THE MEDICAL OFFICER, 24 VEERAPANDI  
Coimbatore  
TAMILNADU641018

Coordinator Contact Details:  
Email:clinqc@cmcvellore.ac.in  
Contact Number: 0416-2283102

*Pamela Christudoss*  
Dr. Pamela Christudoss  
CMC EQAS Coordinator  
Christian Medical College, Vellore

Homogeneity and Stability of the sample is passed.  
Data in CMC EQAS reports is confidential  
CMC EQAS does not sub contract any components  
\*\*\*\*\* End of Report \*\*\*\*\*