



# CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY  
CMC EXTERNAL QUALITY ASSURANCE SCHEME  
MONTHLY SUMMARY REPORT - AUGUST 2023



PC-1024

|                   |                               |                            |            |
|-------------------|-------------------------------|----------------------------|------------|
| Lab Name          | Govt. PHC, Aralvaimozhi       | Lab No                     | 10539      |
| Constituent Group | Chemistry III                 | Date of Result Entered :   | 19/08/2023 |
| PT Item           | Lyophilized human serum based | Date of Report Published : | 01/09/2023 |

| Sl.No | Analyte        | Method / Principle Name               | Analyzer Name                                | No of Participants | DV     | Participants |      | Your Value  | SDI   | U    |
|-------|----------------|---------------------------------------|--|--------------------|--------|--------------|------|-------------|-------|------|
|       |                |                                       |  |                    |        | CV           | SD   |             |       |      |
| 1     | GLUCOSE III    | GOD-POD III                           | Robonik ( Semi automatic / Fully Automatic ) | 1841               | 175.58 | 5.13         | 9.00 | 183.6 mg/dL | 0.89  | 0.42 |
| 2     | CREATININE III | Jaffes Kinetic - Alkaline Picrate III | Robonik ( Semi automatic / Fully Automatic ) | 1852               | 1.76   | 6.77         | 0.12 | 1.71 mg/dL  | -0.42 | 0.01 |
| 3     | CHOLESTROL III | CHOD-PAP III                          | Robonik ( Semi automatic / Fully Automatic ) | 1764               | 113.80 | 4.07         | 4.64 | 122.1 mg/dL | 1.79  | 0.22 |

| SDI Range                       | Interpretation                           |
|---------------------------------|--|
| Within -1.00 to +1.00           | Excellent.                               |
| Within $\pm 1.01$ to $\pm 2.00$ | Good.                                    |
| Within $\pm 2.01$ to $\pm 2.99$ | Accept with caution. Warning Signal.     |
| Beyond $\pm 3.0$                | Unacceptable performance. Action Signal. |

## LAB ADDRESS :

Govt. PHC, Aralvaimozhi  
CLINICAL LABORATORY, KANYAKUMARI(DIST)  
Aralvaimozhi  
TAMILNADU629301

*Smit*  
யருத்துவ அலுவலர்  
மாநக ஆரம்ப சுகாதார நிலையம்  
ஆரவமாய்மொழி - 629 301  
தமிழ்நாடு

Coordinator Contact Details:  
Email: cllnqc@cmcvellore.ac.in  
Contact Number: 0416-2283102

*Pamela Christudoss*  
Dr. Pamela Christudoss  
CMC EQAS Coordinator  
Christian Medical College, Vellore

Homogeneity and Stability of the sample is passed.

Data in CMC EQAS reports is confidential

CMC EQAS does not sub contract any components

\*\*\*\*\* End of Report \*\*\*\*\*