

2023 - JUNE - EQAS - REPORT



CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY

CMC EXTERNAL QUALITY ASSURANCE SCHEME

MONTHLY SUMMARY REPORT - JUNE 2023



PC-1024

Lab Name: Govt. PHC, Melakkidaram Lab No: 9260
 Constituent Group: Chemistry III Date of Result Entered: 20/06/2023
 PT item: Lyophilized human serum based Date of Report Published: 04/07/2023

Sl.No	Analyte	Method / Principle Name	Analyzer Name	No of Participants	DV	Participants		Your Value	SDI	U
						CV	SD			
1	GLUCOSE III	GOD-POD III	Biosystems	36	280.51	4.07	11.42	292.1 mg/dL	1.02	3.81
2	CREATININE III	Jaffes Kinetic - Alkaline Picrate III	Biosystems	39	2.67	6.50	0.17	2.98 mg/dL	1.78	0.06
3	CHOLESTROL III	CHOD-PAP III	Biosystems	37	113.79	4.23	4.81	115.5 mg/dL	0.36	1.58

SDI Range	Interpretation
Within -1.00 to +1.00	Excellent.
Within ±1.01 to ±2.00	Good.
Within ±2.01 to ±2.99	Accept with caution. Warning Signal.
beyond ±3.0	Unacceptable performance. Action Signal.

AB ADDRESS :

Govt. PHC, Melakkidaram

THE MEDICAL OFFICER, GOVT.PRIMARY HEALTH CENTRE, MELAKIDARAM, KADALADI TALUK, RAMANATHAPURAM

Melakkidaram

AMILNADU623528

Coordinator Contact Details:
 Email:clinqc@cmcvellore.ac.in
 Contact Number: 0416-2283102

Pamela Christudoss
 Dr. Pamela Christudoss
 CMC EQAS Coordinator
 Christian Medical College, Vellore

Homogeneity and Stability of the sample is passed.

Data in CMC EQAS reports is confidential

CMC EQAS does not sub contract any components

***** End of Report *****

AS
 மருத்துவ அலுவலர்
 அரசு ஆரம்ப சுகாதார நிலையம்
 மேலக்கிடாரம்
 இராமநாதபுரம் மாவட்டம்