


CALIBRATION REPORT	
Report No : HBMS/CAL/23-24	Calibration Date: 30.09.2023 Calibration valid: 29.03.2024
1.1. CUSTOMER DETAILS:	
Name and Address of the organization	M/s, PRIMARY HESLTH CENTRE, SOLAKKADU, NAMAKKAL.
1.2. DESCRIPTION OF DEVICE UNDER TEST (DUT):	
EQUIPMENT NAME	MICRO PIPETTE
i Manufactured by	DRAGON
ii Model	-----
iii Valuc	100µl-1000µl
iv Serial No	PHC/SKU/MP/002


Calibration standards used :

Master instrument	Model	Serial no	Date of calibration	Calibration due on
Electrical compact scale	SF-400C	SF400-2240	07-OCT-2022	06-OCT-2023

Calibration test Report.

Number of measurement	Channel 1 (Volume)		
	100µl	500µl	1000µl
1	100.03	500.06	1000.14
2	100.04	500.09	1000.12
3	100.05	500.02	1000.10
4	100.09	500.08	1000.08
5	100.00	499.94	1000.09
6	100.08	500.07	1000.12

For Heart Beat Medical Systems,

 (Authorized signatory)



MD Reg No: TN/CBE/MD42/00016
 GSTIN: 33AAJFH1833M1ZB

99400 28355, 9751206106
 88833 15662

No.42/1, Navaindia Road, Peelamedu,
 CBE - 04, hbmedicalsystem@gmail.com