

				CALIE	BRA'	TION	CERT	IFICATE	<u>.</u>		
CERTI	FICATE NO:		SBS/CL/2	3/13798			М	ECHANICAL		Page No:1 of 1	
Issue Date					07-10-2023						
SRF No & Date						SRF/23/00657-0004 & 06-10-2023					
Receipt Date						06-10-2023					
Calibration Date						06-10-2023					
Calibration Due						05-10-2024					
Custo	mer Name & /	Addre	ss								
GOVE	RNMENT PRI	MARY	HEALTH (CENTRE,							
R.KAV	ANUR,RAMAI	NATH	APURAM D	ISTRICT.							
				Deta	ails of D	evice Un	der Calibrat	ion (DUC)			
Description :			CENTRIFUGE			Make & Model		:	B.D INSTRUME	NT & BD153	
Range : 3000			3000	RPM		Sr. No		į	76609		
Resolution : 1 RPN			RPM	Identification N		ation No	:	NA			
DUC C	Condition		Satisfactor	у		Location			LABORATORY		
			Envi	ronmental C	ondition	ns & Star	ndard Opera	ting Procedu	e Details		
Environmental Details Temperature:				e: 25.4°	25.4°C Relative Hur		nidity 54% Rh				
Calibration Procedure No SBS/CP/ML/0				04	O4 Calibration		done at ONSITE				
					Refe	rence Sta	ndards Det	ails			
S.No	o Description			Make/ SI No:		Certificate No		Validity			
1	Digital Tachometer			LINE SEIKI / 175-0034V		JRPM-CCTR-A&S-2023-0013		09-06-2024			

CALIBRATION RESULTS

S.No	DEVICE UNDER CALIBRATION	STANDARD INSTRUMENTS	DEVIATION	EXPANDED UNCERTAINTY	
	RPM	RPM	RPM	%	
1	1000	998.6	1.4	4.2	
2	2000	1998.6	1.4	4.2	
3	3000	2998.7	1.3	4.2	

REMARKS

- 1. This Calibration certificate shall not be reproduced except in full, without written approval of the laboratory.
- 2. The user should determine the suitability of the instrument for its intended use.
- 3. The recalibration interval should be determined on the user requirement.
- 4. The results stated in this certificate relate only to the item calibrated.
- 5.The indicated uncertainties are expanded uncertainty estimated for a confidence level of approximately 95% for a coverage factor k=2.00.
- 6. Equipment used for Calibration were calibrated & traceable to National & International Standards.

(Calibration Engineer) E.ESWAR

Calibrated By



Authorised Signatory

Quality Manager Chief Executive

(C.SIVABALAN)

SUNSHINE BIOMEDICAL SOLUTIONS