

|                                      |                        |          | CALI                | BRA                 | TION                           | CER            | TIFICAT                 | <u>E</u>    |      |            |  |
|--------------------------------------|------------------------|----------|---------------------|---------------------|--------------------------------|----------------|-------------------------|-------------|------|------------|--|
| CERT                                 | IFICATE NO:            | SBS/C    | J/23/139 <b>7</b> 7 | · ···-              |                                | _              | MECHANIC                | AL          | Page | No:1 of 1  |  |
| Issue Date                           |                        |          |                     |                     | 11-10-2023                     |                |                         |             |      |            |  |
| SRF No & Date                        |                        |          |                     |                     | SRF/23/00847-0002 & 10-10-2023 |                |                         |             |      |            |  |
| Receipt Date                         |                        |          |                     |                     | 10-10-2023                     |                |                         |             |      |            |  |
| Calibration Date                     |                        |          |                     |                     | 10-10-2023                     |                |                         |             |      |            |  |
| Calibration Due                      |                        |          |                     |                     | 09-10-2024                     |                |                         |             |      |            |  |
| Custo                                | mer Name & Add         | ress     |                     |                     |                                |                |                         |             |      |            |  |
| GOVERNMENT PRIMARY HEALTH CENTRE,    |                        |          |                     |                     |                                |                |                         |             |      |            |  |
| SILAN                                | /IALAI-625528,THE      | NI DISTE | RICT.               |                     |                                |                |                         |             |      |            |  |
|                                      |                        |          | De                  | tails of [          | Device Ur                      | ider Calibr    | ation (DUC)             |             |      |            |  |
| Descr                                | iption :               | CENTF    | RIFUGE              |                     | Make &                         | Model          | :                       | LABPRO & NA | A    |            |  |
| Range : 3500 RPM                     |                        |          |                     | Sr. No              |                                | :              | NA                      |             |      |            |  |
| Resolution : 1 RPM                   |                        |          |                     | Identification No   |                                | :              | NA                      |             |      |            |  |
| DUC Condition : Satisfactory         |                        |          | Location            |                     | :                              | LABORATOR      | Υ                       |             |      |            |  |
|                                      |                        | Env      | ironmental          | Conditio            | ns & Sta                       | ndard Ope      | rating Proced           | ure Details |      |            |  |
| Environmental Details Temperature    |                        |          | re: 25.3°C          | : 25.3°C Relative H |                                | umidity 55% Rh |                         |             |      |            |  |
| Calibration Procedure No SBS/CP/ML/0 |                        |          | <i>J</i> 04         | 04 Calibratio       |                                | done at ONSITE |                         |             |      |            |  |
|                                      | 11.01.100              |          |                     | Refe                | rence St                       | andards D      | etails                  | ·           |      |            |  |
| S.No                                 | No Description Make    |          |                     | Make/ S             | e/ SI No:                      |                | Certificate No          |             |      | Validity   |  |
| 1                                    | Digital Tachometer LIN |          |                     | LINE S              | INE SEIKI / 175-0034V          |                | JRPM-CCTR-A&S-2023-0013 |             | 3    | 09-06-2024 |  |

## **CALIBRATION RESULTS**

| S.No | DEVICE UNDER CALIBRATION | STANDARD INSTRUMENTS | DEVIATION | EXPANDED UNCERTAINTY |  |  |
|------|--------------------------|----------------------|-----------|----------------------|--|--|
|      | RPM                      | RPM                  | RPM       | %                    |  |  |
| 1    | 1000                     | 999.2                | 0.8       | 4.2                  |  |  |
| 2    | 2000                     | 1999.7               | 0.3       | 4.2                  |  |  |
| 3    | 3500                     | 3499.6               | 0.4       | 4.2                  |  |  |

## **REMARKS**

- 1. This Calibration certificate shall not be reproduced except in full, without written approval of the laboratory.
- 2. The user should determine the suitability of the instrument for its intended use.
- 3. The recalibration interval should be determined on the user requirement.
- 4. The results stated in this certificate relate only to the item calibrated.
- 5. The indicated uncertainties are expanded uncertainty estimated for a confidence level of approximately 95% for a coverage factor k=2.00.
- 6. Equipment used for Calibration were calibrated & traceable to National & International Standards.

P.PRASANNA



**Authorised Signatory** (Quality Manager) (Chief Executive) (C.SIVABALAN)