TAMILNADU POLLUTION CONTROL BOARD

CONSENT ORDER NO. 1905126507267

DATED: 28/06/2019.



PROCEEDINGS NO.F.0962SVG/OS/DEE/TNPCB/SVG/W/2019 DATED: 28/06/2019

SUB: Tamil Nadu Pollution Control Board -CONSENT TO OPERATE - DIRECT -M/s. GOVERNMENT PRIMARY HEALTH CENTRE MUNAIVENTRI, S.F.No. 320/1 PART & 320/5 PART, MUNAIVENRI villageIlayankudi operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) -

Ref: 1. Units application no. 26507267 dated 18.06.2019 2. IR.No: F.0962SVG/OS/AE/SVG/2019 dated 27/06/2019

3. Decision of DLCC meeting held on 27.06.2019 vide item No.129-2

CONSENT TO OPERATE is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

MEDICAL OFFICER, M/s . GOVERNMENT PRIMARY HEALTH CENTRE MUNAIVENTRI S.F No.320/1 PART & 320/5 PART. MUNAIVENRI Village, Ilayankudi Taluk. Sivagangai District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This CONSENT is valid for the period ending March 31, 2029

S. Rajendra S. Rajendra Babu Date: 2019.07.01 Digitally signed by 15:12:20 +05'30"

District Environmental Engineer, Tamil Nadu Pollution Control Board, SIVAGANGAI

Henry

MEDICAL OFFICER.

M/s.GOVERNMENT PRIMARY HEALTH CENTRE MUNAIVENTRI, MUNAIVENTRAI VILLAGE, ILAYANKUDI TALUK, SIVAGANGAI DISTRET, Pin: 630702

Copy to:

- 1. The Commissioner, ILAYANKUDI-Panchayat Union, Ilayankudi Taluk, Sivagangai District.
- 2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
- 3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, Madurai for favour of kind information.
- 4. File

POLLUTION PREVENTION PAYS



SPECIAL CONDITIONS

 This consent to operate is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

SI. No.	Description	Quantity	Unit
	Product Details	TANKS AND PROPERTY.	THE RESERVE THE PARTY OF
1.	NO.OF BEDS	4	NOS
2.	NO.OF INPATIENTS	1	NOS/DAY
3.	NO.OF OUTPATIENTS	95	NOS/DAY

2. This consent to operate is valid for operating the facility with the below mentioned permitted outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
Effluent Ty	pe : Sewage		Marie Committee of the same of
Effluent Ty	pe : Trade Effluent		ACTIONS OF THE PARTY AND ACTIONS

 The effluent discharge shall not contain constituents in excess of the tolerance Limits as laid down hereunder.

6	-	33.		31.	100	29.	28.	27.	26.	25.	24.	23.	22.	21.	20.	19.	18.	17.	16.	15.	14	13.	12.	=	10.	9	00	7.	6	5.	4	33	2	_	-	2.5
Radioactive materials b). Beta emitters	Radioactive materials a) Alpha emitters	Phenolic Compounds (as C6H5OH)	Pesticides	Sulphide (as S)	Dissolved Phosphates(as P)	Fluoride (as F)	Cyanide (as CN)	Residual Sodium Carbonate	Percent Sodium	Boron (as B)	Nickel (as Ni)	Selenium (as Se)	Zinc (as Zn)	Copper (as Cu)	Total Chromium (as Cr)	Hexavalent Chromium (as Cr+6)	Cadmium(as Cd)	Lead (as Pb)	Mercury (as Hg)	Arsenic (as As)	Free Ammonia (as NH3)		Ammonical Nitrogen (as N)			Chloride (as Cl)	Chemical Oxygen Demand	31.		1 5		Particle size of Suspended solids	Temperature	pH	The second of the second	Parameters
micro curie/ml	micro curie/ml	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	%	mg/l	mg/l	mg/l	ng/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l			mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/I	-Aprillation of	oC .	The state of the s		Unit
			•	in the same of	1						-	•	,	1						7	•		•	-		•		20	,	*	30			5.5 to	1	Sewage
10-6	10-8	S.	THE REAL PROPERTY OF THE PERSON NAMED IN COLUMN 1	2	March Company of the Party	2	0.2	5	60	2	S	0.05	1.5	3	2	1	1	-	0.01	0.2	•		50	and a barthird of each of a laborate	1000	600		100	10	2100	200		The state of the s	5.5 10 9		Sewage Trade Effluent

All units of the sewage and Trade effluent treatment plants shall be operated efficiently and continuously so as to achieve the standards prescribed in SI No.3 above or to achieve the zero liquid discharge of effluent as applicable.

POLLUTION PREVENTION PAYS



TAMILNADU POLLUTION CONTROL BOARD

other purposes of the Act. The occupier shall maintain the Electro Magnetic Flow Meters/water Meters installed at the injet of the water supply connection for each of the purposes mentioned below for assessing the quantity of water used and ensuring that such meters are easily accessible for inspection and maintenance and for Industrial Cooling, Spraying in mine pits or boiler feed.

Domestic purpose.

The occupier shall maintain the Electro Magnetic Flow Meters with computer recording arrangement for measuring the quantity of effluent generated and treated for the monitoring purposes of the Act.

Log book for each of the unit operations of ETP have to be maintained to reflect the working condition of ETP along with the readings of the Electro Magnetic Flow Meters installed to assess effluent quantity and the same shall be furnished for verification of the Board officials during inspection

The occupier shall at his own cost get the samples of offluent/surface water/ground water collected in and around the unit by Board officials and analyzed by the TNPC Board Laboratory periodically.

Any upset condition in any of the plants of the factory which is, likely to result in increased effluent discharge and result in violation of the standards mentioned in Sl. No.3 above shall be reported to the Member Secretary / Joint Chief Environmental Engineer-Monitoring and the concerned District/Assistant Environmental Engineer of the Board by e-mail immediately and subsequently by Post with full details of such upset condition.

10 The occupier shall always comply and carryout the order/directions issued by the Board in this Consent Order and from time to time without any negligence. The occupier shall be liable for action as per provisions of the Act in case of non compliance of any order/directions issued.

The occupier shall develop adequate width of green belt at the rate of 400 numbers of trees per Hectare.

The occupier shall provide and maintain rain water harvesting facilities.

12. into storm water drain at any point of time. The occupier shall ensure that there shall not be any discharge of effluent either treated or untreated

 The occupier shall ensure zero liquid discharge of effluent, thereby no discharge of untreated / treated effluent on land or into any water bodies either inside or outside the premises at any point of In the case of zero liquid discharge of effluent units, the occupier shall adhere the following conditions as laid under.

fine.

ii) The occupier shall operate and maintain the Zero liquid discharge treatment components ii) The occupier shall operate and tertiary treatment systems at all times and ensure that the RO comprising of Primary, Secondary and tertiary treatment systems at all times and ensure that the RO permeate/Evaporator condensate shall be recycled in the process and the final RO reject shall be disposed off with the reject management system ensuring zero liquid discharge of effluents in the

premises.

iii) The occupier shall operate and maintain the reject management system effectively and recover the salt from the system which shall be reused in the process if reusable or shall be disposed off as ETP

iv) In case of failure to achieve zero discharge of effluents for any reason, the occupier shall stop its production and operations forthwith and shall be reported to the Member Secretary/Joint Chief Environmental Engineer-Monitoring and the concerned DistrictAssistant Environmental Engineer of Environmental Engineer of the Board by e-mail immediately and subsequently by Post with full details of such upset condition.

The occupier shall restart the production only after ascertaining that the Zero discharge treatment by The occupier shall restart the discharge of efficiency. system can perform effectively for achieving zero discharge of effluents.

Additional Conditions:



1. The Hospital shall comply with all the provisions of the Bio-Medical Waste Management

Rules, 2016.

2. The liquid waste generated, due to the operation of the Hospital, shall be disinfected, before further

3. The Hospital Authorities shall co-operate with the common biomedical waste operators for the effective and safe disposal of the bio-medical waste.

4. The Hospital shall phase out chlorinated plastic bags, gloves, blood bags, as stipulated in the Bio-Medical Waste Management Rules, 2016.

5. The Hospital shall establish a Bar- Code System for bags or containers containing bio-medical

waste to be sent out of the premises or place for any purpose within three months, as stipulated in the Bio-Medical Waste Management Rules, 2016.

The unit shall ensure that operate the unit with valid Authorisation under Bio- Medical Waste Management Bio- Medical Waste

Management Rules, 2016.

The unit shall not use 'use and thrownway plastics' such as plastic sheets used for food wrapping, spreading on dining table etc., plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, within the industry premises. Instead unit shall encourage use of eco friendly alternative such as banana leaf, arccanut pain plate, stainless steel, glass, porcelain plates/cups, cloth bag, jute bag etc., aprical plate, stainless steel, glass, porcelain plates/cups, cloth bag, jute bag etc., aprication in the event, that any of the information furnished by the Health Care Facility in their application. In the event, that any of the information in the application is found to be incorrect, the consent order issued shall be withdrawn. For any variation in the above, the Hospital has to file application seeking fresh consent of the Board.

S. Rajendra S. Rajents Sau Babu Date 2019/07/01 District Environmental Engineer. Tamil Nature Pollution Control Board, SIYAGANGAN

GENERAL CONDITIONS

2.		7.
This Consent is issued by the Board in consideration of the particulars of the particular of the partic	consent at least 60 days before the date of expiry of this Consent fee for grant of renewal of particulars ensuring that there is no change in Production quantity and change in several effluent.	The occupier shall make an anni:

application will also be ground for review/variation/revocation of the Particulars furnished in the of the Act and to make such variation as deemed fit for the purpose of the Act.

The consent conditions

27(2) of the Act. The consent conditions imposed in this order shall continue in force until revoked under Section

(Prevention and Control of Pollution) Act, 1974 as amended stands defunct. After the issue of this order, all the 'Consent to Operate' orders issued previously under Water

record the details of the observations and instructions issued to the unit at the time of inspection for The occupier shall maintain an Inspection Register in the factory so that the inspecting officer shall

The occupier shall provide and maintain an alternate power supply along with separate energy meter for the Effluent Treatment Plant sufficient to ensure continuous operation of all pollution control equipments to maintain compliance

in and around the factory at any time. The occupier shall provide all facilities to the Board officials for inspection and collection of samples

systems provided at the ETP site. The occupier shall display the flow diagram of the sources of effluent generation and pollution control

The solid waste such as sweepings, wastage, package, empty containers, residues, sludge including that from air pollution control equipments collected within the premises of the industrial plant shall be collected in an earmarked area and shall be disposed off properly.

canteen and convert into organic compost. The occupier shall collect, treat the solid wastes like food waste, green waste generated from the

11 The occupier shall segregate the Hazardous waste from other solid wastes and comply in accordance with Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008.

The occupier shall maintain good house-keeping within the factory premises

13 All pipes, valves, sewers and drains shall be leak proof. Floor washings shall be admitted into the trade effluent collection system only and shall not be allowed to find their way in storm drains or open

14. into any water sources. The occupier shall ensure that there shall not be any diversion or by-pass of trade effluent on land or

15 The occupier shall ensure that solar Evaporation pans shall be constructed in such a way that the bottom of the solar pan is at least 1 m above the Ground level (if applicable).

office regularly.

a) Monthly water consumption returns of each of the purposes with water meter readings in Form-I on The occupier shall furnish the following returns in the prescribed formats to the concerned District

b) Yearly return on Hazardous wastes generated and accumulated for the period from 1st April to 31st March in Form-4 before the end of the subsequent 30th June of every year (if applicable).

c) Yearly Environmental Statement for the period from 1st April to 31st March in Form-V before the or before 5th of every month of the subsequent 30th September of every year(if applicable).


plicable, the occupier has to comply with the provisions of Public Liability Insurance Act, 1991 to erties while handling and storage of hazardous substances. ediate relief in the event of any hazard to human beings, other living creatures plants and


or facilities or the undertaking of any work in any natural watercourse or in Government Poromboke ance of this consent does not authorize or approve the construction of any physical structures

exclusive privileges, nor does it authorize any injury to private property or Government property or any invasion of personal rights nor any infringement of Central, State laws or regulation. The issuance of this Consent does not convey any property right in either real personal property or any



F	-	Sivagangal District PHC List
5.	NO	Institution Facility
Branches	1	Devakottai Uphc
2	2	Sivagangai Uphc
3	1	Muthupattinam Uphc
4		Senjal Uphc
5		Kannankudi CHC (Upgraded Phc)
6		Vengalur Addi Phc
7		Keelapoongudi CHC
8		Arasanoor Addl Phc
9		Thamaraki Addl Phc
10		Edayamelur Addl Phc
11	_	Maravamangalam CHC
12	1	Satharasankottal Addl Phc
13	1	Nattarasankottal Addl Phc
14	F	Paganeri Addl Phc
15	K	(alayarmangalam Addi Phc
16	A	Authanendal CHC
17	K	ombukaranendal Addi Phc
18	P	eriyakottai Addl Phc
19	TI	hanjakoor Addi Phc
20	N	erkuppai CHC (Upgraded Phc)
21	Ke	relasevelpatti Addi Phc
22	filtigen	irukostiyur Addi Phc
23		vinipatti Addi Phc
24		anmalai CHC (Upgraded Phc)
25		iyur Addi Phc
COLUMN TO STATE	The second	llakottai Addl Phc
STATE OF THE PERSON.	-	ooragudi Addl Phc
	0	vanthi CHC
THE RESERVE AND PERSONS NAMED IN		upachetti Phc
	_	yanoor Phc
		hagai Phc
		vayal CHC(Upgraded Phc)
	_	lyur Addl Phc
		kalalkadu Addi Phc
THE RESIDENCE		ayal Addi Phc
		CHC(Upgraded Phc)
Puz	hith	nipatti Addl Phc
Sala	igra	imam CHC
Soor	ana	am Addi Phc
16		





Institution Facility

Munaiventri Addi Pho

Sembanur CHC

Thayamangalam Addl Phc

Maruthangudi Addi Phc

Kandramanickam Addl Phc

Thiruvegampattu CHC (Upgraded Phc)

SR Pattinam Addl Phc

Pannagudi Addi Pho

Kundrakudi Addi Phc

Kulamangalam Addl Phc

Velayuthapattinam Phc

Munikarmankudi Addl Phc

Shanmuganathapuram Addl Phc

S.NO

40

41

43

44

45

46

47

48

49

50

51

52

S.No	District		
		Daily Collection	48 hour Collection
1	ARIYALUR		
		Rs.66/-	Rs.68/-
2	ARANTHANGI		
	The state of the s	Rs.66/-	Rs.68/-
3	PUDUKOTTAI		
		Rs.66/-	Rs.68/-
4	THANJAVUR	Pacci	
		Rs.66/-	Rs.68/-
5	TIRUVARUR	Rs.66/-	Rs.68/-
-			
5	SIVAGANGAI DISTRICTS	Rs.67/-	Rs.69/-
+			
1			
M	AYILADUTHURAI		
1	THUKAI	Rs.67/-	Rs.69/-

12. Statharan

MEDICAL OFFICES
Govt. Primary Health Centre
MunaiventriSivagangai Dier