



CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY
CMC EXTERNAL QUALITY ASSURANCE SCHEME
MONTHLY SUMMARY REPORT - JANUARY 2024



PC-1024

Lab Name **INTERNATIONAL DIAGNOSTIC & MEDICAL CENTRE** Lab No **18957**
Constituent Group **Chemistry II** Date of Result Entered : **07/01/2024**
PT item **Lyophilized human serum based** Date of Report Published : **06/02/2024**

Sl.No	Analyte	Method / Principle Name	Analyzer Name	No of Participants	AV	Participants		Your Value	Z Score	u*
						CV	SDPA			
1	GLUCOSE II	GOD-POD II	Any Analyser (Automation / Semi Automation)	1480	151.16	9.82	14.84	148.6 mg/dL	-0.17	0.77
2	UREA II	Urease UV / GLDH II	Any Analyser (Automation / Semi Automation)	992	46.22	11.22	5.18	47.9 mg/dL	0.32	0.33
3	CREATININE II	Enzymatic Colorimetric II	Any Analyser (Automation / Semi Automation)	100	1.72	9.02	0.16	1.76 mg/dL	0.26	0.03
4	T.BILIRUBIN II	Diazonium Salt (Colorimetric) / Jendrassik II	Any Analyser (Automation / Semi Automation)	1042	3.41	12.84	0.44	2.96 mg/dL	-1.03	0.03
5	T-PROTEIN II	Biuret - Colorimetric II	Any Analyser (Automation / Semi Automation)	1105	5.12	9.00	0.46	4.62 g/dL	-1.08	0.03
6	ALBUMIN II	BCG - Colorimetric II	Any Analyser (Automation / Semi Automation)	1176	3.10	9.86	0.31	0.28 g/dL	-9.1	0.02
7	URIC ACID II	Enzymatic / Uricase Colorimetric II	Any Analyser (Automation / Semi Automation)	1217	7.71	11.58	0.89	7.31 mg/dL	-0.45	0.05
8	CHOLESTROL II	CHOD-PAP II	Any Analyser (Automation / Semi Automation)	1312	104.57	9.94	10.40	87.1 mg/dL	-1.68	0.57
9	TRIGLYCERIDE II	GPO-PAP / Enzymatic Colorimetric / End Point II	Any Analyser (Automation / Semi Automation)	1178	145.99	11.26	16.44	139.3 mg/dL	-0.41	0.96

u* - Method of Uncertainty

Z-Score	Interpretation
$ z \leq 2.0$	Acceptable
$2.0 < z < 3.0$	Warning Signal
$ z \geq 3.0$	Unacceptable (action Signal)

LAB ADDRESS :

INTERNATIONAL DIAGNOSTIC & MEDICAL CENTRE
42, SWARNAMOYEE ROAD, BERHAMPORE,
MURSHIDABAD
WEST BENGAL742101

Coordinator Contact Details:
Email:clinqc@cmcvellore.ac.in
Contact Number: 0416-2283102

Pamela Christudoss
Dr. Pamela Christudoss
CMC EQAS Coordinator
Christian Medical College, Vellore

Homogeneity and Stability of the sample is passed.

Data in CMC EQAS reports is confidential

CMC EQAS does not sub contract any components

******* End of Report *******