



Government of Karnataka

Department of Health and Family Welfare Services

District Registration and Grievance Redressal Authority

Bengaluru Urban



CERTIFICATE OF REGISTRATION

This is to certify that **ASTRANEST DIAGNOSTICS** located at **#21/8, Chikkasanjeevappa Kanakapura Road, Konankunte, Bangalore - 560062.** owned by **DR Sridhar R** has been granted registration as under Karnataka Private Medical Establishment (Amended) Act 2018 and Rules 2018 and is registered for providing medical services as a **Clinic/Polyclinic with Diagnostic Support under Allopathy system of medicine.**

Reg No: **BLU05640ALCDS**

Date of Issue: **10 Oct 2023**

Valid Till: **09 Oct 2028**

Place: **Bengaluru Urban**

Signature valid

Digitally signed

Date: 2023.10.10 14:36:30

+05:30



Member Secretary And District Health And Welfare Officer
District Registration and Grievance Redressal Authority/
Karnataka Private Medical Establishment
Bengaluru Urban



Scanned with OKEN Scanner



Detailed Statement

Name: **ASTRANEST DIAGNOSTICS** A/C Branch: **VASANTHAPURA MAIN ROAD**
 Address: **GROUN,D FLOOR TO 3RD FLOOR,21/8,,CHIKKASANJEEVAPPA,BUILDING KANAKA, PURA ROAD KONANAKUNTE BANGALOR,BANGALORE,560062,KARNATAKA,INDIA** Branch Address: **ICICI BANK LTD NO 6 VASANTHAPURA MAIN ROAD BSK 5TH STAGE BIKASIPURA BANGALORE - 560078,BANGALORE,KARNATAKA,INDIA**
 A/C No: **317905000890** A/C Type: **CAA**
 Jt. Holder: Cust ID: **589989199**
 Transaction Date from: **01/08/2024** Branch Code: **3179**
 Transaction Period: **From 01/08/2024 To 19/08/2024** IFSC Code: **ICIC0003179**
 Statement Request/Download Date: **19/08/2024**

Advanced Search

Amount from: **NA To NA**
 Cheque number from: **NA To NA**
 Transaction remarks:
 Transaction type: **CR**

Sl No	Tran Id	Value Date	Transaction Date	Transaction Posted Date	Cheque no / Ref No	Transaction Remarks	Withdrawal (Dr)	Deposit (Cr)	Balance
1	C89412521	01/Aug/2024	01/Aug/2024	01/08/2024 04:52:45 AM		NEFT-AXNPN2147147956 3-PHONEPE PRIVATE LIMITED-PAYMENT AGG-/CUST/ PHONEPE PRIVATE LIMITED PAYM-92202		49,487.49	20,69,326.29
2	S52892267	01/Aug/2024	01/Aug/2024	01/08/2024 09:30:19 AM		CLG/DHEE HEALTH PRIVATE/001435/HDF/29.07.2024		1,44,210.00	22,13,536.29
3	S63468148	02/Aug/2024	02/Aug/2024	02/08/2024 05:51:54 AM		CMS/001497108380/BAJAJ_AUTO_CD_SME000006864584	4,40,104.00		17,73,432.29
4	S63469481	02/Aug/2024	02/Aug/2024	02/08/2024 05:51:59 AM		CMS/001497109375/BAJAJ_AUTO_CD_SME000007049362	2,19,781.00		15,53,651.29
5	S63868571	02/Aug/2024	02/Aug/2024	02/08/2024 06:30:52 AM		CMS/001497168109/BAJAJ_AUTO_CD_SME000007047890	59,913.00		14,93,738.29
6	S64046492	02/Aug/2024	02/Aug/2024	02/08/2024 06:42:29 AM		CMS/001497186836/BAJAJ_AUTO_CD_SME000008863505	53,816.00		14,39,922.29
7	S64052143	02/Aug/2024	02/Aug/2024	02/08/2024 06:42:36 AM		CMS/001497192299/BAJAJ_AUTO_CD_SME000007049362	51,686.00		13,88,236.29
8	S64109659	02/Aug/2024	02/Aug/2024	02/08/2024 06:48:01 AM		CMS/001497193964/BAJAJ_AUTO_CD_SME000006864584	50,933.00		13,37,303.29
9	S64113459	02/Aug/2024	02/Aug/2024	02/08/2024 06:48:05 AM		CMS/001497197694/BAJAJ_AUTO_CD_SME000006864584	49,108.00		12,88,195.29
10	S64143474	02/Aug/2024	02/Aug/2024	02/08/2024 06:50:03 AM		NEFT-AXNPN2158243181 0-PHONEPE PRIVATE LIMITED-PAYMENT AGG-/CUST/ PHONEPE PRIVATE LIMITED PAYM-92202		97,041.30	13,85,236.59
11	S65074389	02/Aug/2024	02/Aug/2024	02/08/2024 08:34:19 AM		CMS/001497424333/BAJAJ_AUTO_CD_SME000006864584	19,525.00		13,65,711.59
12	S65121880	02/Aug/2024	02/Aug/2024	02/08/2024 08:41:04 AM		CMS/001497436401/BAJAJ_AUTO_CD_SME000007049362	18,908.00		13,46,803.59
13	S68437988	02/Aug/2024	02/Aug/2024	02/08/2024 12:53:22 PM		RTGS/ICIR4202408 0200515974/CNRB0 002476/40382757/B ULD40382757 /ANJANAPPAC /BULD40	3,24,000.00		10,22,803.59
14	S68438076	02/Aug/2024	02/Aug/2024	02/08/2024 12:53:23 PM		MMT/IMPS/4215120 93481/BULD403827 57/AlAmeenPow/SV CB0039002	1,45,730.00		8,77,073.59


represented by its Authorized Signatory and M/s **ASTRANEST DIAGNOSTICS** having its Centre At #21/8, Chikkasanjeevappa Kanakapura Road, Konankunte, Bangalore - 560062., Mobno: 9845766905., Email astrahospital.18@gmail.com., Here in after referred to as M/s **ASTRANEST DIAGNOSTICS** is hereby agreed and come to the Memorandum of Understanding on this 12th Day of July month year 2024 as detailed below:

- a. M/s. **Maridi Bio Industries Pvt Ltd.** with consent from Karnataka State Pollution Control Board is having a common treatment facility for Managing Bio-Medical Waste in Ramanagaram district at 36th Mile Stone, Kanakapura Road. The facility is having a state of art Autoclave system along with the shredder and Incinerator.
- b. M/s **ASTRANEST DIAGNOSTICS** gives its bio-medical waste properly packed in color-coded bags as per pollution control Board regulations for treatment and final disposal to M/s. **Maridi Bio Industries Pvt Ltd.** The waste should be given at one single point by the M/s **ASTRANEST DIAGNOSTICS** at given time of M/s. **Maridi Bio Industries Pvt Ltd.** Vehicle.
- c. M/s. **Maridi Bio Industries Pvt Ltd.** will charge a price of Rs.2800/- Per Month (Rupees Two thousand eight hundred only); Up to 30 kgs per month, if it exceeds Rs.45/- per Kg will be charged extra, GST Extra as applicable (Excluding Poly bags) transportation, treatment and final disposal of biomedical waste. This Price will be fixed for a period of one (1) year from date of this agreement and thereafter there will be 12% (Twelve Percent) escalations in the price for every one-year on existing rate.
- d. M/s **ASTRANEST DIAGNOSTICS** will not enter into any agreement with any other party or organization for the waste treatment and disposal unless cancel of this agreement.
- e. M/s **ASTRANEST DIAGNOSTICS** is assuring that payment should be made through Account Payee cheque/RTGS/NEFT/Online Payment In favour of M/s. **Maridi Bio Industries Pvt Ltd.** on or before 5th of every month, don't do any Cash transactions.
- f. If the generator by virtue of any reason fail to make the payment within 15 days of submission of bills. "Maridi Bio Industries Pvt Ltd" shall charge a late payment fee of Rs.20 per day.
- g. M/s. **Maridi Bio Industries Pvt Ltd.** will collect bio medical Waste **Twice in a week (Except Sunday)** and treat the waste as per the regulations. M/s. **Maridi Bio Industries Pvt Ltd.** will not collect any General waste that is not segregated or not properly packed M/s. **Maridi Bio Industries Pvt Ltd.** will not collect general garbage.



- h. M/s. **Maridi Bio Industries Pvt Ltd.** will issue a proof of waste collection from M/s **ASTRANEST DIAGNOSTICS** as per your declarations in the application form. This will help the individual Clinic for getting compliance with the State Pollution Board. The individual Clinic/Nursing home can take their Authorization from the pollution control board by informing the board that M/s **Maridi Bio Industries Pvt Ltd.** treats their waste (The same has to be mentioned in the Authorization Form.
- i. In case Maridi fail to collect the BMW within a time frame as per agreement due to any reason. The generator shall inform "Maridi Bio Industries Pvt Ltd" who shall insure to collect the BMW from the premises of the generator within the next 24 hours of the intimation.
- j. M/s **Maridi Bio Industries Pvt Ltd.** will maintain their plant in good running condition all the time and ensure continuity of service as per agreement with your **ASTRANEST DIAGNOSTICS**
- k. This Memorandum of understanding is entered into on the express understanding that M/s **Maridi Bio Industries Pvt Ltd.** will maintain and run the facilities and collect transport and treat the waste at their plant strictly in accordance with the consent of the Karnataka State Pollution Control Board and it shall be the responsibility to obtain the consent and keep the same always current.
- l. In case of violation of any of the agreed condition of the MOU by either side. Issue of notice may terminate this MOU three months in advance by either party for terminating their respective obligations.
- m. All disputes to this understanding are subject to the Jurisdiction of the court in Bangalore only.
- n. MOU Renewal Charges of Rs.500(GST 18% Extra).
- o. *This Agreement is effective from 01.07.2024 TO 30.06.2025.*

For M/s. Maridi Bio Industries Pvt Ltd





Authorized Signatory

**For M/s ASTRANEST
DIAGNOSTICS**

Authorized Signatory



ई- स्थायी लेखा संख्या कार्ड
e - Permanent Account Number (e-PAN) Card
ACBFA3076D

नाम / Name	ASTRANEST DIAGNOSTICS
निगमन/गठन की तारीख Date of Incorporation / Formation	03/03/2023
	
	<p>Signature Not Verified</p> <p>Digitally signed by Income Tax Deptt. Date: 2023.03.15 03:04:58 GMT+05:30</p> 

- ✓ Permanent Account Number (PAN) facilitate Income Tax Department linking of various documents, including payment of taxes, assessment, tax demand tax arrears, matching of information and easy maintenance & retrieval of electronic information etc. relating to a taxpayer.
स्थायी लेखा संख्या (पैन) एक करदाता से संबंधित विभिन्न दस्तावेजों को जोड़ने में आयकर विभाग को सहायक होता है, जिसमें करों के भुगतान, आकलन, कर मांग, टैक्स बकाया, सूचना के मिलान और इलेक्ट्रॉनिक जानकारी का आसान रखरखाव व बहाली आदि भी शामिल है।
- ✓ Quoting of PAN is now mandatory for several transactions specified under Income Tax Act, 1961 (Refer Rule 114B of Income Tax Rules, 1962) आयकर अधिनियम, 1961 के तहत निर्दिष्ट कई लेनदेन के लिए स्थायी लेखा संख्या (पैन) का उल्लेख अब अनिवार्य है (आयकर नियम, 1962 के नियम 114B, का संदर्भ लें)
- ✓ Possessing or using more than one PAN is against the law & may attract penalty of upto Rs. 10,000.
एक से अधिक स्थायी लेखा संख्या (पैन) का रखना या उपयोग करना, कानून के विरुद्ध है और इसके लिए 10,000 रुपये तक का दंड लगाया जा सकता है।
- ✓ The PAN Card enclosed contains Enhanced QR Code which is readable by a specific Android Mobile App. Keyword to search this specific Mobile App on Google Play Store is "Enhanced QR Code Reader for PAN Card".
संलग्न पैन कार्ड में एनहांस क्यूआर कोड शामिल है जो एक विशिष्ट एंड्रॉइड मोबाइल ऐप द्वारा पठनीय है। Google Play Store पर इस विशिष्ट मोबाइल ऐप को खोजने के लिए कीवर्ड "Enhanced QR Code Reader for PAN Card" है।

Cut

<p>आयकर विभाग INCOME TAX DEPARTMENT</p> <p>स्थायी लेखा संख्या कार्ड Permanent Account Number Card</p> <p>ACBFA3076D</p> <p>नाम / Name ASTRANEST DIAGNOSTICS</p> <p>निगमन/गठन की तारीख Date of Incorporation/Formation 03/03/2023</p>		<p>इस कार्ड के खोने/पाने पर कृपया सूचित करें/लौटाएं: आयकर पैन सेवा इकाई, एन एस डी एल 5 वीं मंजिल, मंत्री स्टर्लिंग, प्लॉट नं. 341, सर्वे नं. 997/8, मॉडल कॉलोनी, दीप बंगला चौक के पास, पुणे - 411 016.</p> <p>If this card is lost / someone's lost card is found, please inform / return to : Income Tax PAN Services Unit, NSDL 5th Floor, Mantri Sterling, Plot No. 341, Survey No. 997/8, Model Colony, Near Deep Bungalow Chowk, Pune - 411 016.</p> <p>Tel: 91-20-2721 8080, Fax: 91-20-2721 8081 e-mail: tininfo@nsdl.co.in</p>
--	---	--

Electronically issued and Digitally signed ePAN is a valid mode of issue of Permanent Account Number (PAN) post amendments in clause (c) in the Explanation occurring after sub-section (8) of Section 139A of Income Tax Act, 1961 and sub-rule (6) of Rule 114 of the Income Tax Rules, 1962. For more details, [click here](#)



Form III -[Rule 10]

Authorization under Bio-Medical Waste Management Rules, 2016

Karnataka State Pollution Control Board
Bengaluru Rajrajeshwarinagar
Second Floor, "Nivarga Bhavan", Thimarah Main Rd,
7th D' Main, 3rd Stage, 2nd Block,
Shivanagar, Opp Pushpanjali Theatre,
Basave, hwaranagar,
Bengaluru- 560079, 080 23229124

Authorization type: BMW-FRESH
Authorization No : 202383
Valid from: 14/06/2023

(Document contains 6 No. of pages excluding Additional Document)

Authorization No: 202383

PCB ID: 155012

Date: 14/06/2023

AUTHORIZATION FOR OPERATING A FACILITY FOR GENERATION, COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES

Type of health care establishment : HCE having less than 30 Beds

- Ref :
1. Authorization application submitted by the HCF on 14/06/2023
 2. Inspection of the project site/organization by Regional Officer, Bengaluru Rajrajeshwarinagar

1. File number of authorization and date of issue :-
2. M/s. Dr.Sridhar.R an occupier or operator of the hospital located at Konankunte Kanakapura Road Bangalore-560062 , 9845766905 , 9964342238 , abstract33@gmail.com is hereby granted an authorization for Activity : Generation, Storage
3. M/s Astranest Diagnostics , Konankunte Kanakapura Road Bangalore-560062 is hereby authorized for handling of biomedical waste as per the capacity given below:
(i) Number of beds of HCF: 0

Category	Type of Waste	Quantity generated or collected, kg/day	Method of treatment & disposal
Yellow	Human Anatomical Waste	0.00000	
	Animal Anatomical Waste	0.00000	
	Soiled Waste	1.00000	As per BMW Rules
	Expired or Discarded Medicines	0.10000	As per BMW Rules
	Chemical Solid Waste	0.00000	
	Chemical Liquid Waste	2.00000	As per BMW Rules
	Discarded linen, mattresses, beddings contaminated with blood or body fluid	0.30000	As per BMW Rules
Red	Microbiology, Biotechnology & other clinical laboratory Waste	0.30000	As per BMW Rules
	Contaminated Waste (Recyclable)	0.20000	As per BMW Rules
White (Translucent)	Waste sharps including Metals	0.20000	As per BMW Rules
Blue	Glassware	0.10000	As per BMW Rules
	Metalllic Body Implants	0.00000	

BMW

Page No-1

Printed from XGN



Signature



Form III -[Rule10]

**Authorization under Bio-Medical
Waste Management Rules, 2016**

Authorization type: BMW-FRESH
Authorization No : 202383
Valid from: 14/06/2023

Karnataka State Pollution Control Board


Bengaluru Pajrajeshwarinagar
Second Floor, "Niranga Bhavan", Himmah Main Rd,
7th D Main, 1st Stage, 2nd Block,
Shivanigudi, Opp Pushpangi Theatre,
Basaveswaranagar,
Bengaluru 560079, 080 23229124

(Document contains 6 No. of pages excluding Additional Document)

4. This authorisation shall be in force from the date of issue until cancelled/ withdrawn /Suspended by the Board.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Terms and conditions of authorization

1. The applicant/authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. This authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized/applicant shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person/applicant to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. Applicant shall take all necessary steps to ensure that bio-medical waste is handled without any adverse effect to human health and the environment and in accordance with the BMW rules.
7. Applicant shall make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I of the Bio-Medical Waste Management Rules, 2016.
8. Applicant shall ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the bio-medical waste from such place or premises shall be directly transported in the manner as prescribed in the BMW rules to the common bio-medical waste treatment facility or for the appropriate treatment and disposal, as the case may be, in the manner as prescribed in Schedule I of the Bio-Medical Waste Management Rules, 2016.
9. Applicant shall Pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDS Control Organization (NACO) guidelines and then send to the common bio-medical waste treatment facility for final disposal;
10. Applicant shall phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of the BMW rules;
11. Applicant shall dispose of solid waste other than bio-medical waste in accordance with the provisions of respective waste management rules made under the relevant laws and amended from time to time;
12. Applicant shall not mix treated/untreated bio-medical waste with municipal solid waste;
13. Applicant shall provide training to all its health care workers and others, involved in handling of bio-medical waste at the time of induction and thereafter at least once every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report;
14. Applicant shall immunise all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis B and Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunisation Policy or the guidelines of the Ministry of Health and Family Welfare issued from time to time;
15. Applicant shall establish Bar- Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose;



Form III -[Rule10]

Authorization under Bio-Medical Waste Management Rules, 2016

Karnataka State Pollution Control Board
Bengaluru Rajarajeshwarnagar
Second Floor, "Nisarga Bhavan", Thumamah Main Rd,
7th D' Main, 3rd Stage, 2nd Block,
Shivanagar, Opp Pushpanjali Theatre,
Bajajeshwaramanager,
Bengaluru - 60079, 050 2329124

Authorization type: BMW - I RI SSI
Authorization No: 202353
Valid from: 14/06/2023

(Document contains 6 No. of pages excluding Additional Document)

- 16 Applicant shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralisation prior to mixing with other effluent generated from health care facilities;
- 17 Applicant shall ensure treatment and disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974);
- 18 Applicant shall ensure occupational safety of all its health care workers and others involved in handling of biomedical waste by providing appropriate and adequate personal protective equipments;
- 19 Applicant shall conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of bio- medical waste and maintain the records for the same;
- 20 Applicant shall maintain and update on day to day basis the bio- medical waste management register and display the monthly record on its website according to the bio- medical waste generated in terms of category and colour coding as specified in Schedule I the Bio-Medical Waste Management Rules, 2016;
- 21 Applicant shall report major accidents including accidents caused by fire hazards, blast, during handling of biomedical waste and the remedial action taken and the records relevant thereto, (including nil report) in Form I to the prescribed authority and also along with the annual report;
- 22 Applicant shall make available the annual report on their web-site and all the health care facilities;
- 23 Applicant shall inform the prescribed authority immediately in case the operator of a facility does not collect the bio-medical waste within the intended time or as per the agreed time;
- 24 Applicant shall establish a system to review and monitor the activities related to bio-medical waste management, either through an existing committee or by forming a new committee and the Committee shall meet once in every six months and the record of the minutes of the meetings of this committee shall be submitted along with the annual report to the prescribed authority and the healthcare establishments having less than thirty beds shall designate a qualified person to review and monitor the activities relating to bio-medical waste management within that establishment and submit the annual report;
- 25 Applicant shall maintain all record for disposal of biomedical waste for a period of five years;
- 26 The applicant shall update COVID Bio Medical Waste data in CPCB tracking software at bmw.epcbeecr.com/#/p/login.

SCHEDULE I

[See rules 3 (c), 4(b), 7(1), 7(2), 7(5), 7 (6) and 8(2)]

Part-1

Biomedical wastes categories and their segregation, collection, treatment, processing and disposal options

Category	Type of Waste	Type of Bag or Container to be used	Treatment and Disposal options
1	2	3	4



Form III -[Rule10]

Authorization under Bio-Medical Waste Management Rules, 2016


Karnataka State Pollution Control Board

Bengaluru Papapeshwara nagar
Second Floor, "Nisarga Bhavan", Thimarah Main Rd,
Abi D' Mann, 3rd Stage, 2nd Block,
Shivanagar, Opp Pushpanah Theatre,
Basave Gowdanagar,
Bengaluru 560079. GSO 23229124

Authorization type: BMAY /R/ESI/1
Authorization No : 202383
Valid from: 14/06/2023

(Document contains 6 No. of pages excluding Additional Document)

Yellow	(a) Human Anatomical Waste:	Yellow coloured non-chlorinated plastic bags	Incineration or Plasma Pyrolysis or deep burial
	(b) Animal Anatomical Waste:	Not applicable	
	(c) Soiled Waste:		Incineration or Plasma Pyrolysis or deep burial* In absence of above facilities, autoclaving or micro-waving/ bags containing residual or discarded blood and blood components. Hydroclaving followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery.
	(d) Expired or Discarded Medicines:	Yellow coloured non-chlorinated plastic bags or containers	Expired cytotoxic drugs and items contaminated with cytotoxic drugs to be returned back to the manufacturer or supplier for incineration at > 1200° C or to CBMWTF or hazardous waste treatment, storage and disposal facility for incineration at >1200° C or Encapsulation or Plasma Pyrolysis at >1200° C. All other discarded medicines shall be either sent back to manufacturer or disposed by incineration.
	(e) Chemical Waste:	Yellow coloured containers or non-chlorinated plastic bags	Disposed of by incineration or Plasma Pyrolysis or Encapsulation in hazardous waste treatment, storage and disposal facility.
	(f) Chemical Liquid Waste :	Separate collection system leading to effluent treatment system	After resource recovery, the chemical liquid waste shall be pre-treated before mixing with other wastewater. The combined discharge shall conform to the discharge norms given in Annexure -I
	(g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	Non-chlorinated yellow plastic bags or suitable packing material	Non-chlorinated chemical disinfection followed by incineration or Plasma Pyrolysis or for energy recovery. In absence of above facilities, shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery or incineration or Plasma Pyrolysis.

**Form III -[Rule10]****Authorization under Bio-Medical Waste Management Rules, 2016****Karnataka State Pollution Control Board**

Bioscience Park, Jayanagar

Sector III, Near Chikmagalur, Tippanahalli Main Rd.

2nd Floor, 2nd Block

Shivanagar, Opp Panchajanya Theatre,

Basave Shivaramagar,

Bangalore-560079. 080-23229124

Authorization type: BMW/1/RI/SH

Authorization No: 202M3

Valid from: 14/06/2023

(Document contains 6 No. of pages excluding Additional Document)

	(h) Microbiology, Biotechnology and other clinical laboratory waste	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with non-chlorinated chemicals on-site as per National AIDS Control Organization or World Health Organization guidelines thereafter for Incineration.
Red	Contaminated Waste (Recyclable)	Red coloured non-chlorinated plastic bags or containers	Autoclaving or micro-waving/ hydroclaving followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent to registered or authorized recyclers or for energy recovery or plastics to diesel or fuel oil or for road making, whichever is possible. Plastic waste should not be sent to landfill sites.
White (Translucent)	Waste sharps including Metals:	Puncture proof, Leak proof, lamper proof containers	Autoclaving or Dry Heat Sterilization followed by shredding or mutilation or encapsulation in metal container or cement concrete; combination of shredding cum autoclaving; and sent for final disposal to iron foundries (having consent to operate from the State Pollution Control Boards or Pollution Control Committees) or sanitary landfill or designated concrete waste sharp pit.
Blue	a. Glassware:	Cardboard boxes with blue colored marking	Disinfection (by soaking the washed glass waste after cleaning with detergent and Sodium Hypochlorite treatment) or through autoclaving or microwaving or hydroclaving and then sent for recycling.
	b. Metallic Body Implants	Cardboard boxes with blue colored marking	

*Disposal by deep burial is permitted only in rural or remote areas where there is no access to common bio-medical waste treatment facility. This will be carried out with prior approval from the prescribed authority and as per the Standards specified in Schedule-III. The deep burial facility shall be located as per the provisions and guidelines issued by Central Pollution Control Board from time to time.

Annexure-I



Form III - (Rule 10)

Authorization under Bio-Medical Waste Management Rules, 2016

Authorization type: BMW-FRI-SH
Authorization No.: 202183
Valid from: 14/06/2023

Karnataka State Pollution Control Board

Head Office: Rajajeshwara Nagar
Second Floor, "Rishabh Bhavan", Ulhasnagar, Malaviya Rd,
4th Floor, 4th Stage, 2nd Block
Shivamogga, Chik Ballari District
Bijapur Road, Shivamogga
Bijapur Road, Shivamogga
Bijapur Road, Shivamogga

(Document contains 6 No. of pages excluding Additional Document)

STANDARDS FOR LIQUID WASTE.

1. The effluent generated or treated from the premises of occupier or operator of a common bio-medical waste treatment and disposal facility, before discharge into the sewer should conform to the following limits-

PARAMETERS	PERMISSIBLE LIMITS
pH	6.5-9.0
Suspended solids	100 mg/l
Oil and grease	10 mg/l
BOD	30 mg/l
COD	250 mg/l
Bio-assay test	90% survival of fish after 96 hours in 100% effluent.

2. Sludge from Effluent Treatment Plant shall be given to common bio-medical waste treatment facility for incineration or to hazardous waste treatment, storage and disposal facility for disposal.

SCHEDULE IV
[See rule 8(3) and (5)]

Part A
LABEL FOR BIO-MEDICAL WASTE CONTAINERS or BAGS CYTOTOXIC HAZARD SYMBOL

CYTOTOXIC HAZARD SYMBOL



HANDLE WITH CARE



HANDLE WITH CARE

FOR AND ON BEHALF OF
KARNATAKA STATE POLLUTION CONTROL BOARD
Signature valid
Digitally signed by
Date: 2023.06.17 15:11:26
+05:30
ENVIRONMENTAL OFFICER