



CHRISTIAN MEDICAL COLLEGE

DEPARTMENT OF CLINICAL BIOCHEMISTRY

CMC EXTERNAL QUALITY ASSURANCE SCHEME

MONTHLY SUMMARY REPORT – February, 2024



PC-1024

Lab Name **GHSPS SAMBAJIV KNJ HEALTH CARE LLP** Lab No **20400**
 Constituent Group **Chemistry II** Date of Result Entered: **20/02/2024**
 PT item **Lyophilized human serum based** Date of Report Published: **06/03/2024**

Sl.No	Analyte	Method/ Principle Name	Analyzer Name	No of Participants	AV	Participants		Your Value	Z Score	u*
						CV	SDPA			
1	GLUCOSE II	GOD-POD II	Any Analyser (Automation / Semi Automation)	1640	385.53	10.46	40.34	328.37 mg/dL	0.96	1.97
2	UREA II	Urease UV/ GLDH II	Any Analyser (Automation / Semi Automation)	856	64.58	11.79	7.62	61.97 mg/dL	0.06	0.52
3	CREATININE II	Jaffes End Point II	Any Analyser (Automation / Semi Automation)	1233	6.66	11.71	0.78	7.05 mg/dL	0.5	0.04
4	T.BILIRUBIN II	DiazoniumSalt (/ Colorimetric) / Jendrassik II	Any Analyser (Automation / Semi Automation)	1435	2.6	16.3	0.42	2.22 mg/dL	-0.57	0.02
5	T-PROTEIN II	Biuret- Colorimetric II	Any Analyser (Automation / Semi Automation)	1251	4.33	12.37	0.54	3.78 g/dL	-1.02	0.03
6	ALBUMIN II	BCG- Colorimetric II	Any Analyser (Automation / Semi Automation)	1285	2.65	11.67	0.31	2.13 g/dL	-1.51	0.02
7	URIC ACID II	Enzymatic / Uricase Colorimetric II	Any Analyser (Automation / Semi Automation)	1238	4.3	14.99	0.64	4.86 mg/dL	0.88	0.04
8	CHOLESTROL II	CHOD-PAP II	Any Analyser (Automation / Semi Automation)	1453	90.3	11.84	10.69	81.91 mg/dL	-0.78	0.56
9	TRIGLYCERIDE II	GPO-PAP/ Enzymatic Colorimetric/ End Point II	Any Analyser (Automation / Semi Automation)	1296	81.75	17.62	14.41	65.16 mg/dL	-1.15	0.8

u*-Method of Uncertainty

Z-Score	Interpretation
$ z \leq 2.0$	Acceptable
$2.0 < z < 3.0$	Warning Signal
$ z \geq 3.0$	Unacceptable(action Signal)

LABADDRESS:
 GHSPS SAMBAJIV KNJ HEALTH CARE LLP,
 BHATJANGLA, KRISHNANAGAR, NH- 39, OPP HOTAL HAVELI, West Bengal

Coordinator Contact Details:
 Email : clinqc@cmcvellore.ac.in
 Contact Number: 0416-2283102

Pamela Christudoss
 Dr. Pamela Christudoss
 CMC EQAS Coordinator
 Christian Medical College, Vellore

External Quality Assurance Scheme-Print Monthly Summary
Homogeneity and Stability of the sample is passed.
Data in CMC EQAS reports is confidential
CMC EQAS does not sub contract any components
*****End of Report*****