



CHRISTIAN MEDICAL COLLEGE
VELLORE, TAMIL NADU - 632004. INDIA
DEPARTMENT OF CLINICAL BIOCHEMISTRY
CMC EXTERNAL QUALITY ASSURANCE SCHEME



MONTHLY SUMMARY REPORT - SEPTEMBER 2024

LAB NO: 19715
LAB NAME: **LUPIN DIAGNOSTIC LTD**

CONSTITUENT GROUP
Chemistry I

Date of Result Entered: 19/09/2024
Date of Result Published: 01/10/2024

PT Item: Lyophilized human serum based

S. No.	Analyte	Method / Principle	Analyser	No. of Participants	AV	Participants		Your Value	Z Score	u*
						CV	SDPA			
1	GLUCOSE	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	285	98.12	3.26	3.2	99 mg/dL	0.27	0.38
2	UREA	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	293	61.78	3.6	2.22	64.19 mg/dL	1.09	0.26
3	CREATININE	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	293	1.78	4.61	0.08	1.74 mg/dL	-0.5	0.01
4	T.BILIRUBIN	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	294	3.38	6.54	0.22	3.6 mg/dL	1	0.03
5	T-PROTEIN	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	297	5.13	3.07	0.16	5.2 g/dL	0.44	0.02
6	ALBUMIN	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	295	3.02	4.56	0.14	2.8 g/dL	-1.57	0.02
7	CALCIUM	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	277	8.71	3.86	0.34	9 mg/dL	0.85	0.04
8	URIC ACID	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	288	4.32	3.48	0.15	4.4 mg/dL	0.53	0.02
9	CHOLESTEROL	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	270	106.41	5.02	5.34	115 mg/dL	1.61	0.65
10	TRIGLYCERIDE	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	273	133.59	4.74	6.33	141 mg/dL	1.17	0.77
11	HDL	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	264	21.97	5.98	1.31	22 mg/dL	0.02	0.16
12	SODIUM	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	250	133.43	2	2.67	134 mmol/L	0.21	0.34
13	POTASSIUM	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	250	3.47	2.86	0.1	3.6 mmol/L	1.3	0.01
14	CHLORIDE	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	205	96.6	2.6	2.51	99 mmol/L	0.96	0.35



CHRISTIAN MEDICAL COLLEGE

VELLORE, TAMIL NADU - 632004. INDIA

DEPARTMENT OF CLINICAL BIOCHEMISTRY
CMC EXTERNAL QUALITY ASSURANCE SCHEME



MONTHLY SUMMARY REPORT - SEPTEMBER 2024

LAB NO: 19715

LAB NAME: LUPIN DIAGNOSTIC LTD

CONSTITUENT GROUP

Chemistry I

Date of Result Entered: 19/09/2024

Date of Result Published: 01/10/2024

PT Item: Lyophilized human serum based

S. No.	Analyte	Method / Principle	Analyser	No. of Participants	AV	Participants		Your Value	Z Score	u*
						CV	SDPA			
15	AST	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	303	44.16	6.08	2.69	46 U/L	0.68	0.31
16	ALT	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	297	47.28	9.65	4.56	49 U/L	0.38	0.53
17	ALP	Dry Chemistry	Ortho Clinical Diagnostics Dry Chemistry Series	300	101.54	7.76	7.88	104 U/L	0.31	0.91

u* - method of uncertainty

Z-Score	Interpretation
$ z \leq 2.0$	Acceptable
$2.0 < z < 3.0$	Warning Signal
$ z \geq 3.0$	Unacceptable (Action Signal)

LAB ADDRESS

LUPIN DIAGNOSTIC LTD,
29 KP CHATTARAJ ROAD, GORABAZAR NIMTALA,
BEFIHAMPUR,
West Bengal

Coordinator Contact Details:

E-Mail: clinqc@cmcvellore.ac.in
Contact No.: 0416-2283102

Homogeneity and Stability of the sample is passed.
Data in CMC EQAS reports is confidential.
CMC EQAS does not sub contract any components.
***** End of Report *****

Pamela Christudoss
Dr. Pamela Christudoss,
CMC EQAS Coordinator,
Christian Medical College, Vellore.



CHRISTIAN MEDICAL COLLEGE
VELLORE, TAMIL NADU - 632004, INDIA
DEPARTMENT OF CLINICAL BIOCHEMISTRY
CMC EXTERNAL QUALITY ASSURANCE SCHEME



MONTHLY SUMMARY REPORT - SEPTEMBER 2024

LAB NO: 19715
LAB NAME: **LUPIN DIAGNOSTIC LTD**

CONSTITUENT GROUP
HbA1c

Date of Result Entered: 19/09/2024
Date of Result Published: 01/10/2024

PT Item: Lyophilized human whole blood based

S. No.	Analyte	Method / Principle	Analyser	No. of Participants	AV	Participants		Your Value	Z Score	u*
						CV	SDPA			
1	HbA1c	HPLC-Ion Exchange	Tosoh (G8, G11 - HPLC / HPLC-723G8)	283	6.64	4.28	0.28	6.7 %	0.21	0.03

u* - method of uncertainty

Z-Score	Interpretation
$ z \leq 2.0$	Acceptable
$2.0 < z < 3.0$	Warning Signal
$ z \geq 3.0$	Unacceptable (Action Signal)

LAB ADDRESS

LUPIN DIAGNOSTIC LTD,
29 KP CHATTARAJ ROAD, GORABAZAR NIMTALA,
BEFIHAMPUR,
West Bengal

Coordinator Contact Details:

E-Mail: clinqc@cmcvellore.ac.in
Contact No.: 0416-2283102

Homogeneity and Stability of the sample is passed.
Data in CMC EQAS reports is confidential.
CMC EQAS does not sub contract any components.
***** End of Report *****

Pamela Christudoss

Dr. Pamela Christudoss,
CMC EQAS Coordinator,
Christian Medical College, Vellore.